Index to volume 73

Author index

A

Abraham WM, 479
Ackerman MN, 604
Adinoff A, Hollister J, 7 (Abst.)
Adinoff AD, Hollister MD, 12 (Abst.)
Adkinson NF Jr, 94
Ahmed T, 479
Alexander JF Jr, 782
Allansmith MR, 49
Anderson JA, 466
Anderson SD, 660
Anderson WH, 824
Aniti F, Fiorilli M, Quinti I, Seminara R, Pusinco L, Galli E, Rossi P, Goldstein G, 2 (Abst.)
Antona C, Tremolada F, Fattovich G, Loreggian M, Noventa F, Realdi G, 10 (Abst.)
Appel DW, 291
Asai S, 824
Atkins PC, 341
Austen KF, 699
Aznar R, 332

B

Backman A, 324
Baer H, 590, 790
Baird RS, 49
Balazs T, 20
Baldo BA, Fisher MMcD, 21 (Abst.)
Ballow M, 376
Barbandi F, 240
Barbee R, 259
Barnes RD, Pottinger BE, Marston J, Flecknell P, Ward RHT, Kalter S, Heberling RL, 6 (Abst.)
Bar-Sela S, 56, 271
Baur X, 610
Beaumont F, 567
Bech H-I, Nissen BK, 10 (Abst.)
Bedard P-M, 341
Beer DJ, 439
Befus AD, 819
Berquist WE, 253
Bernstein IL, 348
Bethel RA, 82
Bewtra AK, 265
Bienenstock J, 819
Bierman CW, 654
Björkstén F, 324
Bloch KJ, 49
Bluestone CD, 604
Bocchieri MH, Baruman OA, Hauptman SP, Zitron IM, Smith JB, 9 (Abst.)
Boushey HA, 82
Bousquet J, 332
Bowman S, 775
Bridts CH, 276
Brooks CD, 584
Brooks SM, 348
Brown JK, 473
Brunet G, Prechuta H, Hamel R, Holme G, Ford-Hutchinson AW, 14 (Abst.)
Bruns WT, 44
Brynes RK, Chan WC, Spira TJ, Ewing EP Jr, Chandler FW, 20 (Abst.)
Buckley CE III, 619
Buckley RH, 829
Bukantz SC, 824
Burr M, 15 (Abst.)
Burrows B, 259
Buscaglia AJ, Cowden GE, Brill H, 22 (Abst.)
Busse WW, 404, 801
Bussel JB, Schulman I, Hilgartner MW, Barandun S, 13 (Abst.)

C

Cartier A, 234, 574
Casale TB, 775, 837
Chand N, 400
Chervinsky P, 32
Church MK, 391
Clarke KS, 740
Collins M, Hellman K, 11 (Abst.)
Cornelli U, 283
Covert DS, 717
Creticos PS, 94
Cromwell O, 634

D

D'Amato G, Cocco G, Liccardi G, Melillo G, 23 (Abst.)
Daniels JC, 596
Daniel MD, King NW, Hunt RD, Sehgal PK, Desrosiers RC, 24 (Abst.)
Davis KC, 600, 810
Davis WJ, 356
Dawson P, Pitfield J, Britton J, 4 (Abst.)
Delehunt JC, 479
de Monchy JGR, 567
Dern EB, 363
de Vries K, 567, 813
Dewair M, 610
Diamantis W, 400
Di Prisco-Fuenmayor MC, 229
Dolovich J, 574
Donohoe RF, 20
Donshik P, 376
Dorow P, Schiess W, 22 (Abst.)
Doyle WJ, 604
Dvoracek JE, 363
Dyer J, 341

E

Eggleston PA, 666
Ellis EF, 690
Epstein J, 82
Eschenbacher WL, 640
Essex M, McLane MF, Lee TH, Falk L, Howe CWS, Mullins JI, Cabradilla C, Francis DP, 2 (Abst.)

January (part 1), pp. 1-108; February, pp. 211-298; March, pp. 299-412; April, pp. 413-524; May (part 1), pp. 525-628; (part 2), 629-748; June, pp. 749-898. Abstracts: January, pp. 1-4; February, pp. 5-8; March, pp. 9-12; April, pp. 13-16; May, pp. 17-22; June, pp. 23-26.

F

Farnam J, 596, 842
Feldman BR, 356
Feldman CH, 356
Fields DAS, 400
Findlay SR, 578
Fink JN, 44
Fireman P, 604
Fitch KD, 722
Ford A, 790
Foreman JC, 769
Frey MJ, 473
Friedhoff LR, 490
Friedman RA, 604
Frith EM, 69
Foucard T, 508
Fruhmann G, 610
Furukawa CT, 693

G

Gallagher JS, 348
Garaci CR, Favalli C, Del Gobbo V, Garaci E, Jaffe BM, 14 (Abst.)
Gauerke MB, 790
Ghezzo H, 234
Gleich GJ, 363
Godfrey S, 629
Gold WM, 473
Goldstein DE, Konig P, 1 (Abst.)
Goodwin JS, Gary PJ, 25 (Abst.)
Graft DF, 61
Grammer LC, 484, 557
Grant JA, 596, 842
Greenberger PA, 44
Greenberger P, Patterson R, 17 (Abst.)
Greiner JV, 49
Guernsey BG, 842

H

Haahtela T, 324
Halpern G, 283
Hamburger HA, 466
Hamrick HJ, 561
Hatfield M, 435
Helm RM, 790
Higenbottam T, Stokes TC, Jamieson S, Hill L, 5 (Abst.)
Holford-Strevens V, 516
Holgate ST, 391
Hook WA, 457
Hopp RJ, 265
Howarth PH, 391
Hsu Y-P, 283
Huang AT, 829
Hutchinson VE, 356
Hyatt RE, 363

I

Iikura Y, 634
Ioachim HL, Lerner CW, Tapper ML, 18 (Abst.)

J

Jacobs GL, 466
Jennette JC, 561
Joppolo G, 283
Jorizzo JL, 842

K

Kagey-Sobotka A, 61, 578, 782
Kalbfleisch JH, 44
Kaliner M, 311, 318, 775
Kaliner MA, 341, 837
Kaplan AP, 453, 704
Katz R, 253
Katz RM, 708
Kauffman HF, 567, 813
Kay AB, 634
Kemp AS, 381
Kemp JP, 32
Kern EB, 25
Key J, Nahmias M, Acchiardo S, 6 (Abst.)
Keyser JJ, de Monchy JGR, van Doormal JJ, van Voorst Vader PL, 21 (Abst.)
Kindblom LG, 16 (Abst.)
King TP, 782
Khan HA, 590
Klemawesch SJ, 619
Koenig JQ, 717
Kohler PF, 600, 810
Kominsky JR, 348
König P, 686
Kopp DE, 801
Koren A, Haasz R, Tiatler A, Katzuni E, 26 (Abst.)
Koren H, 829
Krzanowski JJ, 824
Kwiterovich KA, 61

L

LaForce CF, 561
Landenslager ML, Ryan SM, Drugan RC, Hyson RL, Maier SF, 13 (Abst.)
Langeland T, 20 (Abst.)
Laufer P, 44
Lavastida MT, 596
Lazell MI, 246
Lebowitz MD, 259
Lee TH, 634
Leff AR, 473
Lehrer SB, 240
Lemire I, 234
Levy DA, 790
Lewis FH, Beals TF, Baker SR, Mathews KP, 8 (Abst.)
Lewiston NJ, Johnson S, Sloan E, 23 (Abst.)
Lichtenstein LM, 61, 578, 782
Liechty RD, Firminger HI, 21 (Abst.)
Lindström B, 508
Liss GM, 348
Lockey RF, 824
Lönnerholm G, 508
Lopez LR, 600
López RI, 229
Løwenstein H, 790
Lumry WR, 500
Lutsky I, 56, 271
Lynch NR, 229

M

McFadden ER Jr, 413
McMichael A, Gotch F, Noble G, Beare P, 9 (Abst.)
Mahan LK, 728
Malavé C, 229
Malo J-L, 234
Malo JL, 574
Malveaux FJ, 590
Manfreda J, 516
March DG, 490
Mardiney MR, 94
Marom Z, 318
Marshall NA, 369
Martin DF, 824
Martin RR, 234
Martin T, Elenbaas R, Pingleton S, 17 (Abst.)
Mathews KP, 846

Mathison DA, 500
May CD, Fomon SJ, Remigio L, 7 (Abst.)
Medouze L, 229
Mekori YA, 810
Melius J, 348
Mellis CM, 381
Meltzer EO, 32
Ménardo J-L, 332
Mendelson L, 376
Mendelson LM, 76
Metcalfe DD, 749
Metzler C, 584
Meyers DA, 490
Miadonna A, 283
Michel F-B, 332
Mickey GH, 829
Middleton E Jr, 643, 801
Mingo TS, 32
Modlin RL, Meyer PR, Hofman FM, Mehlmauer M, Levy NB, Lukes RJ, Parker JW, Ammann AJ, Conant MA, Rea TH, Taylor CR, 20 (Abst.)
Moss RB, 283
Müller UR, 246

N

Nadel JA, 82, 651
Nagakura T, 634
Nagai H, Morishima T, Morishima Y, Isomura S, Suzuki S, 19 (Abst.)
Nair NM, 265
Naspitz C, 829
Nelson AL, 584
Nelson HS, 547
Nicklas RA, 20
Niv Y, 61
Norman PS, 94, 782, 790
Noyes JH, 32

O

Orgel HA, 32
Ortolani C, 283
Oseid S, 735
Ownby DR, 466

P

Pao GJ-K, 391
Papageorgiou N, 634
Parillo JE, 837
Parslow TG, Milburn GL, Lynch RG, Granner DK, 10 (Abst.)
Pastorello E, 283
Patow C, 318
Patterson R, 44, 484, 557
Pearce FL, 819
Pedersen S, 3 (Abst.)
Peltonen L, Fraki J, 15 (Abst.)
Perhach JL Jr, 400
Peters M, Schroeter AL, Kephart GM, Glech GS, 14 (Abst.)
Petronio L, Bovenzi M, 5 (Abst.)
Petrusa ER, 842
Pierson WE, 717
Pillar J, 400
Pineau L, 574
Pineav L, 234
Pitchenick AE, Fischl MA, Spira TJ, 18 (Abst.)
Pleskow WW, 500
Polson JB, 824
Powers K, 457

R

Rachelefsky GS, 253
Ramirez DA, 88
Rapacz P, 376
Ratnoff OD, Nosel HL, 3 (Abst.)
Reddi RC, 596
Reed BR, 473
Reisman RE, 246
Ressler C, 76
Restuccia M, 283
Richman PG, 590
Robinet-Lévy M, 332
Rocklin RE, 439
Rohr AS, 369
Rooklin A, 376
Rosen JP, 76
Rosenberg GL, 94
Rosenthal RR, 676
Roth SL, 846
Rowshan N, 253
Ruzicka T, Gluch S, 6 (Abst.)

S

Salmeron G, Lipsky PE, 2 (Abst.)
Salvaggio JE, 240
Saxon A, 369
Schapira M, Silver LD, Scott C, Schnaier AH, Prograis LJ Jr, Curd JG, Colman RW, 3 (Abst.)
Schatz M, 500
Schiff SE, 829
Schocket AL, 600, 810
Schuberth KC, 61
Schwartz SA, 846
Selcow JE, 76
Shapiro GG, 670
Shaughnessy MA, 484, 557
Shaughnessy JJ, 484, 557
Sheffer AL, 699
Shelhamer J, 318
Shelhamer JH, 837
Sheppard D, 82, 640
Sher TH, 356
Shields R, 473
Shim CS, 387
Siegel S, 253
Siegel SC, 745
Simon RA, 500
Simons FER, 69
Simons KJ, 69
Sindel LJ, 829
Siraganian RP, 457
Skoogh BE, 82
Slavin RG, 712
Slepian IK, 846
Sly RM, 680
Sofia RD, 400
Sosman JM, 404
Stevens WJ, 276
Stevenson DD, 500
Suoniemi I, 324
Suszko IM, 484
Szentivanyi A, 824

T

Taylor JP, 240
Teichtahl H, 56, 271
Tonnel AB, Joseph M, Gosset P, Fournier E, Capron A, 25 (Abst.)
Townley RG, 265
Trainin Z, Wernicke D, Ungar-Waron H, Essex M, 1 (Abst.)
Turkeltaub PC, 590

U

Unger GF, 44

V

Valentine MD, 61, 299
VanArsdel PP Jr, 431
Van Asperen PP, 381
—Kemp AS, Mellis CM, 11 (Abst.)
van der Heide S, 567, 813
Van Metre TE, 94
Verde O, 229

W

Ward FE, 829
Warren JB, Dalton N, 24 (Abst.)
Warren P, 516
Wasserman SJ, 17
Watson JD, 19 (Abst.)
Watt GD, 265
Weinberger M, 525
Weiss JJ, 846
Welch M, 253
Weller PF, 1
Whitehurst VE, 20
Williams MH Jr, 387
Wong C, 516
Wüthrich B, Bluz A, Skvaril F, 16 (Abst.)
Wu W, Shen B-F, Zhao-Wexiang, Wei J-shui, 25 (Abst.)
Wypych JI, 246

Y

Yap HK, Yip WCL, Lee BW, Ho F, Teo J, Aw SE, Tay JSH, 26 (Abst.)
Yerger L, 479
Yunginger JW, 316, 363, 790

Z

Zanussi C, 283
Zeiger RS, 500
Zweiman B, 341

Subject index

A

Acids, biliary, possible role of: reduced T-lymphocyte function in acute viral hepatitis, 10 (Abst.)
immune deficiency syndrome in low-risk patients: evidence for possible transmission by an asymptomatic carrier, 18 (Abst.)
deficiency syndrome, relationships with: lymphadenopathies in homosexual men, 18 (Abst.)
Activation, prekallikrein, and high-molecular-weight kininogen consumption in hereditary angioedema, 3 (Abst.)
Activity, anti-tumour and histamine-receptor antagonism, 11 (Abst.)
biologic, of allergen skin test preparations, assay of (Björkstén F et al), 324
Adrenal-hypothalamic-pituitary axis function in children with asthma, effect of inhaled beclomethasone dipropionate on, 1 (Abst.)
Adrenaline, exercise levels of, in man, comparison of bronchodilator and vasopressor effects of, 24 (Abst.)
Aerosol, beclomethasone dipropionate, and metaproterenol sulfate, effect of aminophylline when added to (Appel DW), 291
concomitant bitolterol mesylate, and theophylline for asthma therapy, with 24 hr electrocardiographic monitoring (Kemp JP et al), 32
treatment of bronchoconstriction in children with or without tube spacer, 3 (Abst.)
Agonists, beta adrenergic, and methylxanthines, concomitant use of (Nicklas RA et al), 20 (Editorial)
AIDS, antibodies to cell membrane antigens associated with human T-cell leukemia virus in patients with, 2 (Abst.)
Air pollutants, bronchial hyperreactivity, and exercise (Pierson WE et al), 717
Airborne allergenic pollen content of atmosphere of Naples, study of, 23 (Abst.)
Airways, central and peripheral, influence of ketotifen fumarate and aminophylline on, 22 (Abst.)
hyperreactive, and exercise, use of cromolyn in management of (König P), 686
smooth muscle, asthma, and calcium ions (Middleton E Jr), 643
site of action of *Ptychodiscus brevis* toxin within parasympathetic axonal sodium channel *h* gate in (Asai S et al), 824
Alcuronium chloride and tubocurarine chloride after life-threatening reactions to muscle-relaxant drugs, detection of serum-IgE antibodies that react with, 21 (Abst.)
Allergenic pollen content, airborne, of atmosphere of Naples, study on, 23 (Abst.)
Allergens, German cockroach, as determined by RAST analyses, important sources of (Richman PG et al), 590
skin test preparations, assay of biologic activity of (Björkstén F et al), 324
standardization: 1984 (Yunginger JW), 316 (Editorial)
Allergic athlete(s) and nutrition (Mahan LK), 728
international symposium on special problems of (Siegel SC), 745 (Summary)
methacholine challenge—relevance for (Shapiro, GG), 670
symposium on special problems and management of (Godfrey S), 630
bronchopulmonary aspergillosis in cystic fibrosis (Laufer P et al), 44
disease in twins, genetic analysis of (Hopp RJ et al), 265
Allergic athlete(s)—cont'd
Olympic athletes, management of (Fitch KD), 722
Allergy, insect venom; diagnosis and treatment (Valentine MD), 299 (CME article)
skin testing, routine elective penicillin, in children and adolescents: study of sensitization (Mendelson LM et al), 76
Alveolar macrophages in asthmatic patients after local provocation test, stimulation of, 25 (Abst.)
American Academy of Allergy and Immunology, annual meeting (Hatfield Senator M), 435 (Special address)
Amines, biogenic, and leukotrienes, in normal and hyperreactive rats, respiratory responses to, 14 (Abst.)
Aminophylline and ketotifen fumarate on central and peripheral airways, influence of, 22 (Abst.)
effect of, when added to metaproterenol sulfate and beclomethasone dipropionate aerosol (Appel DW), 291
Analysis, genetic, of allergic disease in twins (Hopp RJ et al), 265
Anaphylactoid reaction, mannitol-induced, in vitro basophil histamine release induced by mannitol in patient with (Findlay SR et al), 578
Anaphylaxis, exercise-induced (Sheffer AL and Austen KF), 699
ocular, in rat, late-phase reactions in (Allansmith MR et al), 49
successful immunotherapy for *Triatoma protracta*-induced (Rohr AS et al), 369
wasp sting, 3 (Abst.)
Angioedema and chronic idiopathic urticaria with cimetidine alone, successful treatment of (Farnam J et al), 842
hereditary, prekallikrein activation and high-molecular-weight kininogen consumption in, 3 (Abst.)
Annual meeting of American Academy of Allergy and Immunology (Hatfield Senator M), 435 (Special address)
Antagonism, histamine-receptor, and anti-tumour activity, 11 (Abst.)
Antagonist hydroxyzine, H_1 receptor, pharmacokinetics and antihistaminic effects of (Simons, FER et al), 69
Antibodies, antinuclear, in serum of normal pregnant women: prospective study (Farnam J et al), 596
human, response in natural retrovirus infection, suppression of, 1 (Abst.)
IgE and IgG, dose response of, during ragweed immunotherapy (Creticos PS et al), 94
IgG, and specific IgE, measurement of, against *Aspergillus fumigatus* antigen in patient sera by use of enzyme immunoassays: influence of different procedures of antigen immobilization (van der Heide S et al), 813
pollen-specific IgG, in tears of patients with allergic-like conjunctivitis (Ballow M et al), 376
serum-IgE, detection of, that react with alcuronium chloride and tubocurarine chloride after life-threatening reactions to muscle-relaxant drugs, 21 (Abst.)
to cell membrane antigens associated with human T-cell leukemia virus in patients with AIDS, 2 (Abst.)
Antigen(s) and exercise, comparison of late reactions to (Bierman CW), 654
Aspergillus fumigatus, in patient sera by use of enzyme immunoassays, measurement of specific IgE and IgG antibodies against: influence of different procedures of antigen immobilization (van der Heide S et al), 813
cell membrane, associated with human T-cell leukemia virus in patients wth AIDS, antibodies to, 2 (Abst.)
E in patients with ragweed hay fever, immunologic responses to conjugates of (Norman PS et al), 782
-induced bronchoconstriction, inhibition of, by methyprednisolone succinate (Delehunt JC et al), 479
eustachian tube obstruction: intranasal provocative challenge test (Ackerman MN et al), 604
increased, local and systemic mediator release in rhinitis subjects with pulmonary symptoms in pollen season (Atkins PC et al), 341
related, and mast cells—factor VIII, 16 (Abst.)

January (part 1), pp. 1-108; February, pp. 211-298; March, pp. 299-412; April, pp. 413-524; May (part 1), pp. 525-628; (part 2), 629-748; June, pp. 749-898. Abstracts: January, pp. 1-4; February, pp. 5-8; March, pp. 9-12; April, pp. 13-16; May, pp. 17-22; June, pp. 23-26.

Antihistamine, effect of, on pulmonary function of children with asthma, 23 (Abst.)
Antihistaminic and pharmacokinetics effects of H_1 receptor antagonist hydroxyzine (Simons FER et al), 69
Anti-tumour activity and histamine-receptor antagonism, 11 (Abst.)
Antinuclear antibodies in serum of normal pregnant women: prospective study (Farnam J et al), 596
Arterial blood gases, unnecessary, in acute asthma, use of peak expiratory flow rates to eliminate, 17 (Abst.)
Aspergillosis, allergic bronchopulmonary, in cystic fibrosis (Laufer P et al), 44
Aspergillus fumigatus, allergenic and antigenic properties of spore extracts of: comparative study of spore extracts with mycelium and culture filtrate extracts (Kauffman HF et al), 567
antigen in patient sera by use of enzyme immunoassays, measurement of specific IgE and IgG antibodies against: influence of different procedures of antigen immobilization (van der Heide S et al), 813
Aspirin, double-blind crossover study of treatment with: aspirin-sensitive rhinosinusitis asthma (Stevenson DD et al), 500
idiosyncracy and tolerance (VanArsdel PP), 431 (Editorial)
intolerance, asthma, and nasal polyps, ultrastructural and functional studies of cilia from patients with, 8 (Abst.)
-sensitive rhinosinusitis asthma: double-blind crossover study of treatment with aspirin (Stevenson DD et al), 500
Assay of biologic activity of allergen skin test preparations (Björkstén F et al), 324
radioenzymatic, for measurement of tissue concentrations of histamine: adaptation to correct for adherence of histamine to mechanical homogenizers (Brown JK et al), 473
Asthma, acute, use of peak expiratory flow rates to eliminate unnecessary arterial blood gases in, 17 (Abst.)
airway smooth muscle, and calcium ions (Middleton E Jr), 643
and inflammation (Nadel JA), 651
rhinitis, grass pollen-induced, grass pollen immunotherapy: single year double-blind, pacebo-controlled study in patients with (Ortolani C et al), 283
IgG-containing and IgE-containing circulating immune complexes in patients with (Stevens WJ, Bridts CH), 276
as variable in study of immunotherapy for allergic rhinitis (Grammer LC et al), 557
aspirin intolerance, and nasal polyps, ultrastructural and functional studies of cilia from patients with, 8 (Abst.)
-sensitive rhinosinusitis: double-blind crossover study of treatment with aspirin (Stevenson DD et al), 500
childhood, dose, plasma concentration, and effect of oral terbutaline in long-term treatment of (Lönnerholm G et al), 508
effect of antihistamine on pulmonary function of children with, 23 (Abst.)
inhaled beclomethasone dipropionate on hypothalamic-pituitary-adrenal axis function in children with, 1 (Abst.)
exercise-induced, by theophylline, inhibition of (Ellis EF), 690
is there unifying hypothesis for (Anderson SD), 660
mediators in (Lee TH et al), 634
in athletes, beta-adrenergic drugs in management of (Sly RM), 680
occupational, due to pepsin (Cartier A et al), 574
due to poultry mites (Lutsky I et al), 56
in poultry workers (Bar-Sela S et al), 271
pathogenesis of (McFadden ER), 413 (CME article)
severe, during pregnancy, beclomethasone dipropionate for, 17 (Abst.)
steroid-induced fractures and bone loss in patients with, 7 (Abst.)
therapy, with 24 hr electrocardiographic monitoring, concomitant bitolterol mesylate aerosol and theophylline for (Kemp JP et al), 32
Asthma—cont'd
variable inhibition of histamine-induced bronchoconstriction by atropine in subjects with (Sheppard D et al), 82
Asthmatic adults with normal spirometric values, bronchial reactivity in, 5 (Abst.)
Asthmatic children and normal adults receiving placebo, theophylline, and metaproterenol sulfate therapy, quantitative gastroesophageal reflux and pulmonary function in (Berquist WE et al), 253
Asymptomatic carrier, evidence for possible transmission by: acquired immune deficiency syndrome in low-risk patients, 18 (Abst.)
Athlete(s), allergic, and nutrition (Mahan LK), 728
international symposium on special problems of (Siegel SC), 745 (Summary)
methacholine challenge—relevance for (Shapiro GG), 670
Olympic, management of (Fitch KD), 722
symposium on special problems and management of (Godfrey S), 630
and doping—prevention and counseling (Oseid S), 735
beta-adrenergic drugs in management of asthma in (Sly RM), 680
rhinitis in (Katz RM), 708
Atmosphere of Naples, study on airborne allergenic pollen content of, 23 (Abst.)
Atopic children, frequency and severity of cat allergy vs. dog allergy in (Bookman R), 411; Reply (Murray AB et al), 411 (Correspondence)
dermatitis (Hanifin JM), 211 (CME article)
and hyper-IgE syndrome, cutaneous histamine levels and histamine releasability from the skin in, 6 (Abst.)
disease in tropical environment: partial independence from intestinal helminthiasis, incidence of (Lynch NR et al), 229
Atopy, IgE, and disease, family concordance of (Lebowitz MD et al), 259
in steroid-responsive nephrotic syndrome, incidence of: clinical and immunologic parameters, 26 (Abst.)
Atropine in subjects with asthma, variable inhibition of histamine-induced bronchoconstriction by (Sheppard D et al), 82
Auranofin, modulation of human immune responsiveness in vitro by, 2 (Abst.)
Axis function, hypothalamic-pituitary-adrenal, in children with asthma, effect of inhaled beclomethasone dipropionate on, 1 (Abst.)
Azelastine, inhibition by, of nonallergic histamine release from rat peritoneal mast cells (Fields DA et al), 400

B

Basophils, circulating, to measurements of plasma histamine, relevance of: exercise and isocapnic hyperventilation-induced bronchoconstriction in asthma (Howarth PH et al), 391
histamine release, in vitro, induced by manitol in patient with mannitol-induced anaphylactoid reaction (Findlay SR et al), 578
Beclomethasone dipropionate aerosol, effect of aminophylline when added to metaproterenol sulfate and (Appel DW), 291
for severe asthma during pregnancy, 17 (Abst.)
inhaled, on hypothalamic-pituitary-adrenal axis function in children with asthma, effect of, 1 (Abst.)
Beekeepers in relation to their sensitization, clinical and immunologic survey in (Bousquet J et al), 332
Beta adrenergic agonists and methylxanthines, concomitant use of (Nicklas RA et al), 20 (Editorial)
drugs in management of asthma in athletes (Sly RM), 680
Biliary acids, possible role of: reduced T-lymphocyte function in acute viral hepatitis, 10 (Abst.)

Biochemistry and biology of T cell-derived lymphokines. 1. Coordinate synthesis of interleukin 2 and colony-stimulating factors in murine T cell lymphoma, 19 (Abst.)
Biology and biochemistry of T cell-derived lymphokines. 1. Coordinate synthesis of interleukin 2 and colony-stimulating factors in murine T cell lymphoma, 19 (Abst.)
Biopsy, lymph-node, value of, in unexplained lymphadenopathy in homosexual men, 20 (Abst.)
Bitolterol mesylate aerosol, concomitant, and theophylline for asthma therapy, with 24 hr electrocardiographic monitoring (Kemp JP et al), 32
Blood gases, unnecessary arterial, in acute asthma, use of peak expiratory flow rates to eliminate, 17 (Abst.)
Bone loss and steroid-induced fractures in patients with asthma, 7, 12 (Absts.)
Bone marrow cells, HLA-identical, abrogation of graft-versus-host disease and immunologic reconstitution with: severe combined immunodeficiency with natural killer-cell predominance (Sindel LJ et al), 829
Bronchial hyperreactivity, air pollutants, and exercise (Pierson WE et al), 717
  other pharmacologic agents that may affect (Furukawa CT), 693
  reaction, dual, after bronchial challenge: new interpretation (Cocco et al), 105 (Correspondence)
  reactivity in asthmatic adults with normal spirometric values, 5 (Abst.)
Bronchoconstriction, antigen-induced, inhibition of, by methylprednisolone succinate (Delehunt JC et al), 479
  exercise and isocapnic hyperventilation-induced, in asthma: relevance of circulation basophils to measurements of plasma histamine (Howarth PH et al), 391
  -induced, respiratory water loss as stimulus to (Sheppard D and Eschenbacher WL), 640
  histamine-induced, by atropine in subjects with asthma, variable inhibition (Sheppard D et al), 82
  in children with or without a tube spacer, aerosol treatment of, 3 (Abst.)
Bronchodilator and vasopressor effects of exercise levels of adrenaline in man, comparison of, 24 (Abst.)
  therapy, effect of, administered by canister versus jet nebulizer (Shim CS and Williams MH Jr), 387
Bronchopulmonary aspergillosis, allergic, in cystic fibrosis (Laufer P et al), 44
Bronchospasm and contrast media: study with iopamidol, 4 (Abst.)
Byssinosis and serum IgE concentrations in textile workers in Italian cotton mill, 5 (Abst.)

C

Calcium ions, airway smooth muscle, and asthma (Middleton E Jr), 643
Carrier, asymptomatic, evidence for possible transmission by: acquired immune deficiency syndrome in low-risk patients, 18 (Abst.)
Cat allergy vs. dog allergy in atopic children, frequency and severity of (Bookman R), 411; Reply (Murray AB et al), 411 (Correspondence)
Cedar pollinosis, mountain, natural history of (Ramirez DA et al), 88
Cell(s) cultures, in vitro, workshop in measurement of human IgE and supernatants from (Adkinson NF Jr), 411 (Correspondence)
  HLA-identical bone marrow, abrogation of graft-versus-host disease and immunologic reconstitution with: severe combined immunodeficiency with natural killer-cell predominance (Sindel LJ et al), 829
  mast, and related antigen—factor VIII, 16 (Abst.)
  membrane antigens associated with human T-cell leukemia virus in patients with AIDS, antibodies to, 2 (Abst.)
Chromatography, affinity, isolation and study of SRBC-receptors purified by, 25 (Abst.)
Chronic immune thrombocytopenic purpura as means to defer splenectomy, intravenous use of gammaglobulin in treatment of, 13 (Abst.)
  urticaria, localizatoin of eosinophilic granule major basic protein in, 14 (Abst.)
Cilia from patients with asthma, aspirin intolerance, and nasal polyps, ultrastructural and functional studies of, 8 (Abst.)
Ciliary function and disease (Wasserman SJ), 17 (Editorial)
Cimetidine alone, successful treatment of chronic idiopathic urticaria and angioedema with (Farnam J et al), 842
Clinical and immunologic study of allergy to hen egg white, 20 (Abst.)
Cockroach allergens, German, as determined by RAST analyses, important sources of (Richman PG et al), 590
Complexes, IgG-containing and IgE-containing circulating immune, in patients with asthma and rhinitis (Stevens WJ and Bridts CH), 276
Conjugates of antigen E in patients with ragweed hay fever, immunologic responses to (Norman PS et al), 782
Conjunctivitis, allergic-like, pollen-specific IgG antibodies in tears of patients with (Ballow M et al), 376
Coping and immunosuppression: inescapable but not escapable shock suppresses lymphocyte proliferation, 13 (Abst.)
Cotton mill, Italian, byssinosis and serum IgE concentrations in textile workers in, 5 (Abst.)
Cow milk and soy products, immunologic consequences of feeding infants with, 7 (Abst.)
Cromolyn in management of hyperreactive airways and exercise, use of (König P), 686
Crossover study, double-blind, of treatment with aspirin: aspirin-sensitive rhinosinusitis asthma (Stevenson DD et al), 500
Cultures, in vitro cell, workshop on measurement of human IgE and supernatants from (Adkinson NF Jr), 411 (Correspondence)
Cuprophan hollow fiber dialyzer, hypersensitivity reaction on first-time exposure to, 6 (Abst.)
Cutaneous histamine levels and histamine releasability from the skin in atopic dermatiitis and hyper-IgE syndrome, 6 (Abst.)
  mast cell degranulation, human, induction of, by opiates and endogenous opioid peptides: evidence for opiate and nonopiate receptor participation (Casale TB et al), 775
  reactions, late, in patients with delayed pressure urticaria (Davis KC et al), 810
  responses, dopamine inhibition of histamine-mediated (Casale TB et al), 837
Cyclooxygenase inhibiting drug, flurbiprofen, on induced allergic rhinitis, effect of (Brooks CD et al), 584
Cystic fibrosis, allergic bronchopulmonary aspergillosis in (Laufer P et al), 44
Cytotoxic T-cell immunity to influenza, 9 (Abst.)

D

D retrovirus, new type, isolated from macaques with immunodeficiency syndrome, 24 (Abst.)
Degranulation, human cutaneous mast cell, induction of, by opiates and endogenous opioid peptides: evidence for opiate and nonopiate receptor participation (Casale TB et al), 775
Dermatitis, atopic (Hanifin JM), 211 (CME article)
  and hyper-IgE syndrome, cutaneous histamine levels and histamine releasability from the skin in, 6 (Abst.)
  ectopic, IgE and IgG_4 levels in children with, 16 (Abst.)
Dermatographism, cold-dependent, and systemic cold urticaria: unusual cold-induced disorders (Kaplan AP), 453
Dialyzer, cuprophan hollow fiber, hypersensitivity reaction on first-time exposure to, 6 (Abst.)
Dichromate sensitivity, prevalence of, 15 (Abst.)
Disease and ciliary function (Wasserman SJ), 17
Disorders, unusual cold-induced: cold-dependent dermatographism and systemic cold urticaria (Kaplan AP), 453

Dog allergy vs. cat allergy in atopic children, frequency and severity of (Bookman R), 411; Reply (Murray AB et al), 411 (Correspondence)
Dopamine inhibition of histamine-mediated cutaneous responses (Casale TB et al), 837
Doping and athletes—prevention and counseling (Oseid S), 735
Dose-response, fenoterol, study in children with asthma (Feldman CH et al), 356
of IgE and IgG antibodies during ragweed immunotherapy (Creticos PS et al), 94
Drug control programs and sports medicine of U.S. Olympic committee (Clarke KS), 740
Dry bleach industry, failure of enzyme encapsulation to prevent sensitizaton of workers in (Liss GM et al), 348

E

Efficacy, persistence of, after a brief course of polymerized ragweed allergen: controlled study (Grammer LC et al), 484
Egg white, hen, clinical and immunologic study of allergy to, 20 (Abst.)
Encapsulation, enzyme, failure of, to prevent sensitization of workers in dry bleach industry (Liss GM et al), 348
Environment, tropical, incidence of atopic disease in: partial independence from intestinal helminthiasis (Lynch NR et al), 229
Enzyme encapsulation, failure of, to prevent sensitization of workers in dry bleach industry (Liss GM et al), 348
Eosinophilia (Weller PF), 1 (CME article)
Eosinophilic granule major basic protein in chronic urticaria, localization of, 14 (Abst.)
Erythematosus, systemic lupus, immunodeficiency with hyper IgM after (Slepian IK et al), 846
Eucapnic, simplified, voluntary hyperventilation challenge (Rosenthal RR), 676
Eustachian tube obstruction, antigen-induced: intranasal provocative challenge test (Ackerman MN et al), 604
Exercise, air pollutants, and bronchial hyperreactivity (Pierson WE et al), 717
and antigen, comparison of late reactions to (Bierman CW), 654
hyperreactive airways, use of cromolyn in management of König P), 686
isocapnic hyperventilation-induced bronchoconstriction in asthma: relevance of circulating basophils to measurements of plasma histamine (Howarth PH et al), 391
challenge, methods of (Eggleston PA), 666
-induced anaphylaxis (Sheffer AL and Austen KF), 699
asthma by theophylline, inhibition of (Ellis EF), 690
is there unifying hypothesis for? (Anderson SD), 660
mediators in (Lee TH et al), 634
bronchoconstriction, respiratory water loss as stimulus to (Sheppard D and Eschenbacher WL), 640
hives (Kaplan AP), 704
levels of adrenaline in man, comparison of bronchodilator and vasopressor effects of, 24 (Abst.)
Expiratory flow rates, peak, use of, to eliminate unnecessary arterial blood gases in acute asthma, 17 (Abst.)
Exposure, first known, to food, immediate food hypersensitivity reactions on, 11 (Abst.)
Extracts, allergenic pollen, lectin reactivity and lectin-like activity of (Klemawesch SJ and Buckley CE), 619
ragweed pollen, induction of nasal late-phase reactions by insufflation of (Dvoracek JE et al), 363
short ragweed pollen, production and testing of international reference standard of (Helm RM et al), 790
spore, of *Aspergillus fumigatus*, allergenic and antigenic properties of: comparative study of spore extracts with mycelium and culture filtrate extracts (Kauffman HF et al), 567

F

Factors, colony-stimulating, and interleukin 2 in murine T cell lymphoma, coordinate synthesis of. I. Biology and biochemistry of T cell-derived lymphokines, 19 (Abst.)
VIII—related antigen and mast cells, 16 (Abst.)
Feeding infants with cow milk and soy products, immunologic consequences of, 7 (Abst.)
Fenoterol dose-response study in children with asthma (Feldman CH et al), 356
Fetal thymus, ontogeny of interleukin 2 responsive cells in, 9 (Abst.)
Fish, commercial, type I reactions, in nonexposed individuals, 10 (Abst.)
Flavonoids, mast cells and actions of (Foreman JC), 769 (Editorial)
modulation of human neutrophil function (Busse WW et al), 801
other, and quercetin, effect of, on antigen-induced histamine secretion from rat intestinal mast cells. Mucosal mast cells III (Pearce FL et al), 819
Flurbiprofen, effect of, cyclooxygenase inhibiting drug, on induced allergic rhinitis (Brooks CD et al), 584
Fractures, steroid-induced, and bone loss in patients with asthma, 7, 12 (Absts.)
Frequency and severity of cat allergy vs. dog allergy in atopic children (Bookman R), 411; Reply (Murray AB et al), 411 (Correspondence)
Function, ciliary, and disease (Wasserman SJ), 17
hypothalamic-pituitary-adrenal axis, in children with asthma, effect of inhaled beclomethasone dipropionate on, 1 (Abst.)
isolated human neutrophil, isoproterenol inhibition of (Busse WW and Sosman JM), 404
pulmonary, and quantitative gastroesophageal reflux in asthmatic children and normal adults receiving placebo, theophylline, and metaproterenol sulfate therapy (Berquist WE et al), 253
reduced T-lymphocyte, in acute viral hepatitis: possible role of biliary acids, 10 (Abst.)

G

Gammaglobulin in treatment of chronic immune thrombocytopenic purpura as means to defer splenectomy, intravenous use of, 13 (Abst.)
Gases, unnecessary arterial blood, use of peak expiratory flow rates to eliminate, 17 (Abst.)
Gastroesophageal reflux and pulmonary disease (Nelson HS), 547 (Review)
Gene, excluded immunoglobulin, suppressor T cell action inhibits the expression of, 10 (Abst.)
Genetic-epidemiologic study of human immune responsiveness to allergens in an industrial population. II. Associations among skin sensitivity, total serum IgE, age, sex, and reporting of allergies in stratified random sample (Freidhoff LR et al), 490
Graft-versus-host disease and immunologic reconstitution with HLA-identical bone marrow cells, abrogation of: severe combined immunodeficiency with natural killer-cell predominance (Sindel LJ et al), 829
Granule, eosinophilic, major basic protein in chronic urticaria, localization of, 14 (Abst.)
Grass pollen immunotherapy: single year double-blind, placebo-controlled study in patients with grass pollen-induced asthma and rhinitis (Ortolani C et al), 283
-induced asthma and rhinitis, grass pollen immunotherapy: single year double-blind, pacebo-controlled study in patients with (Ortolani C et al), 283

H

h gate, parasympathetic axonal sodium channel, in airway smooth muscle, site of action of *Ptychodiscus brevis* toxin within (Asai S et al), 824

Hay fever, ragweed, immunologic responses to conjugates of antigen E in patients with (Norman PS et al), 782
Helminthiasis, intestinal, incidence of atopic disease in tropical environment: partial independence from (Lynch NR et al), 229
Hepatitis, acute viral, reduced T-lymphocyte function in: possible role of biliary acids, 10 (Abst.)
Hereditary angioedema, prekallikrein activation and high-molecular-weight kininogen consumption in, 3 (Abst.)
Histamine, antigen-induced, secretion from rat intestinal mast cells, effect of quercetin and other flavonoids on. Mucosal mast cells III (Pearce FL et al), 819
basophil, release, in vitro, induced by mannitol in patient with mannitol-induced anaphylactoid reaction (Findlay SR et al), 578
-induced suppressor-cell activity (Beer DJ and Rocklin RE), 439
inhalation tests, effect of sodium cromoglycate on (Lemire I et al), 234
levels, cutaneous, and histamine releasability from skin in atopic dermatitis and hyper-IgE syndrome, 6 (Abst.)
-mediated cutaneous responses, dopamine inhibition of (Casale TB et al), 837
metabolites, urinary, improved diagnosis of mastocytosis by measurement of, 21 (Abst.)
plasma, exercise and isocapnic hyperventilation-induced bronchoconstriction in asthma: relevance of circulating basophils to measurements of (Howarth PH et al), 391
-receptor antagonism and anti-tumour activity, 11 (Abst.)
releasability and cutaneous histamine levels from skin in atopic dermatitis and hyper-IgE syndrome, 6 (Abst.)
release, blood leukocyte, and skin tests, of patients with allergies to laboratory animals (Hook WA et al), 457
nonallergic, from rat peritoneal mast cells, inhibition by azelastine of (Fields DA et al), 400
tissue concentrations of, radioenzymatic assay for measurement of: adaptation to correct for adherence of histamine to mechanical homogenizers (Brown JK et al), 473
to mechanical homogenizers, adaptation to correct for adherence of: radioenzymatic assay for measurement of tissue concentrations of histamine (Brown JK et al), 473
Hives, exercise-induced (Kaplan AP), 704
HLA-identical bone marrow cells, abrogation of graft-versus-host disease and immunologic reconstitution with: severe combined immunodeficiency with natural killer-cell predominance (Sindel LJ et al), 829
Homogenizers, mechanical, adaptation to correct for adherence of histamine to: radioenzymatic assay for measurement of tissue concentrations of histamine (Brown JK et al), 473
Homosexual men, lymphadenopathies in: relationships with acquired immune deficiency syndrome, 18 (Abst.)
T-lymphocyte subsets in lymph nodes from, 20 (Abst.)
value of lymph-node biopsy in unexplained lymphadenopathy in, 20 (Abst.)
Honeybee and vespid-venom sensitivity, studies of coexisting (Reisman RE et al), 246
Human antibody response in natural retrovirus infection, suppression of, 1 (Abst.)
immune responsiveness to allergens in industrial population, genetic-epidemiologic study of. II. Associations among skin sensitivity, total serum IgE, age sex, and reporting of allergies in stratified random sample (Freidhoff LR et al), 490
T-cell leukemia virus in patients with AIDS, antibodies to cell membrane antigens associated with, 2 (Abst.)
Hydroxychloroquine, therapeutic response to: hypocomplementemic urticarial-vasculitis syndrome (Lopez LR et al), 600
Hydroxyzine, H_1 receptor antagonist, pharmacokinetics and antihistaminic effects of (Simons FER et al), 69
Hyper-IgE syndrome and atopic dermatitis, cutaneous histamine levels and histamine releasability from the skin in, 6 (Abst.)
IgM after systemic lupus erythematosus, immunodeficiency with (Slepian IK et al), 846 (Allergy grand rounds)
Hyperparathyroidism and urticaria, 21 (Abst.)
Hyperreactive airways and exercise, use of cromolyn in management of (König P), 686
Hyperreactivity, bronchial, air pollutants, and exercise (Pierson WE et al), 717
other pharmacologic agents that may affect (Furukawa CT), 693
Hypersensitivity, food (Metcalfe DD), 749 (CME article)
immediate food, reactions on first known exposure to food, 11 (Abst.)
reaction on first-time exposure to cuprophan hollow fiber dialyzer, 6 (Abst.)
Hyperventilation challenge, simplified eucapnic voluntary (Rosenthal RR), 676
-induced bronchoconstriction, exercise and isocapnic, in asthma: relevance of circulating basophils to measurements of plasma histamine (Howarth PH et al), 391
Hypocomplementemic urticarial-vasculitis syndrome: therapeutic response to hydroxychloroquine (Lopez LR et al), 600
Hypothalamic-pituitary-adrenal axis function in children with asthma, effect of inhaled beclomethasone dipropionate on, 1 (Abst.)
Hypotheses on contribution of late-phase allergic responses to understanding and treatment of allergic diseases (Kaliner M), 311 (Editorial)
unifying, is there for exercise-induced asthma? (Anderson SD), 660

I

Idiopathic urticaria, chronic, and angioedema with cimetidine alone, successful treatment of (Farnam J et al), 842
IgE and IgG antibodies, dose response of, during ragweed immunotherapy (Creticos PS et al), 94
IgG_4 levels in children with ectopic dermatitis, 16 (Abst.)
supernatants, human, from in vitro cell cultures, workshop on measurement of (Adkinson NF Jr), 411 (Correspondence)
atopy, and disease, family concordance of (Lebowitz MD et al), 259
specific, and IgG antibodies, measurement of against *Aspergillus fumigatus* antigen in patient sera by use of enzyme immunoassays: influence of different procedures of antigen immobilization (van der Heide S et al), 813
total serum, age, sex, and reporting of allergies in stratified random sample, associations among skin sensitivity. II. Genetic-epidemiologic study of human immune responsiveness to allergens in industrial population (Freidhoff LR et al), 490
IgG and IgE antibodies, dose response of, during ragweed immunotherapy (Creticos PS et al), 94
IgG_4 and IgE levels in children with ectopic dermatitis, 16 (Abst.)
antibodies and specific IgE, measurement of, against *Aspergillus fumigatus* antigen in patient sera by use of enzyme immunoassays: influence of different procedures of antigen immobilization (van der Heide S et al), 813
pollen-specific, in tears of patients with allergic-like conjunctivitis (Ballow M et al), 376
Immobilization, antigen, influence of different procedures of: measurement of specific IgE and IgG antibodies against *Aspergillus fumigatus* antigen in patient sera by use of enzyme immunoassays (van der Heide S et al), 813
Immune complexes, IgG-containing and IgE-containing circulating, in patients with asthma and rhinitis (Stevens WJ and Bridts CH), 276
deficiency syndrome, acquired, in low-risk patients: evidence for possible transmission by an asymptomatic carrier, 18 (Abst.)

Immune complexes—cont'd
responsiveness, human, in vitro by auranofin, modulation of, 2 (Abst.)
human, to allergens in industrial population, genetic-epidemiologic study of. II. Associations among skin sensitivity, total serum IgE, age, sex, and reporting of allergies in stratified random sample (Freidhoff et al), 490
Immunity, cytotoxic T-cell, to influenza, 9 (Abst.)
Immunoassays, enzyme, measurement of specific IgE and IgG antibodies against *Aspergillus fumigatus* antigen in patient sera by use of: influence of different procedures of antigen immobilization (van der Heide S et al), 813
Immunodeficiency(ies) syndrome, new type D retrovirus isolated from macaques with, 24 (Abst.)
thymopoietin pentapeptide treatment of primary, 2 (Abst.)
with hyper IgM after systemic lupus erythematosus (Slepian IK et al), 846 (Allergy grand rounds)
natural killer-cell predominance, severe combined: abrogation of graft-versus-host disease and immunologic reconstitution with HLA-identical bone marrow cells (Sindel LJ et al), 829
Immunoglobulin E, serum total, levels in Canadian adults (Holford-Strevens V et al), 516
gene, excluded, suppressor T cell action inhibits expression of, 10 (Abst.)
levels, serum, in children after splenectomy, 26 (Abst.)
Immunologic and clinical study of allergy to hen egg white, 20 (Abst.)
consequences of feeding infants with cow milk and soy products, 7 (Abst.)
function and megadose vitamin supplementation in healthy elderly population, relationship between, 25 (Abst.)
responses to conjugates of antigen E in patients with ragweed hay fever (Norman PS et al), 782
tolerance induced by in utero injection, 6 (Abst.)
Immunosuppression and coping: inescapable but not escapable shock suppresses lymphocyte proliferation, 13 (Abst.)
Immunotherapy for allergic rhinitis, asthma as variable in study of (Grammer LC et al), 557
grass pollen: single year double-blind, placebo-controlled study in patients with grass pollen-induced asthma and rhinitis (Ortolani C et al), 283
ragweed, dose response of IgE and IgG antibodies during (Creticos PS et al), 94
successful, for *Triatoma protracta*-induced anaphylaxis (Rohr AS et al), 369
venom, development of negative skin tests in children treated with (Graft DF et al), 61
Incidence of atopic disease in tropical environment: partial independence from intestinal helminthiasis (Lynch NR et al), 229
Industrial population, genetic-epidemiologic study of human immune responsiveness to allergens in. II. Associations among skin sensitivity, total serum IgE, age, sex, and reporting of allergies in stratified random sample (Freidhoff LR et al), 490
Infancy, skin test reactivity and clinical allergen sensitivity in (Van Asperen PP et al), 381
Infant(s) feeding, does affect risk of allergy? 15 (Abst.)
with cow milk and soy products, immunologic consequences of, 7 (Abst.)
Infection, natural retrovirus, suppression of human antibody response in, 1 (Abst.)
Infiltrates, pulmonary, associated with naproxen, 22 (Abst.)
Inflammation and asthma (Nadel JA), 651
Influenza, cytotoxic T-cell immunity to, 9 (Abst.)
Inhalant allergy, development and comparative evaluation of multiple-antigen RAST as screening test for (Ownby DR et al), 466
Inhalation tests, histamine, effect of sodium cromoglycate on (Lemire I et al), 234
Inhaled beclomethasone dipropionate on hypothalamic-pituitary-adrenal axis function in children with asthma, effect of, 1 (Abst.)
Inhibition by azelastine of nonallergic histamine release from rat peritoneal mast cells (Fields DA et al), 400
isoproterenol, of isolated human neutrophil function (Busse WW and Sosman JM), 404
of antigen-induced bronchoconstriction by methylprednisolone succinate (Delehunt JC et al), 479
variable, of histamine-induced bronchoconstriction by atropine in subjects with asthma (Sheppard D et al), 82
Injection, in utero, immunologic tolerance induced by, 6 (Abst.)
Insect venom allergy: diagnosis and treatment (Valentine MD), 299 (CME article)
Insufflation of ragweed pollen extract, induction of nasal late-phase reactions by (Dvoracek JE et al), 363
Interleukin 2 and colony-stimulating factors in murine T cell lymphoma, coordinate synthesis of. I. Biology and biochemistry of T cell-derived lymphokines, 19 (Abst.)
Interleukin 2 responsive cells in fetal thymus, ontogeny of, 9 (Abst.)
International reference standard of short ragweed pollen extract, production and testing of (Helm RM et al), 790
symposium on special problems of allergic athletes (Siegel SC), 745 (Summary)
Intracutaneous skin tests and RAST, detection of immunologically sensitized isocyanate workers by (Baur X et al), 610
Intranasal provocative challenge test: antigen-induced eustachian tube obstruction (Ackerman MN et al), 604
Intravenous use of gammaglobulin in treatment of chronic immune thrombocytopenic purpura as means to defer splenectomy, 13 (Abst.)
In utero injection, immunologic tolerance induced by, 6 (Abst.)
In vitro, human immune responsiveness, by auranofin, modulation of, 2 (Abst.)
Ions, calcium, airway smooth muscle, and asthma (Middleton E Jr), 643
Iopamidol, contrast media and bronchospasm: study with, 4 (Abst.)
Isocapnic and exercise hyperventilation-induced bronchoconstriction in asthma: relevance of circulating basophils to measurements of plasma histamine (Howarth PH et al), 391
Isocyanate, workers, immunologically sensitized, detection of, by RAST and intracutaneous skin tests (Baur X et al), 610
Isoproterenol inhibition of isolated human neutrophil function (Busse WW and Sosman JM), 404

K

Ketotifen fumarate and aminophylline on central and peripheral airways, influence of, 22 (Abst.)
Killer-cell, natural, predominance, severe combined immunodeficiency with: abrogation of graft-versus-host disease and immunologic reconstitution with HLA-identical bone marrow cells (Sindel LJ et al), 829
Kimura's disease: report of pediatric case in United States (Hamrick HJ et al), 561
Kininogen consumption, high-molecular-weight, in hereditary angioedema, prekallikrein activation and, 3 (Abst.)

L

Laboratory animals, skin tests and blood leukocyte histamine release of patients with allergies to (Hook WA et al), 457
Late-phase allergic responses to understanding and treatment of allergic diseases, hypotheses on contribution of (Kaliner M), 311 (Editorial)
reactions, nasal induction of, by insufflation of ragweed pollen extract (Dvoracek JE et al), 363

Lectin-like activity and lectin reactivity of allergenic pollen extracts (Klemawesch SJ and Buckley CE), 619
reactivity and lectin-like activity of allergenic pollen extracts (Klemawesch SJ and Buckley CE), 619
Leukemia virus, human T-cell, in patients with AIDS, antibodies to cell membrane antigens associated with, 2 (Abst.)
Leukocyte, blood, histamine release, and skin tests, of patients with allergies to laboratory animals (Hood WA et al), 457
Leukotrienes and biogenic amines in normal and hyperreactive rats, respiratory responses to, 14 (Abst.)
Lymphadenopathies in homosexual men: relationships with acquired immune deficiency syndrome, 18 (Abst.)
unexplained, in homosexual men, value of lymph-node biopsy in, 20 (Abst.)
Lymph-node biopsy, value of, in unexplained lymphadenopathy in homosexual men, 20 (Abst.)
nodes from homosexual men, T-lymphocyte subsets in, 20 (Abst.)
Lymphocyte proliferation, inescapable but not escapable shock suppresses: coping and immunosuppression, 13 (Abst.)
Lymphokines, biology and biochemistry of T cell-derived. 1. Coordinate synthesis of interleukin 2 and colony-stimulating factors in murine T cell lymphomas, 19 (Abst.)
Lymphoma, murine T cell, coordinate synthesis of interleukin 2 and colony-stimulating factors in. 1. Biology and biochemistry of T cell-derived lymphokines, 19 (Abst.)
Lupus erythematosus, systemic, immunodeficiency with hyper IgM after (Slepian IK et al), 846

M

Macrophages, alveolar, in asthmatic patients after local provocation test, stimulation of, 25 (Abst.)
Management and special problems of allergic athletes, symposium on (Godfrey S), 630
Mannitol in patient with mannitol-induced anaphylactoid reaction, in vitro basophil histamine release induced by (Findlay SR et al), 578
Mast cells and actions of flavonoids (Foreman JC), 769 (Editorial)
and related antigen—factor VIII, 16 (Abst.)
degranulation, human cutaneous, induction of, by opiates and endogenous opioid peptides: evidence for opiate and nonopiate receptor participation (Casale TB et al), 775
III, mucosal. Effect of quercetin and other flavonoids on antigen-induced histamine secretion from rat intestinal mast cells (Pearce FL et al), 819
rat peritoneal, inhibition by azelastine of nonallergic histamine release from (Fields DA et al), 400
Mastocytosis by measurement of urinary histamine metabolites, improved diagnosis of, 21 (Abst.)
Media, contrast, and bronchospasm: study with iopamidol, 4 (Abst.)
Mediators in exercise-induced asthma (Lee TH et al), 634
release in rhinitis subjects with pulmonary symptoms in pollen season, increased antigen-induced local and systemic (Atkins PC et al), 341
Medicine, sports, and drug control programs of U. S. Olympic committee (Clarke KS), 740
Membrane antigens, cell, associated with human T-cell leukemia virus in patients with AIDS, antibodies to, 2 (Abst.)
Meningitis, mumps, local T cell subsets in, 19 (Abst.)
Metabolites, urinary histamine, improved diagnosis of mastocytosis by measurement of, 21 (Abst.)
Metaproterenol sulfate and beclomethasone dipropionate aerosol, effect of aminophylline when added to (Appel DW), 291
placebo, and theophylline therapy, quantitative gastroesophageal reflux and pulmonary function in asthmatic children and normal adults receiving (Berquist WE et al), 253
Methacholine challenge—relevance for allergic athlete (Shapiro GG), 670
Methylprednisolone succinate, inhibition of antigen-induced bronchoconstriction by (Delehunt JC et al), 479
Methylxanthines and beta adrenergic agonists, concomitant use of (Nicklas RA et al), 20 (Editorial)
Mites, poultry, occupational asthma due to (Lutsky I et al), 56
Monitoring, 24 hr electrocardiographic, concomitant bitolterol mesylate aerosol and theophylline for asthma therapy with (Kemp JP et al), 32
Mountain cedar pollinosis, natural history of (Ramirez DA), 88
Mucus, human respiratory (Kaliner M et al), 318 (Postgraduate course)
Mumps meningitis, local T cell subsets in, 19 (Abst.)
Murine T cell lymphoma, coordinate synthesis of interleukin 2 and colony-stimulating factors in. 1. Biology and biochemistry of T cell-derived lymphokines, 19 (Abst.)
Muscle, airway smooth, asthma, and calcium ions (Middleton E Jr), 643
site of action of *Ptychodiscus brevis* toxin within parasympathetic axonal sodium channel *h* gate in (Asai S et al), 824
-relaxant drugs, detection of serum-IgE antibodies that react with alcuronium chloride and tubocurarine chloride after life-threatening reactions to, 21 (Abst.)

N

Naproxen, pulmonary infiltrates associated with, 22 (Abst.)
Nasal late-phase reactions, induction of, by insufflation of ragweed pollen extract (Dvoracek JE et al), 363
polyps, aspirin intolerance, and asthma, ultrastructural and functional studies of cilia from patients with, 8 (Abst.)
Nebulizer, canister versus jet, effect of bronchodilator therapy administered by (Shim CS and Williams MH Jr), 387
Nephrotic syndrome, incidence of atopy in steroid-responsive: clinical and immunologic parameters, 26 (Abst.)
Neutrophil function, human, flavonoid modulation of (Busse WW et al), 801
isolated human, isoproterenol inhibition of (Busse WW and Sosman JM), 404
Nodes, lymph, from homosexual men, T-lymphocyte subsets in, 20 (Abst.)
Nutrition and allergic athlete (Mahan LK), 728

O

Ocular anaphylaxis in rat, late-phase reactions in (Allansmith MR et al), 49
Olympic athletes, allergic, management of (Fitch KD), 722
Opiates and endogenous opioid peptides, induction of human cutaneous mast cell degranulation by: evidence for opiate and nonopiate receptor participation (Casale TB et al), 775
Ontogeny of interleukin 2 responsive cells in fetal thymus, 9 (Abst.)

P

Parameters, clinical and immunologic: incidence of atopy in steroid-responsive nephrotic syndrome, 26 (Abst.)
Pathogenesis of asthma (McFadden ER), 413 (CME article)
Peak expiratory flow rates, use of, to eliminate unnecessary arterial blood gases in acute asthma, 17 (Abst.)
Penicillin allergy skin testing, routine elective, in children and adolescents: study of sensitization (Mendelson LM et al), 76
Pepsin, occupational asthma due to (Cartier A et al), 574
Peptides, induction of human cutaneous mast cell degranulation by opiates and endogenous opioid: evidence for opiate and nonopiate receptor participation (Casale TB et al), 775
Peritoneal mast cells, rat, inhibition by azelastine of nonallergic histmaine release from (Fields DA et al), 400
Pharmacokinetics and antihistaminic effects of the H_1 receptor antagonist hydroxyzine (Simons FER et al), 69

Pharmacology and therapeutic use of theophylline (Weinberger M), 525 (CME article)
Pituitary-hypothalamic-adrenal axis function in children with asthma, effect of inhaled beclomethasone dipropionate on, 1 (Abst.)
Placebo-controlled study, single year double-blind, in patients with grass pollen-induced asthma and rhinitis; grass pollen immunotherapy (Ortolani C et al), 283
theophylline, and metaproterenol sulfate therapy, quantitative gastroesophageal reflux and pulmonary function in asthmatic children and normal adults receiving (Berquist WE et al), 253
Plasma histamine, exercise and isocapnic hyperventilation-induced bronchoconstriction in asthma: relevance of circulating basophils to measurements of (Howarth PH et al), 391
Pollen content, airborne allergenic, of atmosphere of Naples, study on, 23 (Abst.)
extracts, allergenic, lectin reactivity and lectin-like activity of (Klemawesch SJ and Buckley CE), 619
ragweed, induction of nasal late-phase reactions by insufflation of (Dvoracek JE et al), 363
short ragweed, production and testing of international reference standard of (Helm RM et al), 790
season, increased antigen-induced local and systemic mediatory release in rhinitis subjects with pulmonary symptoms in (Atkins PC et al), 341
-specific IgG antibodies in tears of patients with allergic-like conjunctivitis (Ballow M et al), 376
Pollinosis, mountain cedar, natural history of (Ramirez DA), 88
Pollutants, air, bronchial hyperreactivity, and exercise (Pierson WE et al), 717
Polymerized ragweed allergen, persistence of efficacy after brief course of: controlled study (Grammer LC et al), 484
Population, industrial, genetic-epidemiologic study of human immune responsiveness to allergens in. II. Associations among skin sensitivity, total serum IgE, age, sex, and reporting of allergies in stratified random sample (Freidhoff LR et al), 490
Poultry mites, occupational asthma due to (Lutsky I et al), 56
workers, occupational asthma in (Bar-Sela S et al), 271
Prekallikrein activation and high-molecular-weight kininogen consumption in hereditary angioedema, 3 (Abst.)
Problems, special, and management of allergic athletes, symposium on (Godfrey S), 630
Prostaglandin release, is thymosin action mediated by? 14 (Abst.)
Protein, eosinophilic granule major basic, in chronic urticaria, localization of, 14 (Abst.)
Ptychodiscus brevis toxin within parasympathetic axonal sodium channel *h* gate in airway smooth muscle, site of action of (Asai S et al), 824
Pulmonary disease and gastroesophageal reflux (Nelson HS), 547 (Review)
function and quantitative gastroesophageal reflux in asthmatic children and normal adults receiving placebo, theophylline, and metaproterenol sulfate therapy (Berquist WE et al), 253
of children with asthma, effect of histamine on, 23 (Abst.)
infiltrates associated with naproxen, 22 (Abst.)
symptoms in pollen season, increased antigen-induced local and systemic mediator release in rhinitis subjects with (Atkins PC et al), 341
Purpura, chronic immune thrombocytopenic, as means to defer splenectomy, intravenous use of gammaglobulin in treatment of, 13 (Abst.)

Q

Quercetin and other flavonoids, effect of, on antigen-induced histamine secretion from rat intestinal mast cells. Mucosal mast cells III (Pearce FL et al), 819

R

Radioenzymatic assay for measurement of tissue concentrations of histamine: adaptation to correct for adherence of histamine to mechanical homogenizers (Brown JK et al), 473
Ragweed hay fever, immunologic responses to conjugates of antigen E in patients with (Norman PS et al), 782
immunotherapy, dose response of IgE and IgG antibodies during (Creticos PS et al), 94
pollen extract, induction of nasal late-phase reactions by insufflation of (Dvoracek JE et al), 363
polymerized, allergen, persistence of efficacy after brief course of: controlled study (Grammer et al), 484
short, pollen extract, production and testing of international reference standard of (Helm RM et al), 790
RAST analyses, important sources of German cockroach allergens as determined by (Richman PG et al), 590
and intracutaneous skin tests, detection of immunologically sensitized isocyanate workers by (Baur X et al), 610
multiple-antigen, as screening test for inhalant allergy, development and comparative evaluation of (Ownby DR et al), 466
Reaction(s), hypersensitivity, on first-time exposure to cuprophan hollow fiber dialyzer, 6 (Abst.)
immediate food hypersensitivity, on first known exposure to food, 11 (Abst.)
late-phase, in ocular anaphylaxis in rat (Allansmith MR et al), 49
nasal late-phase, induction of, by insufflation of ragweed pollen extract (Dvoracek JE et al), 363
type I, to commercial fish in nonexposed individuals, 10 (Abst.)
Reactivity, bronchil, in asthmatic adults with normal spirometric values, 5 (Abst.)
skin test, and clinical allergen sensitivity in infancy (Van Asperen PP et al), 381
Receptor(s), H_1, antagonist hydroxyzine, pharmacokinetics and antihistaminic effects of (Simons FER et al), 69
participation, evidence for opiate and nonopiate: induction of human cutaneous mast cell degranulation by opiates and endogenous opioid peptides (Casale TB et al), 775
-SRBC, isolation and study of, purified by affinity chromatography, 25 (Abst.)
Reference standard, international, of short ragweed pollen extract, production and testing of (Helm RM et al), 790
Reflux, gastroesophageal, and pulmonary disease (Nelson HS), 547 (Review)
quantitative gastroesophageal, and pulmonary function in asthmatic children and normal adults receiving placebo, theophylline, and metaproterenol sulfate therapy (Berquist WE et al), 253
Release, blood leukocyte histamine, and skin tests, of patients with allergies to laboratory animals (Hood WA et al), 457
increased antigen-induced local and systemic mediator, in rhinitis subjects with pulmonary symptoms in pollen season (Atkins PC et al), 341
nonallergic histamine, from rat peritoneal mast cells, inhibition by azelastine of (Fields DA et al), 400
Respiratory mucus, human (Kaliner M et al), 318 (Postgraduate course)
responses to leukotrienes and biogenic amines in normal and hyperreactive rats, 14 (Abst.)
water loss as stimulus to exercise-induced bronchoconstriction (Sheppard D and Eschenbacher WL), 640
Response(s), dose, of IgE and IgG antibodies during ragweed immunotherapy (Creticos PS et al), 94
in natural retrovirus infection, suppression of human antibody, 1 (Abst.)
late-phase allergic, to understanding and treatment of allergic diseases, hypotheses on contribution of (Kaliner M), 311 (Editorial)

Responsiveness, human immune, in vitro by auranofin, modulation of, 2 (Abst.)
to allergens in industrial population, genetic-epidemiologic study of. II. Associations among skin sensitivity, total serum IgE, age, sex, and reporting of allergies in stratified random sample (Freidhoff et al), 4
Retrovirus infection, natural, suppression of human antibody response in, 1 (Abst.)
new type D, isolated from macaques with immunodeficiency syndrome, 24 (Abst.)
Rhinitis, allergic, asthma as variable in study of immunotherapy for (Grammer LC et al), 557
and asthma, grass pollen-induced, grass pollen immunotherapy: single year double-blind, placebo-controlled study in patients with (Ortolani C et al), 283
IgG-containing and IgE-containing circulating immune complexes in patients with (Stevens WJ and Bridts CH), 276
in athlete (Katz RM), 708
induced allergic, effect of flurbiprofen, cyclooxygenase inhibiting drug, on (Brooks CD et al), 584
subjects with pulmonary symptoms in pollen season, increased antigen-induced local and systemic mediator release in (Atkins PC et al), 341
Rhinosinusitis, aspirin-sensitive, asthma: double-blind crossover study of treatment with aspirin (Stevenson DD et al), 500

S

Sample, stratified random, associations among skin sensitivity, total serum IgE, age, sex, and reporting of allergies in. II. Genetic-epidemiologic study of human immune responsiveness to allergens in industrial population (Freidhoff LR et al), 490
Screening test for inhalant allergy, development and comparative evaluation of multiple-antigen RAST as (Ownby DR et al), 466
Sensitivity, clinical allergen, and skin test reactivity in infancy (Van Asperen PP et al), 381
dichromate, prevalence of, 15 (Abst.)
honeybee and vespid-venom, studies of coexisting (Reisman RE et al), 246
skin, total serum IgE, age, sex, and reporting of allergies in stratified random sample, associations among. II. genetic-epidemiologic study of human immune responsiveness to allergens in industrial population (Freidhoff LR et al), 490
tobacco smoke—is there immunologic basis? (Lehrer SB et al), 240
Sensitization, clinical and immunologic survey in beekeepers in relation to their (Bousequet J et al), 332
of workers in dry bleach industry, failure of enzyme encapsulation to prevent (Liss GM et al), 348
study of: routine elective penicillin allergy skin testing in children and adolescents (Mendelson LM et al), 76
Sensitized, immunologically, isocyanate workers detection of, by RAST and intracutaneous skin tests (Baur X et al), 610
Sera, patient, measurement of specific IgE and IgG antibodies against *Aspergillus fumigatus* antigen in, by use of enzyme immunoassays: influence of different procedures of antigen immobilization (van der Heide S et al), 813
Serum-IgE antibodies, detection of, that react with alcuronium chloride and tubocurarine chloride after life-threatening reactions to muscle-relaxant drugs, 21 (Abst.)
concentrations and byssinosis in textile workers in Italian cotton mill, 5 (Abst.)
immunoglobulin levels in children after splenectomy, 26 (Abst.)
of normal pregnant women, antinuclear antibodies in: prospective study (Farnam J et al), 596
Serum-IgE—cont'd
total, IgE, age, sex, and reporting of allergies in stratified random sample, associations among skin sensitivity. II. Genetic-epidemiologic study of human immune responsiveness to allergens in industrial population (Freidhoff LR et al), 490
immunoglobulin E levels in Canadian adults (Holford-Strevens V et al), 516
Severity and frequency of cat allergy vs. dog allergy in atopic children (Bookman R), 411; Reply (Murray AB et al), 411 (Correspondence)
Shock, inescapable but not escapable, suppresses lymphocyte proliferation: coping and immunosuppression, 13 (Abst.)
Sinusitis (Kern EB), 25 (Postgraduate course)
(Slavin RG), 712
Skin tests and blood leukocyte histamine release of patients with allergies to laboratory animals (Hook WA et al), 457
intracutaneous, and RAST, detection of immunologically sensitized isocyanate workers by (Baur X et al), 610
negative, development of, in children treated with venom immunotherapy (Graft DF et al), 61
preparations, allergen, assay of biologic activity of (Björkstén F et al), 324
reactivity and clinical allergen sensitivity in infancy (Van Asperen PP et al), 381
Skin testing, routine elective penicillin allergy, in children and adolescents: study of sensitization (Mendelson LM et al), 76
Smooth muscle, airway, site of action of *Ptychodiscus brevis* toxin within parasympathetic axonal sodium channel *h* gate in (Asai S et al), 824
Sodium cromoglycate, effect of, on histamine inhalation tests (Lemire I et al), 234
Soy products and cow milk, immunologic consequences of feeding infants with, 7 (Abst.)
Spacer, tube, with or without, aerosol treatment of bronchoconstriction in children, 3 (Abst.)
Spirometric values, normal, bronchial reactivity in asthmatic adults with, 5 (Abst.)
Splenectomy, intravenous use of gammaglobulin in treatment of chronic immune thrombocytopenic purpura as means to defer, 13 (Abst.)
serum immunoglobulin levels in children after, 26 (Abst.)
Spore extracts of *Aspergillus fumigatus*, allergenic and antigenic properties of: comparative study of spore extracts with mycelium and culture filtrate extracts (Kauffman HF et al), 567
Sports medicine and drug control programs of U.S. Olympic committee (Clarke KS), 740
SRBC-receptors, isolation and study of, purified by affinity chromatography, 25 (Abst.)
Standardization, allergen: 1984 (Yunginger JW), 316 (Editorial)
Steroid-induced fractures and bone loss in patients with asthma, 7, 12 (Absts.)
Sting, wasp, anaphylaxis, 3 (Abst.)
Stratified random sample, associations among skin sensitivity, total serum IgE, age, sex, and reporting of allergies in. II. Genetic-epidemiologic study of human immune responsiveness to allergens in industrial population (Freidhoff LR et al), 490
Supernatants and IgE, human, from in vitro cell cultures, workshop on measurement of (Adkinson NF Jr), 411 (Correspondence)
Suppressor-cell, histamine-induced, activity (Beer DJ and Rocklin RE), 439
T cell action inhibits expression of excluded immunoglobulin gene, 10 (Abst.)
Survey, clinical and immunologic, in beekeepers in relation to their sensitization (Bousquet J et al), 332
Symposium international, on special problems on allergic athletes (Siegel SC), 745 (Summary)

Symposium international—cont'd
on special problems and management of allergic athletes (Godfrey S), 630 (Introduction)
Symptoms, pulmonary, in pollen season, increased antigen-induced local and systemic mediator release in rhinitis subjects with (Atkins PC et al), 341
Syndrome, acquired immune deficiency, in low-risk patients: evidence for possible transmission by an asymptomatic carrier, 18 (Abst.)
relationships with: lymphadenopathies in homosexual men, 18 (Abst.)
hyper-IgE, and atopic dermatitis, cutaneous histamine levels and histamine releasability from skin in, 6 (Abst.)
hypocomplementemic urticarial-vasculitis: therapeutic response to hydroxychloroquine (Lopez LR et al), 600
immunodeficiency, new type D retrovirus isolated from macaques with, 24 (Abst.)
steroid-responsive nephrotic, incidence of atopy in: clinical and immunologic parameters, 26 (Abst.)
Synthesis, coordinate, of interleukin 2 and colony-stimulating factors in murine T cell lymphoma. 1. Biology and biochemistry of T cell-derived lymphokines, 19 (Abst.)

T

T cell action, suppressor, inhibits expression of excluded immunoglobulin gene, 10 (Abst.)
-derived lymphokines, biology and biochemistry of. 1. Coordinate synthesis of interleukin 2 and colony-stimulating factors in murine T cell lymphoma, 19 (Abst.)
immunity, cytotoxic, to influenza, 9 (Abst.)
leukemia virus, human, in patients with AIDS, antibodies to cell membrane antigens associated with, 2 (Abst.)
subsets, local, in mumps meningitis, 19 (Abst.)
Tears of patients with allergic-like conjunctivitis, pollen-specific IgG antibodies in (Ballow M et al), 376
Terbutaline, oral, dose, plasma concentration, and effect of, in long-treatment of childhood asthma (Lönnerholm G et al), 508
Tests, histamine inhalation, effect of sodium cromoglycate on (Lemire I et al), 234
local provocation, stimulation of alveolar macrophages in asthmatic patients after, 25 (Abst.)
negative skin, development of, in children treated with venom immunotherapy (Graft DF et al), 61
screening, for inhalant allergy, development and comparative evaluation of multiple-antigen RAST as (Ownby DR et al), 466
Textile workers in Italian cotton mill, byssinosis and serum IgE concentrations in, 5 (Abst.)
Theophylline and concomitant bitolterol mesylate aerosol for asthma therapy, with 24 hr electrocardiographic monitoring (Kemp JP et al), 32
inhibition of exercise-induced asthma by (Ellis EF), 690
pharmacology and therapeutic use of (Weinberger M), 525 (CME article)
placebo, and metaproterenol sulfate therapy, quantitative gastroesophageal reflux and pulmonary function in asthmatic children and normal adults receiving (Berquist WE et al), 253
Therapeutic and pharmacology use of theophylline (Weinberger M), 525 (CME article)
response to hydroxychloroquine: hypocomplementemic urticarial-vasculitis syndrome (Lopez LR et al), 600
Therapy, asthma, with 24 hr electrocardiographic monitoring, concomitant bitolterol mesylate aerosol and theophylline for (Kemp JP et al), 32
bronchodilator, effect of, administered by canister versus jet nebulizer (Shim CS and Williams HM Jr), 387
Thrombocytopenic purpura, chronic immune, as means to defer splenectomy, intravenous use of gammaglobulin in treatment of, 13 (Abst.)
Thymopoietin pentapeptide treatment of primary immunodeficiencies, 2 (Abst.)
Thymosin, is action mediated by prostaglandin release? 14 (Abst.)
Thymus, fetal, ontogeny of interleukin 2 responsive cells in, 9 (Abst.)
Tissue concentrations of histamine, radioenzymatic assay for measurement of: adaptation to correct for adherence of histamine to mechanical homogenizers (Brown JK et al), 473
T-lymphocyte function, reduced, in acute viral hepatitis: possible role of biliary acids, 10 (Abst.)
subsets in lymph nodes from homosexual men, 20 (Abst.)
Tobacco smoke "sensitivity"—is there immunologic basis? (Lehrer SB et al), 240
Tolerance, immunologic, induced by in utero injection, 6 (Abst.)
Total serum IgE, age, sex, and reporting of allergies in stratified random sample, associations among skin sensitivity. II. Genetic-epidemiologic study of human immune responsiveness to allergens in industrial population (Freidhoff LR et al), 490
Toxin, *Ptychodiscus brevis*, within parasympathetic axonal sodium channel *h* gate in airway smooth muscle, site of action of (Asai S et al), 824
Treatment, thymopoietin pentapeptide, of primary immunodeficiencies, 2 (Abst.)
Triatoma protracta-induced anaphylaxis, successful immunotherapy for (Rohr AS et al), 369
Tropical environment, incidence of atopic disease in: partial independence from intestinal helminthiasis (Lynch NR et al), 229
Tube spacer, with or without, aerosol treatment of bronchoconstriction in children, 3 (Abst.)
Tubocurarine chloride and alcuronium chloride after life-threatening reactions to muscle-relaxant drugs, detection of serum-IgE antibodies that react with, 21 (Abst.)
Type I reactions to commercial fish in nonexposed individuals, 10 (Abst.)

U

Urinary histamine metabolites, improved diagnosis of mastocytosis by measurement of, 21 (Abst.)
Urticaria and hyperparathyroidism, 21 (Abst.)
chronic idiopathic, and angioedema with cimetidine alone, successful treatment of (Farnam J et al), 842
localization of eosinophlic granule major basic protein in, 14 (Abst.)
delayed pressure, late cutaneous reactions in patients with (Davis KC et al), 810
systemic cold, and cold-dependent dermatographism: unusual cold-induced disorders (Kaplan AP), 453
Urticarial-vasculitis syndrome, hypocomplementemic: therapeutic response to hydroxychloroquine (Lopez LR et al), 600

V

Vasopressor and bronchodilator effects of exercise levels of adrenaline in man, comparison of, 24 (Abst.)
Venom immunotherapy, development of negative skin tests in children treated with (Graft DF et al), 61
insect, allergy: diagnosis and treatment (Valentine MD), 299 (CME article)
Vespid-venom and honeybee sensitivity, studies of coexisting (Reisman RE et al), 246
Viral hepatitis, reduced T-lymphocyte function in acute: possible role of biliary acids, 10 (Abst.)
Virus, human T-cell leukemia, in patients with AIDS, antibodies to cell membrane antigens associated with, 2 (Abst.)
Vitamin supplementation, megadose, and immunologic function in healthy elderly population, relationship between, 25 (Abst.)

W

Wasp sting anaphylaxis, 3 (Abst.)

Index to meeting abstracts

Author index

A

Ackerman M, 180, 196
Ackerman SJ, 167
Adams GK III, 121
Addison B, 159
Addison BI, 189
Adinoff AD, 124, 143
Adkinson NF, 141, 147, 148, 163
Adolphson RL, 128, 184
Agarwal MK, 157
Agnello VA, 182
Agrell B, 139, 142
Ahdieh H, 194
Ahlstedt S, 115, 150
Akagi K, 166
Akiyama K, 171
Albyn KC, 180
Allansmith MR, 148
Allen D, 136
Alley ME, 195
Altman LC, 119
Anderson J, 145
Anderson MC, 118, 157, 190
Anderson S, 170
Andrews HG, 123
Arastu R, 197
Arbanian M, 132
Arlian LG, 119
Arnaud A, 112, 130
Arroyave CM, 152
Askenase P, 148
Askenase PW, 120
Atkins P, 147
Austen KF, 112, 115, 150
Aye P, 112
Aznar R, 188

B

Baer H, 118, 157, 160, 190, 191
Bahna SL, 122
Bahous J, 124, 126, 130
Bailey J, 143, 186
Baird RS, 148
Bake B, 196
Ballow M, 150
Balow JE, 155
Banks J, 184
Banks WA, 148
Barde SH, 140
Barrett D, 143
Barrett KE, 115
Bar-Sela S, 125, 127
Bartholomé K, 160
Barton M, 194
Baskerville J, 121
Battisto JR, 118
Beaulieu L, 187
Becker AB, 109
Beckman K, 118
Bedard RM, 166
Belda A, 165
Belin L, 164
Ben-Dov I, 162
Bengtsson A, 190
Beninati L, 194
Benoit T, 109
Bernard C, 124
Bernhardsson Å, 160
Bernstein DI, 111, 144, 173, 180
Bernstein IL, 111, 113, 119, 144, 173, 180
Bernstein JM, 169
Berscheid BA, 178
Bessot JC, 114
Bewtra A, 125, 127, 128, 178
Bidermann AA, 110
Bielory L, 154
Bienenstock J, 165
Bierman CW, 126, 145, 161, 169, 170
Bigot H, 121
Bisgaard-Frantzen K, 191
Björkander J, 196
Björkstén B, 115, 175
Bjornson L, 133
Black M, 143
Bloch KJ, 138, 182
Bluestone C, 170
Bobbitt R, 121
Boghossian S, 146
Bokhari T, 168, 194
Bolan M, 194
Borgen L, 132
Bousquet J, 112, 159, 174, 188
Borish L, 185
Bowyer SL, 137
Braun PA, 114
Brennan M, 186
Brenner M, 137
Brickman CM, 154
Bridts CB, 156
Brooks CD, 162
Brooks SM, 111
Brown MJ, 149
Brown TE, 181
Brozek C, 176
Buckley CE III, 192
Buckley RH, 186, 195
Buckner C, 183
Bucur J, 141
Buhner D, 180
Bukantz S, 136, 173
Bukantz SC, 134
Bullough B, 137
Buonato CB, 194
Burge H, 156, 157
Burge HA, 113, 161, 174
Bush R, 109, 184
Bush RK, 113, 176
Busse W, 109, 132, 146, 165, 184
Busse WW, 166, 176
Butcher BT, 152
Butler JE, 177
Butrus S, 116
Butterfield JH, 179

C

Campbell S, 132
Campbell SC, 110
Carr LA, 177
Carroll M, 146, 170
Carter BG, 186
Cartier A, 124, 126, 130, 173, 174
Casale TB, 111, 183
Cassedy K, 111
Casselbrant M, 196
Castle W, 136
Causon R, 149
Chamovitz A, 180, 196
Chand N, 184
Chang JL, 153
Chang KC, 163
Chapman J, 157
Chapman R, 130
Charlton JL, 186
Charpin J, 112, 138
Chen TM, 132, 158
Cheng E, 194
Cheng JB, 127, 193, 194
Cheung N-K V, 152
Chiaramonte LT, 133
Chinoy P, 169
Christopher K, 135
Chu ET, 185
Chu TJ, 110
Church JA, 109
Chused TM, 155
Cissel DS, 190
Clarke RH, 122
Clauss W, 165
Clauzel AM, 174
Cluss P, 130
Cockcroft DW, 178
Coffey J, 185
Cogen F, 179
Coghlan TH, 142
Cohen C, 143
Cohen R, 125
Cohen RM, 163
Cohn D, 169
Coleman R, 125, 178
Collins RP, 114
Colvin RB, 187

Abstracts of papers presented at the meeting of The American Academy of Allergy and Immunology, March 2-7, 1984; J ALLERGY CLIN IMMUNOL 73(No. 1, part 2):109, 1984.

Conboy KA, 169
Connell J, 144
Connell JT, 160
Cooper JR, 180
Copeland D, 177
Cours P, 157
Crawford L, 125
Crawford LV, 163
Crayton JW, 134
Creticos PS, 141, 142
Cromwell O, 147, 149, 192
Cullinan GJ, 193
Cumella JC, 140
Cummings NP, 143
Curd JG, 155, 181
Cutler G Jr, 111
Czop J, 115

D

Dagle J, 193
Dandeu J-P, 119
Daniels JC, 154
Darby CP, 195
Daul CB, 155
David B, 114, 119, 160
Davis KC, 169, 183
Davis SH, 175
Day JH, 122
DeClerck LS, 156
de la Cruz A, 194
Delair L, 188
Delespesse G, 151, 171, 176
Delin K, 164
Delohery J, 136
Del Prete GF, 177
Demers LM, 182
Denburg JA, 165
Denis D, 149
Denny T, 168
Deodhar S, 118
deShazo RD, 126, 148, 155
Desposito F, 168
DeVillez R, 175
DeVoe PW, 195
de Weck AL, 172
Dhivert H, 174
Diamintis W, 184
Diamond L, 144
Diaz P, 117
Dick E, 165
Dinarello C, 120
Djoukhadar F, 159
Dolen J, 151
Doli NJ, 126
Dolovich J, 118, 164, 165
Dolovich M, 130
Donshik PC, 150
Dor PJ, 112
Doran DM, 161
Dorn M, 165
Dorsch W, 127, 129, 147, 194
Doyle T, 119
Doyle WJ, 170
Drazen JM, 150
Dreborg S, 139, 140, 141, 142
Druce H, 146
Druz WS, 129
DuBuske L, 115
DuHamel T, 161
DuPont L, 122
Durham SR, 146, 147, 170
Dvorak AM, 167
Dvorak HF, 148
Dvorin DD, 188

E

Eddy J, 159
Edelman L, 131
Edinger MG, 118
Eggleston P, 184
Eggleston PA, 117
Einarsson R, 139, 141, 190, 191
El-Ackad TM, 131
Ellis EF, 169
Enander I, 150
Epstein L, 130
Erlich KS, 153
Erlman P, 191
Esch R, 192
Espinoza C, 136
Esser B, 116, 148
Evans SL, 118
Ewell J, 190

F

Fabbri L, 174
Fang L, 182
Farnan J, 154, 180, 182
Farnham JE, 111
Fauci A, 120
Fawcett WA IV, 195
Featherstone L, 159
Ferguson AC, 153, 158
Ferry GD, 195
Fiedler-Nagy C, 185
Fink JN, 125, 127
Finkel M, 131
Fireman P, 130, 170, 180, 196
Firer M, 134
Fischer T, 121
Fitzgerald J, 162
Fleisch JH, 193
Fletcher MP, 135
Foggs M, 167
Fontes A, 188
Forck G, 189
Ford-Hutchinson AW, 124
Ford L, 125
Foreman JC, 116
Formgren H, 140, 141
Forster J, 188
Foster A, 149, 150
Foucard T, 139, 142
Fox CF, 167
Fox R, 136, 173
Fox RC, 111
Fox RW, 134
Frank MM, 155
Frankel R, 176
Frempong KO, 155
Frenkiel S, 143
Friday G, 130
Friedman R, 170, 196
Friedman WH, 145
Frieri M, 168
Frigas E, 179
Fujitani T, 151
Fukuda T, 129
Furukawa CT, 126, 145, 161, 169, 170

G

Gadde J, 159
Gagnon G, 173
Gallagher JS, 119, 173, 180
Galleguillos FR, 117
Galloway J, 180
Galosi A, 165
Gandhi MD, 122
Gascon P, 154
Gauerke MB, 189
Geha RS, 172, 176, 185, 196
Geis DP, 119
Gens C, 189
Georgitis JW, 140, 141, 145, 187, 188
Gerber PS, 163
Gershwin ME, 135
Ghory PA, 195
Gillespie CA, 109
Gleich GJ, 167, 177
Glover G, 135
Glovsky MM, 150
Godard P, 112
Godfrey S, 162
Goetzl E, 148
Gold B, 174
Gold BL, 113
Golden DBK, 159, 189
Golden S, 125
Goldenberg B, 162
Goldfarb G, 135, 136
Goldsobel AB, 195
Goldstein M, 179
Goldstein MF, 167
Goldstein S, 133
Gonzalez C, 117
Gorin LJ, 195
Gormley C, 121
Graff-Lonnevig V, 139
Graft DF, 189
Grammer LC, 180
Grant B, 125
Grant JA, 154, 180, 182
Graziano F, 146
Graziano FM, 183
Greenberger PA, 164, 171
Greene D, 180
Grieco MH, 169
Griffing C, 148
Gross GN, 112
Gruber HE, 115
Guérin B, 159
Guernsey B, 182
Guill MF, 178
Gulbenkian A, 130
Gwaltney JM, 117

H

Habenicht H, 157
Haftel A, 109
Haisch KD, 193
Halbert E, 120
Halperin SA, 117
Halpern GM, 152
Hamel R, 124
Hamilton L, 144
Hammarstrom I, 115
Hanson LA, 196
Hargreave FE, 118, 123, 151
Harle R, 164
Harris NS, 152
Harrison JE, 184
Haswell MS, 197
Hattevig G, 175
Haverly RW, 179

Hazinski TA, 123
Hébert J, 177, 187
Hedlin G, 139
Heilborn H, 139
Helm RM, 177, 190
Hendeles L, 172
Hendley JO, 117
Herbers L, 125
Herman JJ, 152
Herrod H, 125
Herrod HG, 163
Hewitt B, 159, 174
Heymann PW, 119
Hill DJ, 134
Hill M, 172
Hindi-Alexander MC, 137
Hoffman DR, 158
Hollister JR, 137
Hollister R, 137
Holroyde J, 121
Homburger HA, 126
Hope W, 185
Hopp R, 178
Horsburgh CR, 169
Hosking CS, 134
Hoxie JA, 168
Huang A, 195
Huang H, 113
Hudson P, 174
Hsu YP, 138, 175
Hyatt RE, 126

I

Indrisano J, 183
Ingemann L, 190
Ingold CH, 186, 195
Inoue K, 151
Into-Malmberg M, 141
Ireland TA, 123
Irwin R, 181

J

Jaber M, 133
Jackson CED, 113
Jackson C-JC, 186
Jacobitz J, 152
Jacobs RL, 146, 197
Jacobsen D, 136
Jacobsen DW, 135
Jaeger JJ, 179
Jarudi N, 116
Jedruska S, 128, 193
Jelks M, 157
Jenne JW, 129
Jennings B, 121
Jensen F, 155
Jirjus A, 116
Johansson SA, 121
Johansson SGO, 175
Johnson HG, 193
Johnson J, 153
Johnson K, 189
Johnson LE, 119
Johnson R, 187
Jolie PL, 175
Jones LA, 152
Jones TR, 149, 192
Joshi V, 168
Jordana G, 130
Jouhal SS, 149
Judson F, 169
Juniper EF, 118, 151

K

Kagen SL, 187
Kagey-Sobotka A, 141, 148, 159, 184, 189
Kaliner M, 111, 146, 154, 181, 183
Kaliner MA, 183
Kalish SB, 153
Kalisker A, 133
Kang B, 153
Kansal JK, 131
Kaplan AP, 120
Kaplan R, 181
Karlsson R, 139
Kasperick G, 176
Katz RM, 109, 118, 162
Katzmann JA, 126
Kaufman CR, 123
Kaur P, 168
Kay AB, 117, 146, 147, 149, 161, 170, 171, 192
Kazim F, 130
Keahey TM, 183
Keens TG, 109
Keller RH, 127
Kemeny M, 189
Kemp JP, 110, 132, 143, 145
Kentor PM, 131
Kepron W, 128
King TP, 158, 159
Kirkpatrick CH, 169
Kissler W, 160
Kitt S-R S, 125
Kjellman B, 175
Kjellman N-I M, 139, 142
Knauer K, 144
Knight A, 144
Kniker WT, 151, 175
Kober A, 139, 141
Koepke JW, 135
Kohi F, 166
Kohler PF, 183
Koivikko A, 139, 142
Kopp D, 116, 148
Kopp WC, 177
Kordash T, 159
Kornstein M, 167
Kornstein MJ, 168
Kossoff D, 146
Kozak P, 117
Kraemer MJ, 169
Kral KM, 122, 159
Krebs TD, 177
Kreutner W, 130
Krokos K, 194
Kroutil L, 113
Krzanowski JJ, 129
Kuhn W, 188
Kurnick J, 187
Kwasnickie JM, 122, 152, 159
Kwiterovich KA, 189

L

LaBraico JM, 124
Labrecque JF, 122
Lampl KL, 166
Landay R, 130
Lang DM, 194
Lang GM, 186
Lanner A, 140, 141
Lareau M, 185
Laroque P, 177
Laube B, 179
Laube BL, 121
Lavastida MT, 154
Lawley T, 154
Lawley TL, 155
Layton JE, 126
Lazarovits A, 187
Lee TH, 149, 150
Lees REM, 122
Lehrer SB, 114
Leickly FE, 195
Leitch AG, 161
Lemanske R, 116, 148
Lengfelder E, 127
Lere JL, 143
Lerner CJ, 123
Lerner MR, 128
Letts LG, 192
Leung DYM, 172, 176
Leven S, 127
Levin S, 131
Levinson AI, 167, 168
Levitz D, 153
Lewis JE, 109
Lewis RA, 150
Lichtenstein LM, 141, 147, 148, 159, 166, 167, 184, 189
Licorish K, 117
Lieberman P, 125, 181
Lilja G, 139
Lind P, 156
Lindholm N, 140
Liss GM, 173
Littler SJ, 116
Ljungstredt-Pahlman I, 141
Lockey R, 136, 173
Lockey RF, 128, 134
Longbottom JL, 113
Lopez C, 168
Lord A, 192
Loriaux DL, 111
Lorusso JR, 191
Løwenstein H, 139, 191
Löwhagen O, 140
Lumb EM, 161
Lumry WR, 112
Lux GK, 138, 146

M

McAllister DC, 186
McCants ML, 114
Machtinger S, 175
McDonald L, 168
McFadden ER Jr, 112
McGrath KG, 181
Machado L, 160
McNee ML, 193
Maddox DE, 179
Maestrelli P, 174
Maggi E, 177
Makino S, 129
Malo JL, 124, 126, 130, 133, 174
Malo J-L, 173
Manfield LE, 179
Manfredi C, 129
Mansfield LE, 182
Manuel PV, 122
Mapp C, 174
Marks JG, 182
Marquardt DL, 115
Marsh DG, 114, 141, 189

Marshall C, 164
Marshall SG, 145, 169
Marshall WS, 193
Martin BG, 138
Martin DF, 128
Martin RR, 124, 130
Martinez R, 121
Marvel J, 144
Mashall SG, 126
Masson P, 192
Mathison DA, 162
Mathews KP, 174
Matthews DM, 168
Mauriello PM, 140
Maynard D, 109
Medacovic M, 131
Meggs WJ, 111
Meinke GC, 158
Mekori YA, 183
Meltzer EO, 110, 132, 143, 145
Melvin J, 144
Ménardo JL, 188
Mendelson L, 150
Mendelson LM, 163
Mendoza GR, 195
Metcalfe DD, 111, 115
Metzger BE, 180
Metzger E, 153
Metzler CM, 162
Michel FB, 112, 159, 174, 188
Mickey G, 195
Mickey GH, 195
Middleton E Jr, 110, 116, 120, 151
Miles-Lawrence R, 163
Miller D, 130
Millns J, 136
Mingo TS, 110
Minnefor A, 168, 194
Mitchell EB, 119, 134, 149
Moffat S, 191
Moller DR, 111, 173
Montes N, 137
Morgan D, 185
Morgan JE, 155
Morgan M, 170
Morgan MM, 145
Morris EC, 127
Morrison B, 158
Moscicki R, 138, 187
Moscicki RA, 182
Moss RB, 138, 175
Moss RM, 152
Motojima S, 129
Mrazek D, 122
Mudawar FB, 116
Muilenberg M, 156
Muilenberg ML, 113, 157, 161
Muller J, 172
Murdock KY, 178
Murphey S, 130
Murphy GF, 112
Murray AB, 158

N

Naclerio R, 148
Naclerio RM, 141
Nagakura T, 149, 170
Nagy SM, 135
Nair N, 125
Nasrallah FP, 116
Navarro M, 112
Nelson AL, 162
Nelson BL, 122
Newhouse M, 130
Newton J, 155
Nickelson JW, 141
Nielsen ST, 194
Nilsson J-E, 141
Nilsson S, 142
Nolan J, 157
Nordlee JA, 176
Norman PS, 141, 142, 147, 148, 179
Norrlind K, 139
Novey H, 117
Nygren H, 150

O

O'Connor J, 118
Offord KP, 179
Ogasawara H, 120
Ohman JL Jr, 191
Oleske J, 168, 194
Olin R, 160
O'Neil CE, 152
O'Reilly D, 185
Orgel HA, 110, 132, 143, 145
Ostro M, 138
Ough CS, 135
Ownby D, 176, 186
Ownby DR, 110, 143
Ownby H, 186
Oxelius V-A, 196

P

Pahwa R, 168
Paquin R, 126
Parronchi P, 177
Pattee LP, 122
Patterson R, 136, 164, 166, 171, 180, 181
Pauli G, 114, 121
Paull BR, 142
Pearson F, 164
Pegelow K-O, 139
Peltre G, 114, 160
Penley K, 169
Perelmutter L, 151, 177
Perhach J, 144
Persson G, 141
Pescovitz OH, 111
Petrusa ER, 182
Petry R, 113, 184
Phair JP, 153
Phillips YY, 179
Picarella DE, 181
Pienkowski M, 147
Pierson WE, 126, 145, 161, 169, 170
Pineau L, 124, 130, 174
Pinnas JL, 110, 132, 158
Pinyavat N, 169
Platts-Mills TAE, 119, 134
Plaut M, 148
Polato R, 174
Polson JB, 129
Ponzio N, 168
Popa V, 178
Post TJ, 120
Potter W, 125
Powerlowicz P, 129
Prograis LJ Jr, 117
Proud D, 141, 148
Pruzansky JJ, 166, 171
Przybilla B, 164, 165
Pugsley SO, 123

Q

Quan TH, 148
Quinti I, 196

R

Rabillon J, 119
Rachelefsky GS, 109, 118, 162
Radin RC, 164
Ramsdale EH, 123
Randolph CC, 140
Rastogi SC, 191
Ratner PH, 175
Rawle FC, 119
Rawle FR, 149
Rector E, 151, 171
Reddi RC, 154
Reddy MM, 169
Reed CE, 124, 126, 156, 157, 179
Reed MA, 152
Reed RC, 172
Reid MJ, 122, 152, 159
Reisman RE, 140, 141, 187, 188
Renard RL, 12?
Ressler C, 163
Ricci M, 177
Richards W, 109
Richardson M, 169
Richerson HB, 177
Richman PG, 190
Rieman P, 159
Riepel H, 194
Ring J, 147, 164, 165, 194
Rinkema LE, 193
Robert G, 112
Roberts CO, 118, 191
Roberts M, 180
Robichaud LJ, 128, 184
Robinet-Lévy M, 188
Robinson D, 150
Rocha C, 151
Rochon L, 143
Rocklin RE, 185
Rockwell WJ, 114
Rodbard D, 183
Rodriguez GE, 154
Rodriguez M, 175
Rogers RJ, 133
Rohr AS, 109, 118
Roi L, 186
Rolfsen W, 190
Romagnani S, 177
Romero LT, 132
Rooney SM, 184
Rosenblatt CDC, 123
Rosenblatt HM, 195
Rosenfeld JM, 151
Rosenthal RR, 124, 179
Rosenwasser LJ, 154, 181, 185
Rothenberger K, 165
Rowe MS, 143
Rowntree S, 134
Rubio-Trujillo M, 171
Ruff ME, 195
Ruff P, 172
Ruoho A, 132

S

Salinas FA, 153
Salvaggio JE, 126
Samaan S, 173
Samaan SS, 134

Sampson HA, 175, 195
Samter M, 131
Sanders G, 156
Santilli J Jr, 114
Sarfati M, 171, 176
Schaber D, 173
Schaefer P, 120
Schellenberg RR, 149, 150
Schey G, 131
Schiff RI, 195
Schiff S, 195
Schimizu A, 164
Schleimer RP, 166
Schlueter DP, 125
Schmidt JO, 158
Schmidt MJ, 193
Schneider AT, 133
Schocket AL, 183
Schreiber AD, 168
Schuberth KC, 189
Schulman ES, 120
Schumacher MJ, 191
Schwartz B, 156
Schwartz HJ, 172, 189
Scovern H, 186
Seggev J, 131
Sehon AH, 128, 151, 171, 176, 186
Seidehamel R, 144
Selner JC, 135
Senderovitch M, 131
Senft M, 138
Sergiou H, 133
Settipane G, 137
Seyal MA, 135
Shapiro GG, 110, 124, 126, 145, 161, 169, 170
Sharpe G, 132
Shaw RJ, 147, 170, 192
Shearer WT, 195
Sheffer AL, 112
Shelton M, 134
Shepard RG, 112
Sherman J, 196
Shieh WS, 193
Shirley LR, 195
Shult P, 146
Siegel SC, 109, 110, 118, 162
Siegel RL, 196
Simmul R, 136
Simon R, 135, 136
Simon RA, 135, 162
Simons FER, 109
Sindel LJ, 195
Singh M, 135
Singh R, 168, 194
Skoner D, 121, 180
Slanina P, 160
Slavin RG, 145
Small P, 143
Smith A, 109
Smith EKM, 164
Smith L, 161
Smith LJ, 123
Smith TF, 123, 127
Solomon W, 156, 157
Solomon WR, 113, 161
Sonin L, 136
Sosman AJ, 125
Spaethe SM, 193
Spector SL, 109, 118, 124, 162
Spence M, 163
Spitalny KC, 111
Spock A, 142
Springer C, 162
Stadler B, 172
Stafford CT, 161
Stålenheim G, 160
Stankus RP, 126
Stark BJ, 112
Stejskal V, 160
Stephenson RL, 173
Stevens R, 115
Stevens WJ, 156
Stevenson DD, 162
Sricker WE, 126
Stiehm ER, 195
Stier R, 159
Stinson JM, 117
Strecker RA, 128
Strunk RC, 122, 124
Sofia RD, 184
Sullivan TJ, 112
Summers RJ, 123
Sundin B, 139
Suratt PM, 117
Sutheimer C, 189
Swanson M, 126
Swanson MC, 139, 156, 157
Swartz S, 127
Swedlund HA, 179
Swenson C, 184
Swenson CA, 165
Swift DL, 121
Szefler SJ, 133
Szentivanyi A, 129
Szklo M, 189

T

Takano K, 155
Takeyama HF, 128
Talbot S, 147
Taylor SL, 176
Telizyn S, 165
Thiemeier, M, 189
Thomas LL, 167
Thueson D, 131
Tillirson M, 161
Ting S, 179, 182
Tinkelman D, 132
Tinkelman DG, 110, 131, 133
Tobey RE, 142
Togias A, 148
Toogood JH, 121
Torzillo P, 170
Townley R, 125, 166, 178
Townley RG, 124, 127, 128, 130, 193, 194
Trautlein JJ, 182
Treadwell G, 181
Tronolone MJ, 140
Tsay Y, 152
Tsokos GC, 155
Tulin-Silver J, 132
Turkeltaub PC, 118, 157, 191

U

Uden D, 173
Uhlin T, 141, 191
Umetsu DT, 196
Undem B, 183
Urbanek R, 188
Urdaneta-Bohorquez A, 129

V

Valentine MD, 189
Vander Hoff M, 131
Vandenbark GR, 195
Van Loveren H, 120
Venov D, 190
Verhelst JA, 156
Vervloet D, 112, 138
Vickerson F, 130
Vigderman RJ, 120
Vijay HM, 113
Villacorte GV, 197
Vinson SB, 142
Vithayasai P, 111
Vithayasai V, 111
Vogt RL, 111
Vyas P, 126
Vyszenski-Moher DL, 119

W

Wagner CM, 191
Wagner W, 118
Wahn U, 160, 189
Wajima T, 197
Wald E, 196
Walker SB, 170
Walsh G, 146, 170, 171
Wang SR, 153, 193
Wang SSM, 153, 193
Ward FE, 195
Ward JF, 110
Waring NP, 114, 155
Warren A, 168
Wass U, 164
Wasserman SI, 115
Weiler J, 144
Weimer L, 161
Weinstein AG, 133
Weiss N, 168
Weiss S, 125
Welch CA, 163
Welch MJ, 110, 132, 143, 145
Wells JH, 128
Welsh PW, 179
Welton AF, 185
Wheeler B, 163
White DH, 192
White GP, 113
Wiener MB, 133
Wiggan G, 185
Wilkins SR, 119
Williamson S, 159
Wilson A, 117
Windt MR, 154
Witherell LE, 111
Wolfe JD, 110
Wolfson GS, 122
Wong K, 171
Wood CL, 158
Wood R, 143
Wray BB, 161
Wright JM, 145
Wyatt R, 173
Wypych JI, 140, 141
Wu J, 176

Y

Yamate M, 110
Yelvington M, 155
Yoo T, 125, 181
Young MC, 172

Young N, 154
Young NM, 113
Younger RE, 163
Yukawa T, 129
Yunginger JW, 139, 157, 169, 180, 187, 189, 190

Z

Zabala M, 168, 194
Zeiss CR, 153
Zeitz HJ, 131
Zembryki D, 168
Zheutlin LM, 167
Zielezny MA, 137
Zora JA, 139, 189
Zuraw BL, 155, 181
Zweiman B, 147, 167, 179
Zwillich CW, 182
Zwiren G, 123

Subject index

A

Acetycholine and histamine, bronchial cholinergic tone and sensitivity to, in normals and asthmatics (Popa V), 178

Acetylcystein (AC), inhibition of allergen tachyphylaxis (AT) in guinea pigs (GP) by inhalation of (Powerlowicz P and Dorsch W), 129

Acquired immune deficiency syndrome, immune dysfunction in children with (Kaur P et al), 168

Adenosine release from stimulated mast cells (Marquardt DL et al), 115

Aeroallergen(s) data, surveillance of multisource: quality control study (Burge H et al), 157

indoor, quantitation and particle size distribution of (Swanson MC and Reed CE), 156

Aerosols, submicronic atmospheric, ragweed allergens in (Habenicht H et al), 157

inhalation, atrovent, in asthmatic adults: dose-response study (Dolovich M et al), 130

of affinity-purified antigen in hypersensitivity pneumoniotis, immunologic response to (Stricker WE et al), 126

citric acid in hyperreactive rats (Hamel R and Ford-Hutchinson AW), 124

pressurized, or aqueous nasal spray, rhinometric, clinical, and cytologic evaluation of allergic rhinitis treated with beclomethasone dipropionate (BDP) as (Meltzer EO et al), 145

regional, deposition and clearance in asthmatic and normal human airways (Laube BL et al), 121

Age, effect of, on methacholine response (MR) (Hopp R et al), 178

Agents, sulfiting, of wine, response of asthmatic and normal volunteers to (Seyal MA et al), 135

Agonist(s), H-1 and H-2 pure histamine, on PHA proliferative response of normal cells, effects of (Beaulieu L and Hébert J), 187

potent, of canine tracheal mucus secretion, 15-HETE is (Johnson HG and McNee ML), 193

AIDS, acquired immune deficiency syndrome, interleukin-2 augmentation of natural killer cell activity in homosexual men with (Chinoy P et al), 169

immune defects in patients at risk for (Horsburgh CR et al), 169

pediatric, therapeutic approach of (Oleske J et al), 168

Airway(s), asthmatic and normal human, regional aerosol deposition and clearance in (Laube BL et al), 121

canine small, interaction of theophylline and adenosine in (Krzanowski JJ et al), 129

effects of immunotherapy on specific and nonspecific sensitivity of (Formgren H et al), 140

human, and pulmonary vascular smooth muscle, C3a peptide contracts (Glovsky MM et al), 150

Airway(s)—cont'd

hyperreactivity, its association with—recurrent acute or subacute sinusitis (Lux GK and Jacobs RL), 146

using standarized methacholine challenge, multicenter evaluation of (LaBralco JM et al), 124

hyperresponsiveness induced by toluenediisocyanate (TDI) in sensitized subjects, time course of (Mapp C et al), 174

leukotriene D_4 receptor-binding sites using (^{3}H)leukotriene D_4 (Cheng JB et al), 193

methacholine (MCH) and histamine (HIST) reactivity and muscarinic receptor in ovalbumin-sensitized guinea pig (Bewtra A et al), 127

resistance in conscious guinea pigs, effect of respiratory exposure to red oxide toxin on (Wells JH et al), 128

responsiveness and pulmonary function to methacholine in chronic bronchiectasis, assessment of (Martin RR et al), 124

smooth muscle, contractile mechanisms in, study of: requirements for extracellular Ca^{2+} (Denis D et al), 149

Albuterol (A) and metaproterenol (M) metered dose inhalers (MDI): comparison of inhalation technique in chronic asthma (CBA) (Tulin-Silver J), 132

and subcutaneous epinephrine in treatment of acute asthma, comparison of (Spector SL et al), 109

oral, metaproterenol, and terbutaline in asthmatic subjects, comparison of acute cardiopulmonary effects of (Wolfe JD et al), 110

powder for inhalation treatment of asthma, new mode of delivery of—Rotahaler® (Orgel HA et al), 110

subcutaneous, treatment of asthma with (Busse W et al), 109

Allergen(s), airborne ragweed: association with various particle sizes and ragweed plant parts (Agarwal MK et al), 157

Alternaria, other major, and ALT-1 are spore-specific (Marsh DG et al), 114

and histamine-induced bronchial obstruction in guinea pigs, inhibitory effects of radical scavengers (RSC) on (Lengfelder E and Dorsch W), 127

/antigens of *Aspergillus fumigatus:* characterization by quantitative immunoelectrophoresis methods (QIE) (Longbottom JL), 113

1, cat, origin of (Bartholomé K et al), 160

dog dander, in poodle dandruff extract, isolation and characterization of (Einarsson R et al), 191

extract, cat and dog epithelia, diagnosis and treatment with (Ljungstedt-Påhlman I et al), 141

humoral immune response to inhaled and parenteral: association of IgG_4 antibody with clinical protection (Moss RB and Hsu YP), 138

identify purified, to study cross-reaction between allergens, to detect "blocking" antibodies, inhibition of allergen pattern obtained by nitrocellulose immunoprint technique to (Peltre G and David B), 160

Abstracts of papers presented at the meeting of The American Academy of Allergy and Immunology, March 2-7, 1984; J ALLERGY CLIN IMMUNOL 73(No. 1, part 2):109, 1984.

Allergen(s)—cont'd
in *Vespula maculifrons* venom (Hoffman DR and Wood CL), 158
major, from dried beans *(Phaseolus vulgaris)*, isolation of (Kasperick G and Ownby D), 176
mite and mites in dust from houses of patients with rhinitis or asthma in Seattle and Charlottesville: mite, dust, allergy (Johnson LE et al), 119
mouse, properties and standardization of major (Ohman JL et al), 191
pattern, inhibition of, obtained by nitrocellulose immunoprint technique to identify purified allergens, to study cross-reaction between allergens, to detect "blocking" antibodies (Peltre G and David B), 160
pollen, disparities among Juglandaceous trees (Solomon WR et al), 161
production by *Alternaria alternata* strain 46582 is dependent upon culturing time (Kroutil L et al), 113
purified vespid venom, skin test sensitivity to (Gadde J et al), 159
ragweed, in submicronic atmospheric aerosols (Habenicht H et al), 157
rapidly released ragweed, evaluation of nasal pollen challenge of immunotherapy with (Creticos PS et al), 141
sequestered in lipsomes, immunotherapy with (Wagner W et al), 118
shrimp, crab, crawfish, and lobster, immunological cross reactivity of (Lehrer SB et al), 114
source, results of elimination treatment of. Immunochemical method for investigations of allergic patients' environment (Schwartz B and Lind P), 156
standardized, standardized method of evaluating skin sensitivity to (Rastogi SC et al), 191
tachyphylaxis (AT), inhibition of, in guinea pigs (GP) by inhalation of acetylcystein (AC) (Powerlowicz P and Dorsch W), 129
Allergenic and antigenic properties of dust mites, DF and DP, preliminary studies of (Arlian LG et al), 119
proteins of venom and whole body extract. II. Fire ant venom hypersensitivity (Paull BR et al), 142
Allergic reactions, cutaneous, prolonged histamine release in (Talbot S et al), 147
to imported fire ant stings (deShazo RD et al), 148
rhinitis in children, assessment of correlation of rhinometry with symptoms and signs of (Welch MJ et al), 143
Pts, lack of correlation between antibody responses and symptoms in (Nickelsen JW et al), 141
Allergy, penicillin, stability studies of minor determinants of. Stable minor determinant mixture (MDM) skin test preparation (Ressler C and Mendelson LM), 163
Alternaria allergens, other major, and ALT-I are spore-specific (Marsh DG et al), 114
alternata strain 46582 is dependent upon culturing time, allergen production by (Kroutil L et al), 113
and *Epicoccum* antigens in asthmatic patients, bronchial reactivity to (Guill MF), 178
Penicillium extracts and spores in pathogenesis of asthma, studies of (Licorish K et al), 117
tenuis cultured on synthetic media, comparison of three strains of (Vijay HM et al), 113
ALT-I and other major *Alternaria* allergens are spore-specific (Marsh DG et al), 114
Aminophylline, and intravenous salbutamol alone and combined in acute severe asthma, effectiveness of (Senderovitch M et al), 131
Analgesics, "mild," evaluation of anaphylactoid reactions (AR) to (Przybilla B et al), 164
Anaphylactic reactions to protamine in insulin-dependent diabetics after cardiovascular procedures (Grant JA et al), 180
Anaphylactic reactivity to streptokinase (McGrath KG and Patterson R), 181
Anaphylactoid, delayed, reaction to inhaled sodium chromate (Moller DR et al), 111
reactions (AR) to "mild" analgesics, evaluation of (Przybilla B et al), 164
due to radiographic contrast media (RCM), combined histamine H_1-H_2-receptor antagonist pretreatment for prophylaxis of (Ring J et al), 165
to intravenous agents used during anesthesia, evaluation of (Ostro M et al), 138
Anaphylatoxin, C3, and complement proteins in tears of patients with conjunctivitis (Ballow M et al), 150
Anaphylaxis, Alpine slide (Farnham JE et al), 111
chymopapain, skin tests in (Cogen F et al), 179
exercise-induced (EIA): common serious form of physical allergy associated with mast cell (MC) degranulation (Sheffer AL et al), 112
idiopathic (IA), metabisulfite challenge in patients with (Sonin L and Patterson R), 136
natural history of insect sting: evaluation of untreated and incompletely treated Pts (Dvorin DD et al), 188
passive cutaneous (PCA), IgE-mediated, by azelastine in rat, inhibition of (Diamantis W et al), 184
recurrent idiopathic, responding to gonadotropin suppression, case of (Meggs WJ et al), 111
to intraveneous fluid (Vithayassi V and Vithayasai P), 111
Anemia, sickle cell, on hypertransfusion protocol, immunologic evaluation of patients with (Waring NP et al), 155
Anesthesia, evaluation of anaphylactoid reactions to intravenous agents used during (Ostro M et al), 138
Angioedema and chronic idiopathic urticaria, successful treatment of, with cimetidine alone (Farnam J et al), 182
delayed vibratory (Keahey TM et al), 183
hereditary (HAE), immunoregulatory diseases associated with (Brickman CM et al), 155
Anomalies, gastrointestinal, presenting as food allergy, combined immunodeficiency secondary to (Fawcett WA et al), 195
Antagonist(s), calcium channel, inhibition of human basophil histamine release by (Bedard RM and Busse WW), 166
calmodulin (CaM), in allergic mediator release reactions, potential sites of action of (Welton AF et al), 185
combined histamine H_1-H_2-receptor, pretreatment for prophylaxis of anaphylactoid reactions due to radiographic contrast media (RCM) (Ring J et al), 165
H_1 and H_2, combined, protection with: mediator release in local heat urticaria (LHU) (Irwin R et al), 181
Ant, fire, stings, allergic reactions to imported (deShazo RD et al), 148
venom, fire, hypersensitivity. II. Allergenic proteins of venom and whole body extract (Paull BR et al), 142
venoms, harvester, demonstration of cross-allergenicity among, using RAST and RAST inhibition (Schmidt JO et al), 158
Antibod(ies), antinuclear, in serum of normal pregnant women: prospective study (Lavastida MT et al), 154
detect "blocking", to study cross-reaction between allergens, to identify purified allergens, inhibition of allergen pattern obtained by nitrocellulose immonoprint technique to (Peltre G and David B), 160
IgE, responses to inhaled antigen, effects of cyclosporine on (Kopp WC et al), 177
IgE, rye I-specific, in vitro in grass-sensitive patients during allergen exposure, polyclonal B-cell activators (PBA,) can induce synthesis of (Ricci M et al), 177
IgE, secreting B cells from peripheral blood lymphocytes (PBL) of rye grass and ragweed atopics using reverse hemolytic plaque assay (RHPA) and ultra-low (U-L) RAST, study of (Perelmutter L et al), 177
IgG_1 or IgE, characterization of mediators involved in guinea pig pulmonary contractions mediated by (Undem B et al), 183

Antibody(ies)—cont'd
IgG$_4$, with clinical protection: humoral immune response to inhaled and parenteral allergens (Moss RB and Hsu YP), 138
to purified protein derivative (PPD) by enzyme-linked immunosorbent assay (ELISA) in diagnosis of tuberculosis (TB) (Zeiss CR et al), 153
mouse monoclonal, to human lymphocyte receptors for IgE (FcεR), production and characterization of (Rocha C et al), 151
murine monoclonal, to C1-esterase inhibitor, analysis of (Zuraw BL et al), 155
response to egg and milk in atopic disease, quantitation of IgE and IgG: comparison with house dust mite antigen (Rowntree S et al), 134
and symptoms in untreated allergic-rhinitis pts, lack of correlation between (Nickelsen JW et al), 141
induced by antigen-mPEG conjugates, characteristics of downregulation of (Lang GM et al), 186
specific IgE and IgG, as criteria for discontinuation of treatment: prolonged venom immunotherapy (Urbanek R et al), 188
venom-specific IgE, in postmortem sera from victims of sudden, unexpected death (Schwartz HJ et al), 189
Anticholinergic, CI-923 (3-[Ethylamino)propyl]-2, 3,4,-tetrahydro-5H-[1]benzopyranol [3,4-c] pyridin-5-one, new orally active, bronchoselective (Finkel M et al), 131
Antigen(s), affinity-purified, in hypersensitivity pneumonitis, immunologic response to aerosols of (Stricker WE et al), 126
/allergens of *Aspergillus fumigatus:* characterization by quantitative immunoelectrophoresis methods (QIE) (Longbottom JL), 113
Alternaria and *Epicoccum*, in asthmatic patients, bronchial reactivity to (Guill MF), 178
antihuman IgE, or CA + + ionophore from leukocytes of atopic patients or normals after passive sensitization, neutrophil chemotactic activity released by (Akiyama K et al), 171
challenge, effects of a diet enriched in menhaden fish oil on pulmonary response to (Lee TH et al), 150
provocative nasal, in passively sensitized rhesus monkeys, eustachian tube function (ETF) following (Doyle WJ et al), 170
rapid onset of bronchial-hyperreactivity following (Bar-Sela S et al), 125
cockroach, detection of, in house dust by ELISA inhibition (Sanders G et al), 156
E (AgE), ragweed, seasonal variation in human basophilic leukocyte histamine release to (Petry R et al), 184
food, and secretory IgA antibody, role of: cow's milk allergy in breast-fed infants (Machtinger S et al), 175
house dust mite, comparison with: quantitation of IgE and IgG antibody response to egg and milk in atopic disease (Rowntree S et al), 134
I, rye grass group (RGGI), quantitation of, in commercial pollen extracts (Kral KM et al), 159
inhaled, effects of cyclosporine on IgE antibody responses to (Kopp WC et al), 177
mPEG conjugates, characteristics of downregulation of antibody responses induced by (Lang GM et al), 186
of cynadon dactylon (bermuda grass) pollen. CIE and CRIE analyses (Schumacher J et al), 191
recall, standardization, *Candida albicans* skin test antigen (CASTA) (Esch R et al), 192
skin test, *Candida albicans* (CASTA), recall antigen standardization (Esch R et al), 192
specific T cell factors initiates sequential cascade of cellular interactions in delayed-type hypersensitivity (DTH), mast cell activation by (Askenase PW and Van Loveren H), 120
Antigenic and allergenic properties of dust mites, DF and DP, preliminary studies of (Arlian LG et al), 119
Antihistamine therapy, drowsiness associated with (Settipane G), 137
Antinuclear antibodies in serum of normal pregnant women: prospective study (Lavastida MT et al), 154
Antithymocyte globulin (ATG) therapy, immunoglobulin levels during serum sickness from (Bielory L et al), 154
Aplasia RBC, thymoma, and hypogammaglobulinemia, impaired expression of OKT4 epitope on thymocytes and blood T cells in patient with (Levinson AI et al), 168
Aspergillosis, allergic bronchopulmonary, (ABPA) and sensitization to *Aspergillus fumigatus* in chronic bronchiectasis in adults, prevalence of (Paquin R et al), 126
fumigatus, antigens/allergens of: characterization by quantitative immunoelectrophoresis methods (QIE) (Longbottom JL), 113
in chronic bronchiectasis in adults, prevalence of allergic bronchopulmonary aspergillosis (ABPA) and sensitization to (Paquin R et al), 126
Aspirin (ASA)-induced asthmatic reactions, cromolyn pretreatment delays onset of (Stevenson DD et al), 162
Astemizole treatment of seasonal allergic rhinitis (Bernstein IL and Bernstein DI), 144
Asthma, acute bronchodilator effects of inhaled fenoterol, ipratropium bromide, and their combination in (Bahous J et al), 130
clinical score for prediction of hospitalization of children with (Gandhi MD et al), 122
severe, effectiveness of intravenous salbutamol and aminophylline alone and combined in (Senderovitch M et al), 131
therapy of, are successive bronchodilator treatments effective in? (Lewis JE et al), 109
treatment of, comparison of subcutaneous epinephrine and albuterol in (Spector SL et al), 109
usefulness of index to predict hospitalization of children with (Skoner D et al), 121
and bronchial reactivity, effect of treatment of sinusitis on: results of double-blind study (Cummings NP et al), 143
assessment of reversibility with steroids in the evaluation of smoking and nonsmoking patients with (Chang KC et al), 163
beta-adrenergic function during procaterol treatment of (Sharpe G et al), 132
bronchial, and sinusitis, effect of bilateral sphenoethmoidectomy (BSE) on methacholine sensitivity in patients with (Wright JM et al), 145
bronchial, effects of propranolol (P), metoprolol (M), and labetalol (L) on ventilatory function in patients with (Zeitz HJ et al), 131
(CBA) chronic, comparison of inhalation technique in: metaproterenol (M) and albuterol (A) metered dose inhalers (MDI) (Tulin-Silver J), 132
childhood, clinical, physiological, and psychological study of treatment with cromolyn or theophylline in (Springer C et al), 162
predictors of fatal outcome in (Strunk RC et al), 122
chronic, of childhood, beclomethasone dipropionate (BDP) as adjunctive to theophylline (T) in (Katz RM et al), 162
comparison of ultrasonically nebulized distilled water challenge (UNDWC) with methacholine challenge (MC) in (Weiss S et al), 125
dose-response studies of bitolterol mesylate (BTM) and isoproterenol HCl (I) solutions in patients with (Pinnas JL et al), 132
epidemic, in northern California (Reid MJ et al), 122
exercise-induced (EIA), release of mast cell–associated mediators in nonatopic asthmatics after (Lee TH et al), 149
"fog"-induced, possible participation of mediator (MAST) cells in (Anderson S et al), 170

Asthma—cont'd
guinea pig experimental, adrenergic receptors in (Takeyama HF et al), 128
in blacks based on new pulmonary function standards for black Americans (Prograis LJ and Stinson JM), 117
children, evaluation of procaterol liquid and tablets in treatment of (Romero LT et al), 132
methacholine challenge as predictor for (Ford L et al), 125
occupational, due to heated Freon (Gagnon G et al), 173
occupational, due to various agents, follow-up (Hudson P et al), 174
occupational, following inhalation of sewer fly particles (Mathews KP et al), 174
or rhinitis in Seattle and Charlottesville, mites and mite allergens in dust from the houses of patients with: dust mite allergy (Johnson LE et al), 119
prophylactic treatment, critical study of criteria used in evaluation of (Bigot H and Pauli G), 121
relationships to urea formaldehyde foam (UFFI) off-gas exposure (Day JH et al), 122
/rhinitis (AR) patients (Pts), grass pollen specific IgG (GPsIgG) in circulating immune complexes (CIC) of: absence of mononuclear cell activation (Stevens WJ et al), 156
Rotahaler®—new mode of delivery of albuterol powder for inhalation treatment of (Orgel HA et al), 110
studies of *Alternaria* and *Penicillium* extracts and spores in pathogenesis of (Licorish K et al), 117
sulfite-sensitive, provocation of (Goldfarb G and Simon R), 135
treatment of, with subcutaneous albuterol (Busse W et al), 109
with normal bronchial responsiveness (Ramsdale EH et al), 123
Asthmatic lung tissue, human, responses in vitro (Schellenberg RR and Foster A), 149
reactions, antigen-induced early- and late-phase, leucocyte activation during (Durham SR et al), 146
early- and late-phase antigen-induced, plasma LTB_4 concentrations during (Cromwell O et al), 147
Atopic disease, quantitation of IgE and IgG antibody response to egg and milk in: comparison with house dust mite antigen (Rowntree S et al), 134
eczema, large molecular size immune complexes in children with (Ferguson AC and Salinas FA), 153
A. trifida, giant ragweed, pollen lots, survey of variability of (Anderson MC et al), 190
Atrovent aerosol inhalation in asthmatic adults: dose-response study (Dolovich M et al), 130
Azelastine in allergic rhinitis, multicenter trial of (Perhach J et al), 144
rat, inhibition of IgE-mediated passive cutaneous anaphylaxis (PCA) by (Diamantis W et al), 184

B

Barium contrast procedures, systemic reactions with (Martin BG and Lux GK), 138
Basidiospore extracts, epidermal reactivity to (Gold BL et al), 113
Basophil(s) and rat mast cell histamine release, stimulation of, by eosinophil granule cationic proteins (Zheutlin LM et al), 167
by passive sensitization, desensitization and partial to complete reconstitution of histamine release of (Pruzansky JJ and Patterson R), 166
chemotactic activity produced by allergen-stimulated PMN cells: basophil recruitment in allergic subjects (Mitchell EB et al), 149
from steroid-dependent asthmatics (SDA), in vitro resistance to dexamethasone (DEX) of (Lampl KL et al), 166
histamine release, human, inhibition of, by calcium channel antagonists (Bedard RM and Busse, WW), 166
human, and lung mast cell (HLMC) histamine release (HR), effects of T-cell growth factor (TCGF) on (Schulman ES et al), 120
Basophil(s)—cont'd
hypersensitivity, conjunctival: model of vernal conjunctivitis (Allansmith MR et al), 148
/mast cells, spontaneous appearance of, in in vitro cultures (Ahlstedt S et al), 115
progenitors in atopic patients, increased numbers of circulating (Denburg JA et al), 165
recruitment in allergic subjects: basophil chemotactic activity produced by allergen-stimulated PMN cells (Mitchell EB et al), 149
spontaneous histamine release (Akagi K et al), 166
B-cell activators, polyclonal, (PBA_1) can induce synthesis of rye I-specific IgE antibody in vitro in grass-sensitive patients during allergen exposure (Ricci M et al), 177
from peripheral blood lymphocytes (PBL) of rye grass and ragweed atopics using reverse hemolytic plaque assay (RHPA) and ultra-low (U-L) RAST, study of IgE antibody secreting (Perelmutter L et al), 177
function in patient with defective receptor for interleukin-l (IL-l) (Chu ET et al), 185
lines, human, immunoregulatory activity of IgE-binding factors secreted by (Sarfati M et al), 171
line, human, secretion of IgE-binding factors (IgE-BFs) by (Delespesse G et al), 171
Beans, *(Phaseolus vulgaris)*, dried, isolation of major allergen from (Kasperick G and Ownby D), 176
Beclomethasone dipropionate (BDP) as adjunctive to theophylline (T) in chronic asthma of childhood (Katz RM et al), 162
as pressurized aerosol or aqueous nasal spray, rhinometric, clinical, and cytologic evaluation of, allergic rhinitis treated with (Meltzer EO et al), 145
Bee venom peptide melittin, antigenic determinants of (King TP), 158
proteins and peptides, purified, allergenic activity of (Wahn U et al), 189
Bermuda grass *(Cynadon dactylon)* pollen, antigens of. CIE and CRIE analyses (Schumacher MJ et al), 191
Beta-adrenergic function during procaterol treatment of asthma (Sharpe G et al), 132
Binding of IgG (Fc) (but not IgE) to human neutrophils and eosinophils and enhancement by chemotactic factors (Walsh G and Kay AB), 171
Bitolterol mesylate (BTM) and isoproterenol HCl (I) solutions in patients with asthma, dose-response studies of, (Pinnas JL et al), 132
solution (BMS) in two different nebulizer systems, comparison of cardiopulmonary responses of (Kemp JP et al), 110
Blastogenesis, lectin-induced, sequential changes in cell surface markers identified by OKT3, OKT9, OKT10, anti-TAC, and anti-ACT-1 after (Lazarovits A et al), 187
Blood, peripheral, of atopic individuals, detection of cells containing intracytoplasmic IgE in (Wu J et al), 176
Bolus injection and continuous infusion of leukotrienes, pulmonary responses of anaesthetized guinea pigs to (Masson P and Jones TR), 192
Bone marrow, mouse, derived mast cells (MC), identification of neutral serine proteases of secretory granule of (DuBuske L et al), 115
transplantation, HLA identical and hapla-identical (soy lectin prepared), in eight patients with severe primary cellular immunodeficiency (CID), comparison of (Buckley RH et al), 195
successful, in DiGeorge syndrome (Goldsobel AB et al), 195
Breast disease, fibrocystic (FBD), in women with asthma (Hindi-Alexander MC et al), 137
-fed infants, cow's milk allergy in: role of food antigen and secretory IgA antibody (Machtinger S et al), 175
Bronchial cholinergic tone and sensitivity to acetylcholine histamine in normals and asthmatics (Popa V), 178

Bronchial cholingergic tone and—cont'd
hyperreactivity, transient, following antigen challenge, rapid onset of (Bar-Sela S et al), 125
obstruction, allergen and histamine-induced, in guinea pigs, inhibitory effects of radical scavengers (RSC) on (Lengfelder E and Dorsch W), 127
reactivity and asthma, effect of treatment of sinusitis on: results of double-blind study (Cummings NP et al), 143
responsiveness, asthma with normal (Ramsdale EH et al), 123
Bronchiectasis and IgG subclass 3 deficiency (Siegel RL and Sherman J), 196
chronic, assessment of pulmonary function and airway responsiveness to methacoline in (Martin RR et al), 124
in adults, prevalence of allergic bronchopulmonary aspergillosis (ABPA) and sensitization to *Aspergillius fumigatus* in (Paquin R et al), 126
Bronchitis, chronic, in children, clinical and bronchoscopic evaluation of (Ireland TA et al), 123
Bronchoalveolar lavage in asthma: effect of disodium cromoglycate on leucocyte counts, immunoglobulins, and complement (Diaz P et al), 117
lymphocytes, immunoregulation in hypersensitivity pneumonitis phenotypic and functional studies of (Keller RH et al), 127
Bronchodilator, acute, effects of inhaled fenoterol, ipratropium bromide, and their combination in asthma (Bahous J et al), 130
and antiallergy activity of forskolin (Kreutner W et al), 130
treatments, successive, are effective in therapy of acute asthma? (Lewis JE et al), 109
Bronchopulmonary aspergillosis, allergic, (ABPA) and sensitization to *Aspergillus fumigatus* in chronic bronchiectasis in adults, prevalence of (Paquin R et al), 126
Bronchoscopic and clinical evaluation of chronic bronchitis in children (Ireland TA et al), 123

C

CA++ ionophore, antigens, or antihuman IgE from leukocytes of atopic patients or normals after passive sensitization, neutrophil chemotactic activity released by (Akiyama K et al), 171
Calcium channel antagonists, inhibition of human basophil histamine release by (Bedard RM and Busse WW), 166
flux defect: influenza A virus-enhanced basophilic leukocyte histamine release (Swenson CA et al), 165
Calmodulin (CaM) antagonists in allergic mediator release reactions, potential sites of action of (Welton AF et al), 185
Cancer, primary breast, serum IgE and IgM levels are prognostic in (Ownby D et al), 186
Candida albicans skin test antigen (CASTA), recall antigen standardization (Esch R et al), 192
Canine model of chronic bronchial beta-adrenergic subsensitivity and effect of methylprednisolone (Jenne JW et al), 129
Cardiopulmonary, acute, effects of oral albuterol, metaproterenol, and terbutaline in asthmatic subjects, comparison of (Wolfe JD et al), 110
responses of bitolterol mesylate solution (BMS) in two different nebulizer systems, comparison of (Kemp JP et al), 110
Cedar, Mt. (MC), allergy patients, use of reverse hemolytic plaque assay to study changes in specific IgE and IgG plaque-forming cells (PFC) from blood lymphocytes (PBL) of (Dolen et al), 151
Celery root coincident with mugwort pollen sensitivity, allergy to (Pauli G et al), 114
Cell(s), accessory, dual roles of: cellular cooperation in expression of murine delayed-type hypersensitivity (Scovern H), 186
Cell(s)—cont'd
containing intracytoplasmic IgE in peripheral blood of atopic individuals, detection of (Wu J et al), 176
histamine-containing, of human peritoneum and gastrointestinal mucosa (Fox CF et al), 167
human, endothelial accessory functions of (Windt MR and Rosenwasser LJ), 154
human mononuclear, histamine releasing factor from (Kaplan AP et al), 120
Langerhans', probable immunologic role of, in fixed drug eruption (FDE) to pseudoephedrine (PS) (Lockey R et al), 136
mast, granule-derived inflammatory factors, assessment of neutrophil chemotactic properties of (Esser B et al), 116
mast, (MC), mouse bone marrow derived, identification of neutral serine proteases of secretory granule of (Dubuske L et al), 115
mast, mucosal, from monkey intestinal tissue-isolation and properties (Barrett KE et al), 115
mast, of conjunctiva (Nasrallah FP et al), 116
mast, rat, phospholipase A_2, ^{45}Ca uptake, and histamine release (HR) by quercetin, inhibition of (Middleton E Jr and Foreman JC), 116
mast, rat, protein phosphorylation, effect of quercetin on (Littler SJ and Middleton E Jr), 116
mast, stimulated, adenosine release from (Marquardt DL et al), 115
mononuclear, activation, absence of: grass pollen specific IgG (GPsIgG) in circulating immune complexes (CIC) of asthma/rhinitis (AR) patients (Pts) (Stevens WJ et al), 156
mononuclear (MNC), products on histamine release (HR), lymphocyte proliferative response (LPR), and IgE synthesis, effects of (Ogasawara H et al), 120
natural killer, activity in homosexual men with acquired immune deficiency syndrome (AIDS), interleukin-2 augmentation of (Chinoy P et al), 169
PMN, allergen-stimulated, basophil chemotactic activity produced by: basophil recruitment in allergic subjects (Mitchell EB et al), 149
rat peritoneal, sulfasalazine and 5-amino salicylic acid inhibit calcium ionophore-induced leukotriene formation in (Nielsen ST et al), 194
surface markers identified by OKT3, OKT9, OKT10, anti-TAC, and anti-ACT-I after lectin-induced blastogenesis, sequential changes in (Lazarovits A et al), 187
Cellular cooperation in expression of murine delayed-type hypersensitivity: dual roles of accessory cells (Scovern H), 186
Challenge, clinical, and successful desensitization procedure, diagnosis by. Sulphasalazin induced fever in ulcerative colitis (Dor PJ et al), 112
methacholine inhalation (MC), in young children: results of testing and follow-up (Adinoff AD and Strunk RC), 124
nasal pollen, of immunotherapy with rapidly released ragweed allergens, evaluation by (Creticos PS et al), 141
Chemiluminescence, enhanced eosinophil, response in allergic rhinitis (Shult P et al), 146
Chemonucleolysis, prospective evaluation of chymopapain sensitivity in patients undergoing (Bernstein DI et al), 180
Chemotactic activity, basophil, produced by allergen-stimulated PMN cells: basophil recruitment in allergic subjects (Mitchell EB et al), 149
neutrophil, properties of mast cell granule-derived inflammatory factors, assessment of (Esser B et al), 116
Chemotaxis, abnormal neutrophil, and hereditary spherocytosis (Arastu R et al), 197
Chest symptoms, chronic, IgG subclasses in nonallergic children with (Smith TF and Morris EC), 127
Chironomid sensitivity in atopic population, incidence of: lake fly allergy (Kagen SL et al), 187

Chymopapain anaphylaxis, skin test in (Cogen F et al), 179
sensitivity in patients undergoing chemonucleolysis, prospective evaluation of (Bernstein DI et al), 180
CI-922, 3,7-dimethoxy-4-phenyl-N-1H-tetrazol-5-yl-4H-furo[3,2-b] indole-2-carboxamide, L-argininate, in vivo antiallergic activity of (Adolphson RL and Robichaud LJ), 128
CIE and CRIE analyses. Antigens of *Cynadon dactylon* (bermuda grass) pollen (Schumacher MJ et al), 191
Ciliary activity of nasal mucosa, effect of topical agents on (Spock A), 142
Cimetidine alone, successful treatment of chronic idiopathic urticaria and angioedema with (Farnam J et al), 182
Citric acid, aerosol of, in hyperreactive rats (Hamel R and Ford-Hutchinson AW), 124
Cladosporium herbarum (*Hormodendrum*) preparation, double-blind multicenter immunotherapy trial in children with purified and standardized. II. In vitro results (Agrell B et al), 139
preparation, purified and standardized, double-blind multicenter immunotherapy trial with. I. Clinical results (Koivikko A et al), 142
Clinical and bronchoscopic evaluation of chronic bronchitis in children (Ireland TA et al), 123
Cobalamin protection and sulfite oxidase deficiency in sulfite-sensitive asthmatics (SSA) (Jacobsen DW et al), 135
Cockroach antigen, detection of, in house dust by ELISA inhibition (Sanders G et al), 156
sensitivity among asthmatics, comparison of diagnostic tests for (Chang JL et al), 153
Codeine and histamine skin testing, suppressive effects of ketotifen on (Wang SR and Wang SSM), 153
Colitis, ulcerative, sulphasalazin induced fever in. Diagnosis by clinical challenge and successful desensitization procedure (Dor PJ et al), 112
Complement component deficiency, acquired early, of vasculitis urticarial syndrome, neisserial infection in (Moscicki RA et al), 182
in "food-sensitive" psychiatric patients and controls, effects of food challenges on (Crayton JW), 134
leucocyte counts, and immunoglobulins, effect of disodium cromoglycate on: bronchoalveolar lavage in asthma (Diaz P et al), 117
Conjugate(s), 2,4-dinitrophenol-polyvinyl alcohol, (DNP_2-PVA) on airway and vascular sensitivity in DNP-ovalbumen (DNP_1-OA) sensitized dogs, effect of (Kepron W and Sehon AH), 128
antigen-mPEG, characteristics of downregulation of antibody responses induced by, (Lang GM), 186
Conjunctiva, mast cells of (Nasrallah FP et al), 116
Conjunctivitis, complement proteins and C3 anaphylatoxin in tears of patients with (Ballow M et al), 150
vernal, model of: conjunctival basophil hypersensitivity (Allansmith MR et al), 148
Contractile mechanisms in airway smooth muscle, study of: requirements for extracellular Ca^{2+} (Denis D et al), 149
Corticosteroids, efficacy of, in status asthmaticus in childhood: follow-up (Gerber PS et al), 163
nasal, (budesonide) lowers tame-esterase levels in nasal washes while controlling hay fever symptoms (Norman PS et al), 142
Cough &/or nonwheezing dyspnea, use of methacholine inhalation, methacholine skin testing, distilled water inhalation challenge & eosinophil counts in evaluation of patients presenting with (Cohen R et al), 125
in children, chronic (Lerner CJ and Hazinski TA), 123
Cow's milk allergy in breast-fed infants: role of food antigen and secretory IgA antibody (Machtinger S et al), 175
in childhood (Hill DJ et al), 134
CRIE and CIE analyses. Antigens of *Cynadon dactylon* (bermuda grass) pollen (Schumacher MJ et al), 191
Cromolyn dosing before exercise challenge, tachyphylaxis development with repeated (Brooks CD et al), 162
or theophylline in childhood asthma, clinical, physiological, and psychological study of treatment with (Springer C et al), 162
pretreatment delays onset of aspirin (ASA)-induced asthmatic reactions (Stevenson DD et al), 162
versus theophylline therapy, learning and behavioral problems associated with (Furukawa CT et al), 161
Culaneous reactions, late, (LCR) in patients with delayed pressure urticaria (DPU) (Davis KC et al), 183
Culturing time, allergen production by *Alternaria alternata* strain 46582 is dependent upon (Kroutil L et al), 113
Cutaneous allergic immediate and late-phase reactions, mediators during (Pienkowski M et al), 147
reactions, prolonged histamine release in (Talbot S et al), 147
rat, late-phase reactions, role of leukotriene B_4 in (Kopp D et al), 148
Cyclosporine, effects of, on IgE antibody responses to inhaled antigen (Kopp WC et al), 177

D

Dander, dog, allergen in poodle dandruff extract, isolation and characterization of (Einarsson R et al), 191
extract(s), animal, immunotherapy. In vitro investigations in double-blind placebo study (Graff-Lonnevig V et al), 139
animal, immonotherapy with: clinical results of double-blind placebo study (Hedlin G et al), 139
Dandruff extract, poodle, isolation and characterization of dog dander allergen in (Einarsson R et al), 191
Deficiency, IgA, concomitant IgG subclasses deficiency, and lung function (Björkander J et al), 196
Degranulation, mast cell (MC) common serious form of physical allergy associated with: exercise-induced anaphylaxis EIA (Sheffer AL et al), 112
Demonstration of cross-allergenicity among harvester ant venoms using RAST and RAST inhibition (Schmidt JO et al), 158
Depression of immediate wheal and flare (WFR) and late allergic skin reactions (LCR) by alcoholic onion extract (AOE) (Dorsch W and Ring J), 147
Dermatitis, atopic, changes in plasma histamine concentrations following double-blind placebo-controlled food challenges (DBFC) in (Sampson HA and Jolie PL), 175
Dermatophagoides farinae (Df) and *D. pteronyssinus* (Dp), sensitization to, in different climatic areas (Murray AB et al), 158
Dermatophagoides pteronyssinus (Dp) and *D. farinae* (Df), sensitization to, in different climatic areas (Murray AB et al), 158
Desensitization and partial to complete reconstitution of histamine release of human basophils by passive sensitization (Pruzansky JJ and Patterson R), 166
beta-adrenergic agonist-induced, in guinea pig tracheal smooth muscle, mepacrine prevents (Fukuda T et al), 129
oral, of penicillin-allergic patients (Stark BJ et al), 112
rush, for desferrioxamine anaphylactoid reactions (Robert G et al), 112
successful, procedure and diagnosis by clinical challenge. Sulphasalazin induced fever in ulcerative colitis (Dor PJ et al), 112
Desferrioxamine anaphylactoid reactions, rush desensitization for (Robert G et al), 112
Detection of cockroach antigen in house dust by ELISA inhibition (Sanders G et al), 156
Determinants, antigenic, of been venom peptide melittin (King TP), 158
minor, of penicillin allergy, stability studies of. Stable minor determinant mixture (MDM) skin test preparation (Ressler C and Mendelson LM), 163

Determinants, antigenic—Cont'd
mixture, minor, (MDM), stable, skin test preparation. Stability studies of minor determinants of penicillin allergy (Ressler C and Mendelson LM), 163
Dexamethasone (DEX) of basophils from steroid-dependent asthmatics (SDA), in vitro resistance to (Lampl KL et al), 166
Dextromethorphan (DMH)-induced skin whealing reaction: clinical, biochemical, and ultrastructural study (Ting S and Mansfield LE), 182
D. farinae, house dust mite extract, diluted in ABS and BSP as measured by intradermal titration skin testing, comparative study of (Williamson S et al), 159
mite, preparation, highly purified standardized, immunotherapy response with (Lanner A et al), 141
Dietary manipulation and food allergy in atopic eczema, role of (Ratner PH et al), 175
Disodium cromoglycate inhibits leucocyte activation in vitro (Kay AB et al), 170
on leucocyte counts, immunoglobulins, and complement, effect of: bronchoalveolar lavage in asthma (Diaz P et al), 117
relieves symptoms in symptomatic young smokers: double-blind placebo-controlled trial (Leitch AG et al), 161
DNA, recombinant, insulin, human, IgE against, in patients with systemic insulin allergy (Grammer LC et al), 180
Dose, metered, inhaler via tube spacer (S) or conventional mouthpiece (M) in young asthmatics, terbutaline (T) 500 μg versus placebo (P) from (Bücker AB et al), 109
Downregulation of antibody responses induced by antigen-mPEG conjugates, characteristics of (Lang GM et al), 186
D. Pteronyssinus antigen P_1, T cell sensitization to (Rawle FC et al), 119
Drowsiness associated with antihistamine therapy (Settipane G), 137
Drug abuse, maternal intravenous, further studies on infant-acquired immunodeficiency syndrome associated with (Warren A et al), 168
eruption, fixed, (FDE) to pseudoephedrine (PS), probable immunologic role of Langerhans' cells in (Lockey R et al), 136
Dust, house, detection of cockroach antigen in, by ELISA inhibition (Sanders G et al), 156
Dysfunction, immune, in children with acquired immune deficiency syndrome (Kaur P et al), 168
Dyspnea, nonwheezing, &/or cough, use of methacholine inhalation, methacholine skin testing, distilled water inhalation challenge & cosinophil counts in evaluation of patients presenting with (Cohen R et al), 125

E

Eczema, atopic, large molecular size immune complexes in children with (Ferguson AC and Salinas FA), 153
role of food allergy and dietary manipulation in (Ratner PH et al), 175
Egg and milk in atopic disease, quantitation of IgG and IgE antibody response to: comparison with house dust mite antigen (Rowntree S et al), 134
EIA (enzyme immunoassay) for clinical quantitation of histaminase (HX) (Jacobitz J et al), 152
ELISA (enzyme-linked immunosorbent assay) in diagnosis of tuberculosis (TB), IgG antibody to purified protein derivative (PPD) by (Zeiss CR et al), 153
inhibition, detection of cockroach antigen in house dust by (Sanders G et al), 156
quantitative enzyme-linked immunosorbent assay for specific IgE, toward (Kwasnicki JM et al), 152
Endothelial cells, human, accessory functions of (Windt MR and Rosenwasser LJ), 154
Environment, allergic patients', immunochemical method for investigations of. Results of elimination treatment of allergen source (Schwartz B and Lind P), 156
Enzyme immunoassay (EIA) for clinical quantitation of histaminase (HX) (Jacobitz J et al), 152
Eosinophil(s) and LTB_4 by neutrophils, preferential generation of LTC_4/D_4 by human: evaluation by specific radioimmunoassay (Shaw RJ et al), 192
neutrophils, human, and enhancement by chemotactic factors, binding of IgG (Fc) (but not IgE) to (Walsh G and Kay AB), 171
counts, methacholine inhalation, methacholine skin testing, & distilled water inhalation challenge in evaluation of patients presenting with cough &/or nonwheezing dyspnea, use of (Cohen R et al), 125
enhanced, chemiluminescence response in allergic rhinitis (Shult P et al), 146
Epicoccum and *Alternaria* antigens in asthmatic patients, bronchial reactivity to (Guill MF), 178
Epidermal reactivity to basidiospore extracts (Gold BL et al), 113
Epinephrine, subcutaneous, and albuterol in treatment of acute asthma, comparison of (Spector SL et al), 109
Epithelia cat and dog, allergen extract, diagnosis and treatment with (Ljungstedt-Påhlman I et al), 141
Ethylene oxide (EO) in hemodialysis (HD) patients, sensitization to (Marshall C et al), 164
hapten sensitization to (Belin L et al), 164
Eustachian tube dysfunction, effect of nasal histamine challenge on (Walker SB et al), 170
function (ETF) following provocative nasal antigen challenge in passively sensitized rhesus monkeys (Doyle WJ et al), 170
Extract(s), alcoholic onion (AOE), depression of immediate wheal and flare (WFR) and late allergic skin reactions (LCR) by (Dorsch W and Ring J), 147
allergenic proteins of venom and whole body. II. Fire ant venom hypersensitivity (Paull RR et al), 142
allergenic, standarization of—problems involved in choice of standardization method (Ingemann L and Venov D), 190
animal dander, immunotherapy with: clinical results of double-blind placebo study (Hedlin G et al), 139
In vitro investigations in double-blind placebo study (Graff-Lonnevig V et al), 139
basidiospore, epidermal reactivity to (Gold BL et al), 113
cat and dog epithelia allergen, diagnosis and treatment with (Ljungstedt-Påhlman I et al), 141
commercial pollen, quantitation of rye grass group I antigen (RGGI) in (Kral KM et al), 159
comparing polymerized grass and aqueous grass, local nasal immunotherapy (LNIT) (Wypych JI et al), 140
fungal spore, standardization of (Santilli J et al), 114
house dust mite, (*D. farinae*) diluted in ABS and BSP as measured by intradermal titration skin testing, comparative study of (Williamson S et al), 159
mite and grass pollen, shelflife of, stored in normal conditions of use (Djoukhadar F et al), 159
poodle dandruff, isolation and characterization of dog dander allergen in (Einarsson R et al), 191
ragweed, polymerized aqueous and comparison of equivalent allergenic doses of: local nasal immunotherapy (LNIT) (Tronolone MJ et al), 140
short ragweed pollen, production of international standard of (Helm RM et al), 190

F

Factor(s) affecting reactivity to ragweed pollen challenge in patients with ragweed hay fever (Connell JT), 160
contraction augumenting (CAF), further characterization of smooth muscle (Inoue K et al), 151

Factor(s) affecting—cont'd
mast cell granule-derived inflammatory, assessment of neutrophil chemotactic properties of (Esser B et al), 116
FAST™, IgE, and modified RAST, methodological evaluation of class differences between (Tsay Y-g et al), 152
Fenoterol, inhaled, ipratropium bromide, and their combination in asthma, acute bronchodilator effects of (Bahous J et al), 130
Fever, sulphasalazin induced, in ulcerative colitis. Diagnosis by clinical challenge and successful desensitization procedure (Dor PJ et al), 112
Fibrocystic breast disease (FBD) in women with asthma (Hindi-Alexander MC et al), 137
Fire ant stings, allergic reactions to imported (deShazo RD et al), 148
Fire ant venom hypersensitivity. II. Allergenic proteins of venom and whole body extract (Paull BR et al), 142
Fish oil, menhaden, effects of a diet enriched in, on pulmonary response to antigen challenge (Lee TH et al), 150
Fly, lake, allergy: incidence of chironomid sensitivity in atopic population (Kagen SL et al), 187
sewer, particles, occupational asthma following inhalation of (Mathews KP et al), 174
Formaldehyde foam, urea, (UFFI) off-gas exposure, asthma relationships to (Day JH et al), 122
Forskolin, bronchodilator and antiallergy activity of (Kreutner W et al), 130
Freon, heated, occupational asthma due to (Gagnon G et al), 173

G

Gammaglobulin, IV, therapy in hypogammaglobulinemia patients, experience with (Singh R et al), 194
Gastrointestinal anomalies presenting as food allergy, combined immunodeficiency secondary to (Fawcett WA et al), 195
Globulin, antithymocyte, (ATG) therapy, immunoclobulin levels during serum sickness from (Bielory L et al), 154
Glycoprotein, allergenic, present in nine different mite species, immunochemical and physiocochemical studies of (Dandeu J-P et al), 119
Gonadotropin suppression, case of recurrent idiopathic anaphylaxis responding to (Meggs WJ et al), 111
Granule, secretory, of mouse bone marrow derived mast cells (MC), identification of neutral serine proteases of (DuBuske L et al), 115
Granuloma, necrotizing, and acquired hyper-IgM syndrome (Goldstein MF et al), 167
Grass pollen specific IgG (GPsIgG) in circulating immune complexes (CIC) of asthma/rhinitis (AR) patients (Pts): absence of mononuclear cell activation (Stevens WJ et al), 156

H

Haplo-identical (soy lectin prepared) and HLA identical bone marrow transplantation in eight patients with severe primary cellular immunodeficiency (CID), comparison of (Buckley RH et al), 195
Hapten sensitization to ethyleneoxide (Belin L et al), 164
Harvester ant venoms, demonstration of cross-allergenicity among, using RAST and RAST inhibition (Schmidt JO et al), 158
Hay fever, nonsteroidal antiallergic agent for—Tiprinast (Seidehamel RJ and Knight A), 144
ragweed, factors affecting reactivity to ragweed pollen challenge in patients with (Connell JT), 160
safety and efficacy of sub-maximal doses of short ragweed (SR) by 8 injection regimen in treatment of (Turkeltaub P et al), 118
symptoms, nasal corticosteroid (budesonide) lowers tame-esterase levels in nasal washes while controlling (Norman PS et al), 142
Hemodialysis (HD) patients, sensitization to ethylene oxide (EO) in (Marshall C et al), 164
Hemolytic plaque assay, reverse, (RHPA) and ultra-low (U-L) RAST, study of IgE antibody secreting B cells from peripheral blood lymphocytes (PBL) of rye grass and ragweed atopics using (Perelmutter L et al), 177
HETE, 15, is potent agonist of canine tracheal mucus secretion (Johnson HG and McNee ML), 193
Histaminase (HX), enzyme immunoassay (EIA) for clinical quantitation of (Jacobitz J et al), 152
Histamine acid phosphate solutions, stability of (Rosenfeld JM et al), 151
agonists, H-1 and H-2, on PHA proliferative response of normal cells, effects of (Beaulieu L and Hébert J), 187
and acetycholine, bronchial cholinergic tone and sensitivity to, in normals and asthmatics (Popa V), 178
codeine skin testing, suppressive effects of ketotifen on (Wang SR and Wang SSM), 153
challenge, nasal, effect of, on eustachian tube dysfunction (Walker SB et al), 170
H_1 receptors on human peripheral lung, characterization of (Casale TB et al), 183
-H_2-receptors combined, antagonist pretreatment for prophylaxis of anaphylactoid reactions due to radiographic contrast media (RCM) (Ring J et al), 165
(HIST) reactivity and airway methacholine (MCH) and muscarinic receptor in ovalbumin-sensitized guinea pig (Bewtra A et al), 127
in normal subjects, nasal reactivity to (Georgitis JW), 145
plasma, concentrations, changes in, following double-blind placebo-controlled food challenges (DBFC) in atopic dermatitis (AD) (Sampson HA and Jolie PL), 175
release, basophil and rat mast cell, stimulation of, by eosinophil granule cationic proteins (Zheutlin LM et al), 167
spontaneous (Akagi K et al), 166
(HR), effects of T-cell growth factor (TCGF) on human basophil and lung mast cell (HLMC) (Schulman ES et al), 120
lymphocyte proliferative response (LPR), and IgE synthesis, effects of mononuclear cell (MNC) products on (Ogasawara H et al), 120
rat mast cell phospholipase A_2, and ^{45}Ca uptake by quercetin, inhibition of (Middleton E Jr and Foreman JC), 116
human basophil, inhibition of, by calcium channel antagonists (Bedard RM and Busse WW), 166
basophilic leukocyte, to ragweed antigen E (AgE), seasonal variation in (Petry R et al), 184
in vitro, from leukocytes of atopics and normals, lipoxygenase inhibitors and (Riepel H et al), 194
influenza A virus-enhanced basophilic leukocyte: calcium flux defect (Swenson CA et al), 165
prolonged, in cutaneous allergic reactions (Talbot S et al), 147
spontaneous, following exposure to hyperosmolar stimuli (Banks J et al), 184
Histamine releasing factor from human mononuclear cells (Kaplan AP et al), 120
HLA identical and haplo-identical (soy lectin prepared) bone marrow transplantation in eight patients with severe primary cellular immunodeficiency (CID), comparison of (Buckley RH et al), 195
Honey bee venom allergy, treatment failures during maintenance therapy in (Ménardo JL et al), 188
(HBV) immunotherapy, combination of active and passive immunization in (Bousquet J et al), 188
House dust mite extract *(D. farinae)* diluted in ABS and BSP as measured by intradermal titration skin testing, comparative study of (Williamson S et al), 159
Hybridomas, human T-T, secreting IgE-specific helper factors, production of (Young MC et al), 172
Hydroxychloroquine treatment, efficacy of, on urticarial vasculitis (Curd JG and Zuraw BL), 181

Hymenoptera venom allergy, how common is unrecognized in general population? (Zora JA et al), 139
(HVA), evolution of (Golden DBK et al), 189
Hyper-IgM syndrome, acquired, and necrotizing granuloma (Goldstein MF et al), 167
Hyperosmolar stimuli, spontaneous histamine release following exposure to (Banks J et al), 184
Hyperreactivity, airways, using standarized methacholine challenge, multicenter evaluation of (LaBraico JM et al), 124
bronchial, transient, following antigen challenge, rapid onset of (Bar-Sela S et al), 125
rats, aerosol of citric acid in (Hamel R and Ford-Hutchinson AW), 124
Hypersensitivity, conjunctival basophil: model of vernal conjunctivitis (Allansmith MR et al), 148
delayed-type (DTH), mast cell activation by antigen-specific T cell factors initiates sequential cascade of cellular interactions in (Askenase PW and Van Loveren H), 120
fire ant venom. II. Allergenic proteins of venom and whole body extract (Paull BR et al), 142
murine delayed-type, cellular cooperation in expression of: dual roles of accessory cells (Scovern H), 186
pneumonitis, immunologic response to aerosols of affinity-purified antigen in (Stricker WE et al), 126
in children, unique features of (Marshall SG et al), 126
phenotypic and functional studies of bronchoalveolar lavage lymphocytes, immunoregulation in (Keller RH et al), 127
Hyperresponsiveness, airway, induced by toluenediisocyanate (TDI) in sensitized subjects, time course of (Mapp C et al), 174
Hypersensitivity to papain in allergic population, incidence of; confirmed by blinded food challenges (Haverly RW et al), 179
Hypertransfusion protocol, immunologic evaluation of patients with sickle cell anemia on (Waring NP et al), 155
Hypogammaglobulinemia patients, experience with IV gammaglobulin therapy in (Singh R et al), 194
thymoma, and RBC aplasia, impaired expression of OKT4 epitope on thymocytes and blood T cells in patient with (Levinson AI et al), 168

I

Identification of neutral serine proteases of secretory granule of mouse bone marrow derived mast cells (MC) (DuBuske L et al), 115
IgA antibody, secretory, role of food antigen and: cow's milk allergy in breast-fed infants (Machtinger S et al), 175
deficiency, concomitant IgG subclasses deficiency, and lung function (Björkander J et al), 196
deficiency, in vitro studies of immunoglobulin synthesis in selective (Ingold CH et al), 186
IgE against human (recombinant DNA) insulin in patients with systemic insulin allergy (Grammer LC et al), 180
and IgG antibodies, specific, as criteria for discontinuation of treatment: prolonged venom immunotherapy (Urbanek R et al), 188
IgG antibody response, quantitation of, to egg and milk in atopic disease: comparison with house dust mite antigen (Rowntree S et al), 134
antibod(ies) repsonses to inhaled antigen, effects of cyclosporine on (Kopp WC et al), 177
rye I-specific, in vitro in grass-sensitive patients during allergen exposure, polyclonal B-cell activators (PBA,) can induce synthesis of (Ricci M et al), 177
secreting B cells from peripheral blood lymphocytes (PBL) of rye grass and ragweed atopics using reverse hemolytic plaque assay (RHPA) and ultra-low (U-L) RAST, study of (Perelmutter L et al), 177
IgE against—cont'd
specific venom, in postmortem sera from victims of sudden, unexpected death (Schwartz HJ et al), 189
to foods, serum IgE levels, and atopic disease during first four years of life (Björkstén B et al), 175
antihuman, antigens, or CA++ ionophore from leukocytes of atopic patients or normals after passive sensitization, neutrophil chemotactic activity released by (Akiyama K et al), 171
-binding factors (IgE-BFs) by human B cell line, secretion of (Delespesse G et al), 171
in human sera, biological activity of (Leung DYM et al), 176
secreted by human B cell lines, immunoregulatory activity of (Sarfati M et al), 171
FAST™ and modified RAST, methodological evaluation of class differences between (Tsay Y-g et al), 152
(FcεR), production and characterization of mouse monoclonal antibodies to human lymphocyte receptors for (Rocha C et al), 151
intracytoplasmic, in peripheral blood of atopic individuals, detection of cells containing (Wu J et al), 176
-mediated allergy, role of, in otitis media with effusion (Berstein JM et al), 169
-mediated passive cutaneous anaphylaxis (PCA) by azelastine in rat, inhibition of (Diamantis W et al), 184
pentapeptide, human, in treatment of allergic rhinitis, efficacy of (Rohr AS et al), 118
production, local specific, in nasal polyps associated with negative skin tests and serum RAST (Small P et al), 143
serum, levels in twins and their parents, evaluation of (Rodriguez GE), 154
-specific helper factors, production of human T-T hybridomas secreting (Young MC et al), 172
specific, toward quantitative enzyme-linked immunosorbent assay (ELISA) for (Kwasnicki JM et al), 152
synthesis, histamine release (HR), and lymphocyte proliferative response (LPR), effects of mononuclear cell (MNC) products on (Ogasawara H et al), 120
human, regulation of, by T cell and thymus cell products (de Weck AL et al), 172
total, on radioallergosorbent test (RAST), effect of nonspecific binding by (O'Neil CE et al), 152
IgG and IgE antibodies, specific, as criteria for discontinuation of treatment: prolonged venom immunotherapy (Urbanek R et al), 188
IgE antibody response, quantitation of, to egg and milk in atopic disease: comparison with house dust mite antigen (Rowntree S et al), 134
specific, plaque-forming cells (PFC) from blood lymphocytes (PBL) of mt. cedar (MC) allergy patients, use of reverse hemolytic plaque assay to study changes in (Dolen J et al), 151
IgG_4 antibody with clinical protection: humoral immune response to inhaled and parenteral allergens (Moss RB and Hsu YP), 138
to purified protein derivative (PPD) by enzyme-linked immunosorbent assay (ELISA) in diagnosis of tuberculosis (TB) (Zeiss CR et al), 153
(Fc) (but not IgE), binding of, to human neutrophils and eosinophils and enhancement by chemotactic factors (Walsh G and Kay AB), 171
IgG_1 or IgE antibodies, characterization of medicators involved in guinea pig pulmonary contractions mediated by (Undem B et al), 183
subclass deficiency, recurrent infection in children (Quinti T et al), 196
3 deficiency and bronchiectasis (Siegel RL and Sherman J), 196
in nonallergic children with chronic chest symptoms (Smith TF and Morris EC), 127

IgM and IgE serum levels are prognostic in primary breast cancer, (Ownby D et al), 186
Immune complexes, circulating (CIC) of asthma/rhinitis (AR) patients (Pts), grass pollen specific IgG (GPsIgG) in: absence of mononuclear cell activation (Stevens WJ et al), 156
large molecular size, in children with atopic eczema (Ferguson AC and Salinas FA), 153
defects in patients at risk for AIDS (Horsburgh CR et al), 169
reconstitution, successful, in severe combined immunodeficiency (SCID) despite ongoing viral infections (DeVoe PW et al), 195
response, humoral, to inhaled and parenteral allergens: association of IgG_4 antibody with clinical protection (Moss RB and Hsu YP), 138
Immunization, active and passive, in honey bee venom (HBV) immunotherapy, combination of (Bousquet J et al), 188
Immunochemical and physicochemical studies of allergenic glycoprotein present in nine different mite species (Dandeu J-P et al), 119
method for investigations of allergic patients' environment. Results of elimination treatment of allergen source (Schwartz B and Lind P), 156
Immunodeficiency, cellular (CID), severe primary, comparison of HLA and haplo-identical (soy lectin prepared) bone marrow transplantation in eight patients with (Buckley RH et al), 195
disease, bacterial sinusitis in (Ackerman M et al), 196
secondary to gastrointestinal anomalies presenting as food allergy, combined (Fawcett WA et al), 195
severe combined (SCID) despite ongoing viral infections, successful immune reconstitution in (DeVoe PW et al), 195
syndrome, infant-acquired, associated with maternal intravenous drug abuse, further studies on (Warren A et al), 168
Immunoelectrophoresis, quantitative, methods (QIE), characterization by: antigens/allergens of *Aspergillus fumigatus* (Longbottom JL), 113
Immunologic markers of disease severity in human silicosis (Stankus RP et al), 126
response to aerosols of affinity-purified antigen in hypersensitivity pneumonitis (Stricker WE et al), 126
Immunological cross reactivity of shrimp, crab, crawfish, and lobster allergens (Lehrer SB et al), 114
Immunoglobulin E synthesis in U266 cells, modulation of (Krebs TD et al), 177
leucocyte counts, and complement, effect of disodium cromoglycate on: bronchoalveolar lavage in asthma (Diaz P et al), 117
levels during serum sickness from antithymocyte globulin (ATG) therapy (Bielory L et al), 154
synthesis in selective IGA deficiency, in vitro studies of (Ingold CH et al), 186
Immunologic evaluation of patients with sickle cell anemia on hypertransfusion protocol (Waring NP et al), 155
role, probable, of Langerhans' cells in fixed drug eruption (FDE) to pseudoephedrine (PS) (Lockey R et al), 136
Immunoprint technique, nitrocellulose, for detection of allergenic components in allergen preparations and source materials (Bengtsson A et al), 190
to identify purified allergens, to study cross-reaction between allergens, to detect "blocking" antibodies, inhibition of allergen pattern obtained by (Peltre G and David B), 160
Immunoregulation in hypersensitivity pneumonitis phenotypic and functional studies of bronchoalveolar lavage lymphocytes (Keller RH et al), 127
Immunoregulatory activity of IgE-binding factors secreted by human B cell lines (Sarfati M et al), 171
Immunoregulatory—cont'd
diseases associated with hereditary angioedema (HAE) (Brickman CM et al), 155
Immunosorbent, quantitative enzyme-linked, assay (ELISA) for specific IgE, toward (Kwasnicki JM et al), 152
Immunotherapy, effects of, on specific and nonspecific sensitivity of airways (Formgren H et al), 140
local nasal (LNIT): comparison of equivalent allergenic doses of polymerized and aqueous ragweed extracts (Tronolone MJ et al), 140
local nasal (LNIT) comparing polymerized grass and aqueous grass extracts (Wypych JI et al), 140
long-term venom, clinical and immunologic response to (Randolph CC et al), 140
pegalgen ragweed: weekly vs. daily injections (Juniper EF et al), 118
response with highly purified, standardized mite *D. farinae* preparation (Lanner Å et al), 141
trial, double-blind multicenter, in children with purified and standardized cladosporium herbarum *(Hormodendrum)* preparation. II. In vitro results (Agrell B et al), 139
double-blind multicenter, in children with purified and standardized cladosporium herbarum *(Hormodendrum)* preparation. I. Clinical results (Koivikko A et al), 142
with allergen sequestered in liposomes (Wagner W et al), 118
animal dander extracts: clinical results of double-blind placebo study (Hedlin G et al), 139
In vitro investigations in double-blind placebo study (Graff-Lonnevig V et al), 139
rapidly released ragweed allergens, evaluation by nasal pollen challenge of (Creticos PS et al), 141
Index to predict hospitalization of children with acute asthma, usefulness of (Skoner D et al), 121
Infection, recurrent, in children and IgG subclass deficiency (Quinti T et al), 196
Influenza A virus-enhanced basophilic leukocyte histamine release: calcium flux defect (Swenson CA et al), 165
Inhalation, atrovent aerosol, in asthmatic adults: dose-response study (Dolovich M et al), 130
of acetylcystein (AC), inhibition of allergen tachyphylaxis (AT) in guinea pigs (GP) by (Powerlowicz P and Dorsch W), 129
treatment of asthma, new mode of delivery of albuterol powder for—Rotahaler® (Orgel HA et al), 110
Inhalers, metered dose MDI, metaproterenol (M), and albuterol (A): comparison of inhalation technique in chronic asthma (CBA) (Tulin-Silver J), 132
via tube spacer (S) or conventional mouthpiece (M) in young asthmatics, terbutaline (T) 500 μg versus placebo (P) from (Becker AB et al), 109
Inhibition of allergen tachyphylaxis (AT) in guinea pigs (GP) by inhalation of acetylcystein (AC) (Powerlowicz P and Dorsch W), 129
human basophil histamine release by calcium channel antagonists (Bedard RM et al), 166
rat mast cell phospholipase A_2, ^{45}Ca uptake, and histamine release (HR) by quercetin (Middleton E Jr and Foreman JC), 116
Inhibitors, CI-esterase, analysis of murine monoclonal antibodies to (Zuraw BL et al), 155
lipoxygenase, and in vitro histamine release from leukocytes of atopics and normals (Riepel H et al), 194
new mediator release: in vitro pharmacology of CI-922, 3,7-demethoxy-4-phenyl-N-1H-tetrazol-5-yl-4H-furo[3,2-b] indole-2-carboxamide, L-argininate (Robichaud LJ and Adolphson RL), 184
Inhibitory effects of ketotifen on SRS activity and SRS production from human leukocytes (Wang SSM et al), 193
factor, purification of human leukocyte (Borish L et al), 185

Injection(s), bolus, and continuous infusion of leukotrienes, pulmonary responses of anaesthetized guinea pigs to (Masson P and Jones TR), 192
weekly vs. daily: pegalgen ragweed immunotherapy (Juniper EF et al), 118
Insect sting anaphylaxis, natural history of: evaluation of untreated and incompletely treated Pts (Dvorin DD et al), 188
Isoproterenol HCl (I) solutions and bitolterol mesylate (BTM) in patients with asthma, dose-response studies of (Pinnas JL et al), 132
Insulin allergy, animal, human insulin in management of (Chamovitz A et al), 180
systemic, IgE against human (recombinant DNA) insulin in patients with (Grammer LC et al), 180
human immunologic reactivity to, in vitro (Rosenwasser LJ et al), 181
in management of animal insulin allergy (Chamovitz A et al), 180
(recombinant DNA), in patients with systemic insulin allergy, IgE against (Grammer LC et al), 180
Interleukin-1 (IL-1), B-cell function in patient with defective receptor for (Chu ET et al), 185
-2 augmentation of natural killer cell activity in homosexual men with acquired immune deficiency syndrome (AIDS) (Chinoy P et al), 169
Intravenous agents used during anesthesia, evaluation of anaphylactoid reactions to (Ostro M et al), 138
fluid, anaphylaxis to (Vithayassi V and Vithayasai P), 111
Ipratropium bromide, inhaled fenoterol, and their combination in asthma, acute bronchodilator effects of (Bahous J et al), 130

K

Ketotifen in allergic patients during spring 1983, evaluation of (Edelman L and Tinkelman DG), 131
inhibitory effects of, on SRS activity and SRS production from human leukocytes (Wang SSM et al), 193
on histamine and codeine skin testing, supressive effects of (Wang SR and Wang SSM), 153

L

Labetalol (L), propranolol (P), and metoprolol (M), effects of, on ventilatory function in patients with bronchial asthma (Zeitz HJ et al), 131
Langerhans' cells, probable immunologic role, in fixed drug eruption (FDE) to pseudoephedrine (PS) (Lockey R et al), 136
Lavage, bronchoalveolar, in asthma: effect of disodium cromoglycate on leucocyte counts, immunoglobulins, and complement (Diaz P et al), 117
lymphocytes, immunoregulation in hypersensitivity pneumonitis phenotypic and functional studies of (Keller RH et al), 127
Lipoxygenase inhibitors and in vitro histamine release from leukocytes of atopics and normals (Riepel H et al), 194
Lipsomes, immunotherapy with allergen sequestered in (Wagner W et al), 118
Leucocyte(s) activation during antigen-induced early- and late-phase asthmatic reactions (Durham SR et al), 146
in vitro, disodium cromoglycate inhibits (Kay AB et al), 170
counts, immunoglobulins, and complement, effect of disodium cromoglycate on: bronchoalveolar lavage in asthma (Diaz P et al), 117
histamine release, influenza A virus-enhanced basophilic: calcium flux defect (Swenson CA et al), 165
human basophilic, histamine release to ragweed antigen E (AgE), seasonal variation in (Petry R et al), 184
inhibitory effects of ketotifen on SRS activity and SRS production from (Wang SSM et al), 193
inhibitory factor, purification of (Borish L et al), 185
Leucocyte(s)—cont'd
of atopic patients or normals after passive sensitization, neutrophil chemotactic activity released by antigens, anti-human IgE, or CA^{++} from (Akiyama K et al), 171
Leukotriene B_4, role of, in rat cutaneous late-phase reactions (Kopp D et al), 148
D_4 receptor-binding sites, airway, using (^{3}H)leukotriene D_4 (Cheng JB et al), 193
F_4 on perfused guinea pig lungs "in vitro," effects of (Lord A and Letts LG), 192
formation, calcium ionophore-induced, in rat peritoneal cells, sulfasalazine and 5-amino salicylic acid inhibit (Nielsen ST et al), 194
pulmonary responses of anaesthetized guinea pigs to bolus injection and continuous infusion of (Masson P and Jones TR), 192
release, inhibition of, by two unique compounds (Fleisch JH et al), 193
(^{3}H), D_4, identification of airway leukotriene D_4 receptor-binding sites using (Cheng JB et al), 193
(LT), C_4, and (^{3}H)LTD_4 binding, effect of serine-borate complex on (Lang DM et al), 194
LTC_4/D_4, preferential generation of, by human eosinophils and LTB_4 by neutrophils: evaluation by specific radioimmunoassay (Shaw RJ et al), 192
Lung(s) function, IgA deficiency, concomitant IgG subclasses deficiency, and (Björkander J et al), 196
guinea pig, "in vitro," effects of leukotriene F_4 on perfused (Lord A and Letts LG), 192
human peripheral, characterization of histamine H_1 receptors on (Casale TB et al), 183
mast cell (HLMC) histamine release (HR), effects of T-cell growth factor (TCGF) on human basophil and (Schulman ES et al), 120
tissue, human asthmatic, responses in vitro (Schellenberg RR and Foster A), 149
Lymphangiectasia, intestinal, preferential loss of OKT4+ cells in patient with (Zweiman B et al), 167
Lymphocytes, blood (PBL) of mt. cedar (MC) allergy patients, use of reverse hemolytic plaque assay to study changes in specific IgE and IgG plaque-forming cells (PFC) from (Dolen J et al), 151
bronchoalveolar lavage, immunoregulation in hypersensitivity pneumonitis phenotypic and functional studies of (Keller RH et al), 127
peripheral blood (PBL) of rye grass and ragweed atopics using reverse hemolytic plaque assay (RHPA) and ultra-low (U-L) RAST, study of IgE antibody secreting B cells from (Perelmutter L et al), 177
proliferative response (LPR), histamine release (HR), and IgE synthesis, effects of mononuclear cell (MNC) products on (Ogasawara H et al), 120
receptors, human, for IgE (FcεR), production and characterization of mouse monoclonal antibodies to (Rocha C et al), 151
transformation, psyllium-induced, in psyllium *(Isphaghula)* allergic patients (Slanina P et al), 160

M

Markers, immunologic, of disease severity in human silicosis (Stankus RP et al), 126
Mast cell(s) activation by antigen-specific T cell factors initiates sequential cascade of cellular interactions in delayed-type hypersensitivity (DTH) (Askenase PW and Van Loveren H), 120
–associated mediators, release of, in nonatopic asthmatics after exercise-induced asthma (EIA) (Lee TH et al), 149
/basophils, spontaneous appearance of, in in vitro cultures (Ahlstedt S et al), 115

Mast cell(s)—cont'd
degranulation, common serious form of physical allergy associated with: exercise-induced anaphylaxis (EIA) (Sheffer AL et al), 112
granule-derived inflammatory factors, assessment of neutrophil chemotactic properties of (Esser B et al), 116
lung, (HLMC) histamine release (HR), effects of T-cell growth factor (TCGF) on human basophil and (Schulman ES et al), 120
mediator, possible participation of, in "fog"-induced asthma (Anderson S et al), 170
mononuclear cells, and mucous cells, immune-driven appearance of (Enanader I et al), 150
mouse bone marrow derived, identification of neutral serine proteases of secretory granule of (DuBuske L et al), 115
mucosal, from monkey intestinal tissue-isolation and properties (Barrett KE et al), 115
of conjunctiva (Nasrallah FP et al), 116
rat, and basophil histamine release, stimulation of, by eosinophil granule cationic proteins (Zheutlin LM et al), 167
rat, phospholipase A_2, ^{45}Ca uptake, and histamine release (HR) by quercetin, inhibition of (Middleton E Jr and Foreman JC), 116
rat, protein phosphorylation, effect of quercetin on (Littler SJ and Middleton E Jr), 116
stimulated, adenosine release from (Marquardt DL et al), 115
Mechacholine in ambulatory practice, safety of simplified bronchial challenge with (Frigas E et al), 179
Media, radiographic contrast (RCM), combined histamine H_1-H_2-receptor antagonist pretreatment for prophylaxis of anaphylactoid reactions due to (Ring J et al), 165
two pretreatment regimens for high-risk patients receiving (Greenberger PA et al), 164
synthetic, comparison of three strains of *Alternaria tenuis* cultured on (Vijay HM et al), 113
Mediators during cutaneous allergic immediate and late-phase reactions (Pienkowski M et al), 147
inflammatory, in nasal secretions during early and late reactions (Naclerio R et al), 148
involved in guinea pig pulmonary contractions mediated by IgG_1 or IgE antibodies, characterization of (Undem B et al), 183
mast cell–associated, release of, in nonatopic asthmatics after exercise-induced asthma (EIA) (Lee TH et al), 149
release in local heat urticaria (LHU): protection with combined H_1 and H_2 antagonists (Irwin R et al), 181
Melittin, bee venom peptide, antigenic determinants of (King TP), 158
Mepacrine prevents beta-adrenergic agonist-induced desensitization in guinea pig tracheal smooth muscle (Fukuda T et al), 129
Metabisulfite and SO2 reactivity in asthmatics (Delohery J et al), 136
challenge in patients with idiopathic anaphylaxis (IA) (Sonin L and Patterson R), 136
sensitivity, inhaled (Koepke JW), 135
Metaproterenol (M) and albuterol (A) metered dose inhalers (MDI): comparison of inhalation technique in chronic asthma (CBA) (Tulin-Silver J), 132
oral albuterol, and terbutaline in asthmatic subjects, comparison of acute cardiopulmonary effects of (Wolfe JD et al), 110
vs. procaterol for pediatric patients with asthma, multicenter trial of (Shapiro GG et al), 110
Methacholine challenge as predictor for asthma (Ford L et al), 125
in asthma, comparison of ultrasonically nebulized distilled water challenge (UNDWC) with (Weiss S et al), 125
nasal, effects of, on protein secretion (Druce H et al), 146
Methacholine—cont'd
standarized, multicenter evaluation of airways hyperreactivity using (LaBralco JM et al), 124
in chronic bronchiectasis, assessment of pulmonary function and airway responsiveness to (Martin RR et al), 124
inhalation challenge (MC) in young children: results of testing and follow-up (Adinoff AD and Strunk RC), 124
inhalation, methacholine skin testing, distilled water inhalation challenge & eosinophil counts in evaluation of patients presenting with cough &/or nonwheezing dyspnea, use of (Cohen R et al), 125
sensitivity in patients with sinusitis and bronchial asthma, effect of bilateral sphenoethmoidectomy (BSE) on (Wright JM et al), 145
sensitivity is unchanged during refractory period following exercise or isocapnic challenge (Rosenthal RR et al), 179
skin testing, methacholine inhalation, distilled water inhalation challenge, & eosinophil counts in evaluation of patients presenting with cough &/or nonwheezing dyspnea, use of (Cohen R et al), 125
response (MR), effect of age on (Hopp R et al), 178
Methodological evaluation of class differences between modified RAST and IgE FAST™ (Tsay Y-g et al), 152
Methylene diphenyl diisocyanate (MDI) exposed foundry workers, immunologic evaluation of (Liss GM et al), 173
Methylprednisolone, canine model of chronic bronchial beta-adrenergic subsensitivity and effect of (Jenne JW et al), 129
Metoprolol (M), propranolol (P), and labetalol (L), effects of, on ventilatory function in patients with bronchial asthma (Zeitz HJ et al), 131
Milk and egg in atopic disease, quantitation of IgE and IgG antibody response to: comparison with house dust mite antigen (Rowntree S et al), 134
cow's, allergy in breast-fed infants: role of food antigen and secretory IgA antibody (Machtinger S et al), 175
in childhood (Hill DJ et al), 134
Mite(s) and grass pollen extract, shelflife of, stored in normal conditions of use (Djoukhadar F et al), 159
D. farinae preparation, highly purified standardized, immunotherapy response with (Lanner Å et al), 141
dust, allergy: mites and mite allergens in dust from houses of patients with rhinitis or asthma in Seattle and Charlottesville (Johnson LE et al), 119
dust, DF and DP, preliminary studies of antigenic and allergenic properties of (Arlian LG et al), 119
house dust, antigen, comparison with: quantitation of IgE and IgG antibody response to egg and milk in atopic disease (Rowntree S et al), 134
dust, extract *(D. farinae)* diluted in ABS and BSP as measured by intradermal titration skin testing, comparative study of (Williamson S et al), 159
species, nine different, immunochemical and physicochemical studies of allergenic glycoprotein present in (Dandeu J-P et al), 119
Monitoring method, collecting, counting, and identification of pollen in Bethesda, Md., using new (Baer H et al), 157
Monoclonal antibodies, murine, to C1-esterase inhibitor, analysis of (Zuraw BL et al), 155
Mononuclear cell activation, absence of: grass pollen specific IgG (GPsIgG) in circulating immune complexes (CIC) of asthma/rhinitis (AR) patients (Pts) (Stevens WJ et al), 156
mast cells, and mucous cells, immune-driven appearance of (Enander I et al), 150
Mouse allergen, properties and standardization of major (Ohman JL et al), 191
bone marrow derived mast cells (MC), identification of neutral serine proteases of secretory granule of (DuBuske L et al), 115

Mouse allergen—cont'd
monoclonal antibodies to human lymphocyte receptors for IgE (FcεR), production and characterization of (Rocha C et al), 151
Mouthpiece (M), conventional, or metered dose inhaler via tube spacer (S), in young asthmatics, terbutaline (T) 500 μg versus placebo (P) from (Becker AB et al), 109
Mucosa, gastrointestinal, and human peritoneum, histamine-containing cells of (Fox CF et al), 167
nasal, effect of topical agents on ciliary activity of (Spock A), 142
Mucosal mast cells from monkey intestinal tissue-isolation and properties (Barrett KE et al), 115
Mucous cells, mast cells, and mononuclear cells, immune-driven appearance of (Enanader I et al), 150
Mucus secretion, canine tracheal, 15-HETE is potent agonist of (Johnson HG and McNee ML), 193
Mugwort pollen sensitivity, allergy to celery root coincident with (Pauli G et al), 114
Murine delayed-type hypersensitivity, cellular cooperation in expression of: dual roles of accessory cells (Scovern H), 186
monoclonal antibodies to C1-esterase inhibitor, analysis of (Zuraw BL et al), 155
Muscle, airway smooth, contractile mechanisms in, study of: requirements for extracellular Ca^{2+} (Denis D et al), 149
pulmonary vascular smooth, and human airway, C3a peptide contracts (Glovsky MM et al), 150
relaxants, adverse reactions to (Vervloet D et al), 138
smooth, contraction, augmenting factor (CAF), further characterization of (Inoue K et al), 151
smooth, tracheal, guinea pig, mepacrine prevents beta-adrenergic agonist-induced desensitization in (Fukuda T et al), 129
Myopathy, steroid: early detection (Bowyer SL and Hollister JR), 137

N

Nasal and ocular symptoms associated with lawn mowing, evaluation of cause of (Rowe MS et al), 143
antigen challenge, provocative, in passively sensitized rhesus monkeys, eustachian tube function (ETF) following (Doyle WJ et al), 170
corticosteroid (budesonide) lowers tame-esterase levels in nasal washes while controlling hay fever symptoms (Norman PS et al), 142
histamine challenge, effect of, on eustachian tube dysfunction (Walker SB et al), 170
methacholine challenge, effects of, on protein secretion (Druce H et al), 146
polyps associated with negative skin tests and serum RAST, local specific IgE production in (Small P et al), 143
reactivity to histamine in normal subjects (Georgitis JW), 145
resistance, variability of, in allergic vs. nonallergic subjects (Pierson WE et al), 145
secretions, inflammatory mediators in, during early and late reactions (Naclerio R et al), 148
spray, aqueous, or pressurized aerosol, rhinometric, clinical, and cytologic evaluation of allergic rhinitis treated with beclomethasone dipropionate (BDP) as (Meltzer EO et al), 145
Neutrophil(s), abnormal, chemotaxis and hereditary spherocytosis (Arastu R et al), 197
and eosinophils, human, and enhancement by chemotactic factors, binding of IgG (Fc) (but not IgE) to (Walsh G and Kay AB), 171
chemotactic activity released by antigens, antihuman IgE, or CA++ ionophore from leukocytes of atopic patients or normals after passive sensitization (Akiyama K et al), 171
Neutrophil(s)—cont'd
properties of mast cell granule-derived inflammatory factors, assessment of (Esser B et al), 116
preferential generation of LTC_4/D_4 by human eosinophils and LTB_4 by: evaluation by specific radioimmunoassay (Shaw RJ et al), 192
Nebulizer systems, two different, comparison of cardiopulmonary responses of bitolterol mesylate solution (BMS) in (Kemp JP et al), 110
Neisserial infection in acquired early complement component deficiency of vasculitis urticarial syndrome (Moscicki RA et al), 182
Nitrocellulose immunoprint technique for detection of allergenic components in allergen preparations and source materials (Bengtsson A et al), 190
to identify purified allergens, to study cross-reaction between allergens, to detect "blocking" antibodies, inhibition of allergen pattern obtained by (Peltre G and David B), 160

O

Ocular and nasal symptoms associated with lawn mowing, evaluation of cause of (Rowe MS et al), 143
Oil, menhaden fish, effects of a diet enriched in, on pulmonary response to antigen challenge (Lee TH et al), 150
soybean, is not allergenic to soybean-sensitive individuals (Bush RK et al), 176
OKT4+ cells, preferential loss of, in patient with intestinal lymphangiectasia (Zweiman B et al), 167
epitope on thymocytes and blood T cells in patient with thymoma, hypogammaglobulinemia, and RBC aplasia, impaired expression of (Levinson AI et al), 168
Osteoporosis in steroid-treated asthmatic children (Brenner M and Hollister R), 137
Otitis media with effusion, allergic rhinitis in children referred for persistent (Kraemer MJ et al), 169
with effusion, role of IgE-mediated allergy in (Bernstein JM et al), 169
Ovalbumin-sensitized guinea pig, airway methacholine (MCH) and histamine (HIST) reactivity and muscarinic receptor in (Bewtra A et al), 127

P

Papain in allergic population, incidence of hypersensitivity to; confirmed by blinded food challenges (Haverly RW et al), 179
Pathogenesis of asthma, studies of *Alternaria* and *Penicillium* extracts and spores in (Licorish K et al), 117
Pediatric patients with asthma, multicenter trial of procaterol vs. metaproterenol for (Shapiro GG et al), 110
Pegalgen ragweed immunotherapy: weekly vs. daily injections (Juniper EF et al), 118
Pencillin-allergic patients, oral desensitization of (Stark BJ et al), 112
allergy, stability studies of minor determinants of. Stable minor determinant mixture (MDM) skin test preparation (Ressler C and Mendelson LM), 163
skin testing, routine, randomized clinical trial of (Adkinson NF et al), 163
Penicillium and *Alternaria* extracts and spores in pathogenesis of asthma, studies of (Licorish K et al), 117
"Pentapeptide, human IgE," in treatment of allergic rhinitis, efficacy of (Rohr AS et al), 118
Peptide(s) and purified bee venom proteins, allergenic activity of (Wahn U et al), 189
C3a, contracts human airway and pulmonary vascular smooth muscle (Glovsky MM et al), 150
Peritoneum, human, and gastrointestinal mucosa, histamine-containing cells of (Fox CF et al), 167

Phaseolus vulgaris, dried beans, isolation of major allergen from (Kasperick G and Ownby D), 176
Phosphate, solutions, histamine acid, stability of (Rosenfeld JM et al), 151
Phospholipase A_2, rat mast cell, ^{45}Ca uptake, and histamine release (HR) by quercetin, inhibition of (Middleton E Jr and Foreman JC), 116
Phosphorylation, rat mast cell protein, effect of quercetin on (Littler SJ and Middleton E Jr), 116
Photosensitizing potential of nonsteroidal anti-inflammatory drug (NSAID) tiaprofenic acid (TPA) (Galosi A et al), 165
Physical allergy associated with mast cell (MC) degranulation, common serious form of: exercise-induced anaphylaxis (EIA) (Sheffer AL et al), 112
Physiocochemical and immunochemical studies of allergenic glycoprotein present in nine different mite species (Dandeu J-P et al), 119
Placebo study, double-blind, clinical results of: immunotherapy with animal dander extracts (Hedlin G et al), 139
in vitro investigations in. Immunotherapy with animal dander extracts (Graff-Lonnevig V et al), 139
versus terbutaline (T) 500 μg from metered dose inhaler via tube spacer (S) or conventional mouthpiece (M) in young asthmatics (Becker AB et al), 109
Plaque assay, reverse hemolytic, to study changes in specific IgE and IgG plaque-forming cells (PFC) from blood lymphocytes (PBL) of mt. cedar (MC) allergy patients, use of (Dolen J et al), 151
Plasma histamine concentrations, changes in, following double-blind placebo-controlled food challenges (DBFC) in atopic dermatitis (AD) (Sampson HA and Jolie PL), 175
LTB_4 concentrations during early- and late-phase antigen-induced asthmatic reactions (Cromwell O et al), 147
PMN cells, allergen-stimulated, basophil chemotactic activity produced by: basophil recruitment in allergic subjects (Mitchell EB et al), 149
Pneumonitis, hypersensitivity, immunologic response to aerosols of affinity-purified antigen in (Stricker WE et al), 126
in children, unique features of (Marshall SG et al), 126
phenotypic and functional studies of bronchoalveolar lavage lymphocytes, immunoregulation in (Keller RH et al), 127
Pollen(s) allergen disparities among Juglandaceous trees (Solomon WR et al), 161
antigens of *cyandon dactylon* (bermuda grass). CIE and CRIE analysis (Schumacher MJ et al), 191
collecting, counting, and identification of, in Bethesda, Md., using new monitoring method (Baer H et al), 157
extract, short ragweed, production of international standard of (Helm RM et al), 190
grass, and mite extract, shelflife of, stored in normal conditions of use (Djoukhadar F et al), 159
specific IgG (GPsIgG) in circulating immune complexes (CIC) of asthma/rhinitis (AR) patients (Pts): absence of mononuclear cell activation (Stevens WJ et al), 156
lots, giant ragweed (*A. trifida*), survey of variability of (Anderson MC et al), 190
nasal, challenge of immunotherapy with rapidly released ragweed allergens, evaluation by (Creticos PS et al), 141
sensitivity, mugwort, allergy to celery root coincident with (Pauli G et al), 114
sunflower, occupational allergy to (Dhivert H et al), 174
weed, cross-reactivity of, with ragweed by phadezym RAST inhibition (Smith L et al), 161
Polyps, nasal, associated with negative skin tests and serum RAST, local specific IgE production in (Small P et al), 143
Procaterol liquid and tablets in treatment of asthma in children, evaluation of (Romero LT et al), 132
treatment of asthma, beta-adrenergic function during (Sharpe G et al), 132
Procaterol—cont'd
vs. metaproterenol for pediatric patients with asthma, multicenter trial of (Shapiro GG et al), 110
Progenitors, basophil, in atopic patients, increased numbers of circulating (Denburg JA et al), 165
Prophylaxis of anaphylactoid reactions due to radiographic contrast media (RCM, combined histamine H_1-H_2-receptor antagonist pretreatment for (Ring J et al), 165
Propranolol (P), metoprolol (M), and labetalol (L), effects of, on ventilatory function in patients with bronchial asthma (Zeitz HJ et al), 131
Protamine, anaphylactic reactions to, in insulin-dependent diabetics after cardiovascular procedures (Grant JA et al), 180
Proteases, neutral serine, of secretory granule of mouse bone marrow derived mast cells (MC), identification of (DuBuske L et al), 115
Protein(s), allergenic, of venom and whole body extract. II. Fire ant venom hypersensitivity (Paull BR et al), 142
complement, and C3 anaphylatoxin in tears of patients with conjunctivitis (Ballow M et al), 150
eosinophil granule cationic, stimulation of basophil and rat mast cell histamine release by (Zheutlin LM et al), 167
purified bee venom, and peptides, allergenic activity of (Wahn U et al), 189
purified, derivative (PPD) by enzyme-linked immunosorbent assay (ELISA) in diagnosis of tuberculosis (TB), IgG antibody to (Zeiss CR et al), 153
secretion, effects of nasal methacholine challenge on (Druce H et al), 146
Pseudoephedrine (PS), probable immunologic role of Langerhans' cells in fixed drug eruption (FDE) to (Lockey R et al), 136
Psyllium (*Isphaghula*) allergic patients, psyllium-induced lymphocyte transformation in (Slanina P et al), 160
Pulmonary function and airway responsiveness to methacholine in chronic bronchiectasis, assessment of (Martin RR et al), 124
standards, new, for black Americans, asthma in blacks based on (Prograis LJ and Stinson JM), 117
responses of anaesthetized guinea pigs to bolus injection and continuous infusion of leukotrienes (Masson P and Jones TR), 192
to antigen challenge, effects of a diet enriched in menhaden fish oil on (Lee TH et al), 150

Q

Quantitation and particle size distribution of indoor aeroallergens (Swanson MC and Reed CE), 156
of IgE and IgG antibody response to egg and milk in atopic disease: comparison with house dust mite antigen (Rowntree S et al), 134
rye grass group I antigen (RGGI) in commerical pollen extracts (Kral KM et al), 159
Quercetin, inhibition of rat mast cell phospholipase A_2, ^{45}Ca uptake, and histamine release (HR) by (Middleton E Jr and Foreman JC), 116
on rat mast cell protein phosphorylation, effect of (Littler SJ and Middleton E Jr), 116

R

Radioallergosorbent test (RAST), effect of nonspecific binding by total IgE on (O'Neil CE et al), 152
Radioimmunoassay, specific, evaluation by: preferential generation of LTC_4/D_4 by human eosinophils and LTB_4 by neutrophils (Shaw RJ et al), 192
Ragweed, airborne, allergens: association with various particle sizes and ragweed plant parts (Agarwal MK et al), 157
allergens in submicronic atmospheric aerosol (Habenicht H et al), 157

Ragweed,—cont'd
rapidly released, evaluation of nasal pollen challenge of immunotherapy with (Creticos PS et al), 141
and rye grass atopics using reverse hemolytic plaque assay (RHPA) and ultra-low (U-L) RAST, study of IgE antibody secreting B cells from peripheral blood lymphocytes (PBL) of (Perelmutter L et al), 177
antigen E (AgE), seasonal variation in human basophilic leukocyte histamine release to (Petry R et al), 184
cross-reactivity of weed pollens with, by phadezym RAST inhibition (Smith L et al), 161
extracts, polymerized aqueous and, comparison of equivalent allergenic doses of: local nasal immunotherapy (LNIT) (Tronolone MJ et al), 140
giant, *(A. trifida)* pollen lots, survey of variability of (Anderson MC et al), 190
hay fever, safety and efficacy of submaximal doses of short ragweed (SR) by 8 injection regimen in (Turkeltaub P et al), 118
pegalgen, immunotherapy: weekly vs. daily injections (Juniper EF et al), 118
pollen challenge in patients with ragweed hay fever, factors affecting reactivity to (Connell JT), 160
short, pollen extract, production of international standard of (Helm RM et al), 190
(SR) by 8 injection regimen in treatment of ragweed hay fever, efficacy and safety of submaximal doses of (Turkeltaub P et al), 118
RAST and RAST inhibition, demonstration of cross-allergenicity among harvester ant venoms, using (Schmidt JO et al), 158
modified, and IgE FAST™, methodological evaluation of class differences between (Tsay Y-g et al), 152
phadezym, inhibition, cross-reactivity of weed pollens with ragweed by (Smith L et al), 161
serum, and negative skin tests, local specific IgE production in nasal polyps associated with (Small P et al), 143
ultra-low (U-L), and reverse hemolytic plaque assay (RHPA), study of IgE antibody secreting B cells from peripheral blood lymphocytes (PBL) of rye grass and ragweed atopics using (Perelmutter L et al), 177
Reaction(s), adverse, to muscle relaxants (Vervloet D et al), 138
delayed anaphylactoid, to inhaled sodium chromate (Moller DR et al), 111
desferrioxamine anaphylactoid, rush desensitization for (Robert G et al), 112
systemic, with barium contrast procedures (Martin BG and Lux GK), 138
Reactivity, epidermal, to basidiospore extracts (Gold BL et al), 113
immunological cross, of shrimp, crab, crawfish, and lobster allergens (Lehrer SB et al), 114
Receptor(s), adrenergic, in guinea pig experimental asthma (Takeyama HF et al), 128
for interleukin-1 (IL-1), B-cell function in patient with defective (Chu ET et al), 185
histamine H_1, on human peripheral lung, characterization of (Casale TB et al), 183
muscarinic, in ovalbumin-sensitized guinea pig, airway methacholine (MCH) and histomine (HIST) reactivity and (Bewtra A et al), 127
Reconstitution, partial to complete, and desensitization, of histamine release of human basophils by passive sensitization (Pruzansky JJ and Patterson R), 166
Red tide toxin on airway resistance in conscious guinea pigs, effect of respiratory exposure to (Wells JH et al), 128
Regimens, two pretreatment, for high-risk patients receiving radiographic contrast media (Greenberger PA et al), 164
Relationship between nonallergic bronchial responsiveness and atopic state in random population (Cockcroft DW et al), 178
Relaxants, muscle, adverse reactions to (Vervloet D et al), 138
Respiratory exposure to red tide toxin on airway resistance in conscious guinea pigs, effect of (Wells JH et al), 128
Respirometer, portable windmill, with conventional unit, comparison of (Kaufman CR et al), 123
Response(s), antibody, and symptoms in untreated allergic-rhinitis pts, lack of correlation between (Nickelsen JW et al), 141
clinical and immunolgic, to long-term venom immunotherapy (Randolph CC et al), 140
Reversibility, assessment of, with steroids in evaluation of smoking and nonsmoking patients with asthma (Chang KC et al), 163
Rhinitis, allergic, efficacy of "human IgE pentapeptide" in treatment of (Rohr AS et al), 118
allergic, enhanced eosinophil chemiluminescence response in (Shult P et al), 146
in children, assessment of correlation of rhinometry with symptoms and signs of (Welch MJ et al), 143
referred for persistent otitis media with effusion (Kraemer MJ et al), 169
multicenter trial of azelastine in (Perhach J et al), 144
Tiprinast in (Knauer K et al), 144
treated with beclomethasone dipropionate (BDP) as pressurized aerosol or aqueous nasal spray, rhinometric, clinical, and cytologic evaluation of (Meltzer EO et al), 145
/asthma (AR) patients (Pts), grass pollen specific IgG (GPsIgG) in circulating immune complexes (CIC) of: absence of mononuclear cell activation (Stevens WJ et al), 156
or asthma in Seattle and Charlottesville, mites and mite allergens in dust from houses of patients with: dust mite allergy (Johnson LE et al), 119
seasonal allergic, astemizole treatment of (Bernstein IL and Bernstein DI), 144
Rhinometry with symptoms and signs of allergic rhinitis in children, assessment of correlation of (Welch MJ et al), 143
Rhinovirus (RV) infection does not precipitate attacks in asthmatic adults (Halperin SA et al), 117
Riboflavin tracer, development and validation of, for assessment of compliance in asthmatic children (Fireman P et al), 130
Rotahaler®—new mode of delivery of albuterol powder for inhalation treatment of asthma (Orgel HA et al), 110
Rye grass and ragweed atopics using reverse hemolytic plaque assay (RHPA) and ultra-low (U-L) RAST, study of IgE antibody secreting B cells from peripheral blood lymphocytes (PBL) of (Perelmutter L et al), 177
group I antigen (RGGI), quantitation of, in commercial pollen extracts (Kral KM et al), 159

S

Salbutamol, intravenous, and aminophylline alone and combined in acute severe asthma, effectiveness of (Senderovitch M et al), 131
Salicylic acid, 5-amino, and sulfasalazine inhibit calcium ionophore-induced leukotriene formation in rat peritoneal cells (Nielsen ST et al), 194
Scanvengers, radical (RSC), inhibitory effects of, on allergen and histamine-induced bronchial obstruction in guinea pigs (Lengfelder E and Dorsch W), 127
Sensitivity, airway and vascular, in DNP-ovalbumen (DNP_7-OA) sensitized dogs, effects of 2,4-dinitrophenol-polyvinyl alcohol conjugates (DNP_2-PVA) on (Kepron W and Sehon AH), 128
cockroach, among asthmatics, comparison of diagnostic tests for (Chang JL et al), 153
metabisulfite, inahled (Koepke JW), 135
mugwort pollen, allergy to celery root coincident with (Pauli G et al), 114
skin test, to purified vespid venom allergens (Gadde J et al), 159

Sensitivity—cont'd
skin, to standarized allergens, standardized method of evaluating (Rastogi SC et al), 191
Sensitization, hapten, to ethyleneoxide (Belin L et al), 164
passive, desensitization and partial to complete reconstitution of histamine release of human basophils by passive (Pruzansky JJ and Patterson R), 166
passive, neutrophil chemotactic activity released by antigens, antihuman IgE, or CA + + ionophore from leukocytes of atopic patients or normals after (Akiyama K et al), 171
T cell, to *D. Pteronyssinus* antigen P_1 (Rawle FC et al), 119
to *Dermatophagoides farinae* (Df) and *D. pteronyssinus* (Dp) in different climatic areas (Murray AB et al), 158
ethylene oxide (EO) in hemodialysis (HD) patients (Marshall C et al), 164
Sera, human, biological activity of IgE-binding factors in (Leung DYM et al), 176
postmortem, from victims of sudden, unexpected death, venom-specifc IgE antibodies in (Schwartz HJ et al), 189
Serine-borate complex, effect of, on (^{3}H)leukotriene (LT), C_4, and (^{3}H)LTD_4 binding (Lang DM et al), 194
proteases, neutral, of secretory granule of mouse bone marrow derived mast cells (MC), identification of (DuBuske L et al), 115
Serum IgE and IgM levels are prognostic in primary breast cancer (Ownby D et al), 186
levels, IgE antibodies to foods, and atopic disease during first four years of life (Björkstén B et al), 175
in twins and their parents, evaluation of (Rodriguez GE), 154
of normal pregnant women, antinuclear antibodies in: prospective study (Lavastida MT et al), 154
RAST and skin test, negative, local specific IgE production in nasal polyps associated with (Small P et al), 143
sickness from antithymocyte globulin (ATG) therapy, immunoglobulin levels during (Bielory L et al), 154
Sickle cell anemia on hypertransfusion protocol, immunologic evaluation of patients with (Waring NP et al), 155
Silicosis, human, immunologic markers of disease severity in (Stankus RP et al), 126
Sinusitis and bronchial asthma, effect of bilateral sphenoethmodectomy (BSE) on methacholine sensitivity in patients with (Wright JM et al), 145
bacterial, in immunodeficiency disease (Ackerman M et al), 196
effect of treatment of, on asthma and bronchial reactivity: results of double-blind study (Cummings NP et al), 143
recurrent acute or subacute—its association with hyperreactive airways (Lux GK and Jacobs RL), 146
Skin reactions, late allergic, (LCR) and wheal and flare (WFR), depression of, by alcoholic onion extract (AOE) (Dorsch W and Ring J), 147
sensitivity to standarized allergens, standardized method of evaluating (Rastogi SC et al), 191
test(s) and serum RAST, negative, local specific IgE production in nasal polyps associated with (Small P et al), 143
antigen, *Candida albicans* (CASTA), recall antigen standardization (Esch R et al), 192
in chymopapain anaphylaxis (Cogen F et al), 179
preparation, stable minor determinant mixture (MDM). Stability studies of minor determinants of penicillin allergy (Ressler C and Mendelson LM), 163
sensitivity to purified vespid venom allergens (Gadde J et al), 159
venom, positive, in insect-allergic and nonallergic populations, frequency of (Reisman RE and Georgitis JW), 187
Skin testing, histamine and codeine, suppressive effects of ketotifen on (Wang SR and Wang SSM), 153
Skin testing—cont'd
intradermal titration, comparative study of house dust mite extract *(D. farinae)* diluted in ABS and BSP as measured by (Williamson S et al), 159
methacholine, methacholine inhalation, distilled water inhalation challenge, & eosinophil counts in evaluation of patients presenting with cough &/or nonwheezing dyspnea, use of (Cohen R et al), 125
randomized clinical trial of routine penicillin (Adkinson NF et al), 163
Skin whealing reaction, dextromethorphan (DMH)-induced: clinical, biochemical, and ultrastructural study (Ting S and Mansfield LE), 182
Smokers and non-smokers, comparison of theophylline (T) disposition in elderly (Samaan SS et al), 134
SO2 reactivity and metabisulfite in asthmatics (Delohery J et al), 136
Sodium chromate, inhaled, delayed anaphylactoid reaction to (Moller DR et al), 111
Soybean oil is not allergenic to soybean-sensitive individuals (Bush RK et al), 176
Spacer (S), tube, via metered dose inhaler or conventional mouthpiece (M) in young asthmatics, terbutaline (T) 500 μg versus placebo (P) from (Becker AB et al), 109
which asthmatic patients respond best to? (Toogood JH et al), 121
Specific IgE and IgG plaque-forming cells (PFC) from blood lymphocytes (PBL) of mt. cedar (MC) allergy patients, use of reverse hemolytic plaque assay to study changes in (Dolen J et al), 151
toward quantitative enzyme-linked immunosorbent assay (ELISA) for (Kwasnicki JM et al), 152
Specific IgG, grass pollen, (GPsIgG) in circulating immune complexes (CIC) of asthma/rhinitis (AR) patients (Pts): absence of mononuclear cell activation (Stevens WJ et al), 156
Sphenoethmoidectomy, bilateral (BSE), effect of, on methacholine sensitivity in patients with sinusitis and bronchial asthma (Wright JM et al), 145
Spherocytosis, hereditary, and abnormal neutrophil chemotaxis (Arastu R et al), 197
Spores and *Alternaria* and *Penicillium* extracts in pathogenesis of asthma, studies of (Licorish K et al), 117
extracts, fungal, standardization of (Santilli J et al), 114
SRS activity and SRS production from human leukocytes, inhibitory effects of ketotifen on (Wang SSM et al), 193
Standardization of fungal spore extracts (Santilli J et al), 114
Status asthmaticus in childhood, efficacy of corticosteroids in: follow-up (Gerber PS et al), 163
Steroids in evaluation of smoking and nonsmoking patients with asthma, assessment of reversibility with (Chang KC et al), 163
myopathy: early detection (Bowyer SL and Hollister JR), 137
Stings, fire ant, allergic reactions to imported (deShazo RD et al), 148
Sulfasalazine and 5-amino salicylic acid inhibit calcium inophore-induced leukotriene formation in rat peritoneal cells (Nielsen ST et al), 194
insect, anaphylaxis, natural history of: evaluation of untreated and incompletely treated Pts (Dvorin DD et al), 188
Strains of *Alternaria tenuis* cultured on synthetic media, comparison of three (Vijay HM et al), 113
Streptokinase, anaphylactic reactivity to (McGrath KG and Patterson R), 181
Subcutaneous albuterol, treatment of asthma with (Busse W et al), 109
epinephrine and albuterol in treatment of acute asthma, comparison of (Spector SL et al), 109
Subsensitivity, chronic bronchial beta-adrenergic, and effect of methylprednisolone, canine model of (Jenne JW et al), 129

Sulfite oxidase deficiency and cobalamin protection in sulfite-sensitive asthmatics (SSA) (Jacobsen DW et al), 135
-sensitive asthma, provocation of (Goldfarb G and Simon R), 135
asthmatics (SSA), blocking studies in (Simon R et al), 136
Sulphasalazin induced fever in ulcerative colitis. Diagnosis by clinical challenge and successful desensitization procedure (Dor PJ et al), 112
Sunflower pollens, occupational allergy to (Dhivert H et al), 174
Syndrome, acquired hyper-IgM, and necrotizing granuloma (Goldstein MF et al), 167
immune deficiency, (AIDS), interleukin-2 augmentation of natural killer cell activity in homosexual men with (Chinoy P et al), 169
immune dysfunction in children with (Kaur P et al), 168
contact urticaria, from carbonless copy paper (Trautlein JJ et al), 182
DiGeorge, successful bone marrow tranplantation in (Goldsobel AB et al), 195
infant-acquired immunodeficiency, associated with maternal intravenous drug abuse, further studies on (Warren A et al), 168
vasculitis urticarial, neisserial infection in acquired early complement component deficiency of (Moscicki RA et al), 182
Synthesis, IgE, histamine release (HR), and lymphocyte proliferative response (LPR), effects of mononuclear cell (MNC) products on (Ogasawara H et al), 120
immunoglobulin, in selective IGA deficiency, in vitro studies of (Ingold CH et al), 186
in U266 cells, modulation of immunoglobulin E (Krebs TD et al), 177

T

Tachyphylaxis (AT), allergen, inhibition of, in guinea pigs (GP) by inhalation of acetylcystein (AC) (Powerlowicz P and Dorsch W), 129
development with repeated cromolyn dosing before exercise challenge (Brooks CD et al), 162
T cell and thymus cell products, regulation of human IgE synthesis by (de Weck AL et al), 172
blood, and thymocytes, in patient with thymoma, hypogammaglobulinemia, and RBC aplasia, impaired expression of OKT4 epitope on (Levinson AI et al), 168
factors, antigen-specific, initiates sequential cascade of cellular interactions in delayed-type hypersensitivity (DTH), mast cell activation by (Askenase PW and Van Loveren H), 120
growth factor (TCGF) in human basophil and lung mast cell (HLMC) histamine release (HR), effects of (Schulman ES et al), 120
sensitization to *D. Pteronyssinus* antigen P_1 (Rawle FC et al), 119
Tears of patients with conjunctivitis, complement proteins and C3 anaphylatoxin in (Ballow M et al), 150
Terbutaline, oral albuterol, and metaproterenol in asthmatic subjects, comparison of acute cardiopulmonary effects of (Wolfe JD et al), 110
500 μg versus placebo (P) from metered dose inhaler via tube spacer (S) or conventional mouthpiece (M) in young asthmatics (Becker AB et al), 109
Test(s), radioallergosorbent (RAST), effect of nonspecific binding by total IgE on (O'Neil CE et al), 152
skin, and serum RAST, negative, local specific IgE production in nasal polyps associated with (Small P et al), 143
Theophylline and adenosine in canine small airways, interaction of (Krzanowski JJ et al), 129
Theophylline—cont'd
disposition, comparison of diurnal and nocturnal (Fox R et al), 173
formulation during continuous therapy in asthmatic children, intraindividual variation in absorption from sustained release (Rogers RJ et al), 133
or cromolyn in childhood asthma, clinical, physiological, and psychological study of treatment with (Springer C et al), 162
preparation (T24), 24-hour, with standard 12-hour theophylline preparation (T12) in asthmatic patients, preliminary report comparing (Tinkelman DG), 133
products in young children, comparison of two sprinkle sustained release (Wyatt R et al), 173
salivary, levels, reliability and predictive value of (Jaber M et al), 133
concentrations, circadian fluctuation in steady-state trough (Reed RC and Schwartz HJ), 172
disposition, comparison of, in elderly smokers and nonsmokers (Samaan SS et al), 134
in chronic asthma of childhood, beclomethasone dipropionate (BDP) as adjunctive to (Katz RM et al), 162
intermediate, is superior to long acting for bronchodilator-dependent "forgetful" asthmatic? (Weinstein A), 133
serum concentrations, evaluation of office method for measuring (Hendeles L and Hill M), 172
versus cromolyn therapy, learning and behavioral problems associated with (Furukawa CT et al), 161
Thymocytes and blood T cells in patient with thymoma, hypogammaglobulinemia, and RBC aplasia, impaired expression of OKT4 epitope on (Levinson AI et al), 168
Thymus cell and T cell products, regulation of human IgE synthesis by (de Weck AL et al), 172
Thymoma, hypogammaglobulinemia, and RBC aplasia, impaired expression of OKT4 epitope on thymocytes and blood T cells in patient with (Levinson AI et al), 168
Tiaprofenic acid (TPA), nonsteroidal anti-inflammatory drug (NSAID), photosensitizing potential of (Galosi A et al), 165
Tiprinast in allergic rhinitis (Knauer K et al), 144
—nonsteroidal antiallergic agent for hay fever (Seidehamel RJ and Knight A), 144
Tissue, human asthmatic lung, responses in vitro (Schellenberg RR and Foster A), 149
-isolation, monkey intestinal, and properties, mucosal mast cells from (Barrett KE et al), 115
Toluenediisocyanate (TDI) in sensitized subjects, time course of airway hyperresponsiveness induced by (Mapp C et al), 174
Topical agents, effect of, on ciliary activity of nasal mucosa (Spock A), 142
Toxin, red tide, on airway resistance in conscious guinea pigs, effect of respiratory exposure to (Wells JH et al), 128
Tracheal, canine, mucus secretion, 15-HETE is potent agonist of (Johnson HG and McNee ML), 193
smooth muscle, guinea pig, mepacrine prevents beta-adrenergic agonist-induced desensitization in (Fukuda T et al), 129
Transplantation, bone marrow, HLA and haplo-identical (soy lectin prepared), in eight patients with severe primary cellular immunodeficiency (CID), comparison of (Buckley RH et al), 195
successful, in DiGeorge syndrome (Goldsobel AB et al), 195
Trial, multicenter, of procaterol vs. metaproterenol for pediatric patients with asthma (Shapiro GG et al), 110
Tuberculosis (TB), IgG antibody to purified protein derivative (PPD) by enzyme-linked immunosorbent assay (ELISA) in diagnosis of (Zeiss CR et al), 153

U

Urea formaldehyde foam (UFFI) off-gas exposure, asthma relationships to (Day JH et al), 122
Urticaria, chronic idiopathic, and angioedema, successful treatment of, with cimetidine alone (Farnam J et al), 182
contact, syndrome from carbonless copy paper (Trautlein JJ et al), 182
delayed pressure (DPU), late cutaneous reactions (LCR) in patients with (Davis KC et al), 183
local heat (LHU), mediator release in: protection with combined H_1 and H_2 antagonists (Irwin R et al), 181
vasculitis, efficacy of hydroxychloroquine treatment on (Curd JG and Zuraw BL), 181

V

Vasculitis, urticarial, efficacy of hydroxychloroquine treatment on (Curd JG and Zuraw BL), 181
urticarial syndrome, neisserial infection in acquired early complement component deficiency of (Moscicki RA et al), 182
Venom(s) allergens, purified vespid, skin test sensitivity to (Gadde J et al), 159
allergy, Hymenoptera, (HVA), evolution of (Golden DBK et al), 189
bee, peptide melittin, antigenic determinants of (King TP), 158
proteins and peptides, purified, allergenic activity of (Wahn U et al), 189
fire ant, hypersensitivity. II. Allergenic proteins of venom and whole body extract (Paull BR et al), 142
harvester ant, demonstration of cross-allergenicity among, using RAST and RAST inhibition (Schmidt JO et al), 158
honeybee, allergy, treatment failures during maintenance therapy in (Ménardo JL et al), 188
(HBV) immunotherapy, combination of active and passive immunization in (Bousquet J et al), 188
Venom(s)—cont'd
Hymenoptera, allergy, how common is unrecognized in general population? (Zora JA et al), 139
immunotherapy, clinical and immunologic response to long-term (Randolph CC et al), 140
in children, discontinuation of (Schuberth KC et al), 189
prolonged: specific IgE and IgG antibodies as criteria for discontinuation of treatment (Urbanek R et al), 188
skin test, positive, in insect-allergic and nonallergic populations, frequency of (Reisman RE and Georgitis JW), 187
Vespula maculifrons, allergens in (Hoffman DR and Wood CL), 158
Vespula maculifrons venom, allergens in (Hoffman DR and Wood CL), 158
Viral infections, successful immune reconstitution in severe combined immunodeficiency (SCID) despite ongoing (DeVoe PW et al), 195

W

Water challenge, ultrasonically nebulized distilled (UNDWC) with methacholine challenge (MC) in asthma, comparison of (Weiss S et al), 125
distilled, inhalation challenge, methacholine inhalation, methacholine skin testing, & eosinophil counts in evaluation of patients presenting with cough &/or nonwheezing dyspnea, use of (Cohen R et al), 125
Weed pollens, cross-reactivity of, with ragweed by phadezym RAST inhibition (Smith L et al), 161
Wheal and flare (WFR), immediate, and late allergic skin reactions (LCR), depression of, by alcoholic onion extract (AOE) (Dorsch W and Ring J), 147